Site Index Estimates

By Site Series:

Report by Biogeoclimatic Unit

(2005 Approximation)

Ministry of Forests
Forest Science Program

2005 Approximation Site Index-Site Unit Reports

This document presents an update to the 2003 approximation of estimates of average site index for tree species according to site units of the Biogeoclimatic Ecosystem Classification (BEC) system of British Columbia. The estimates are presented in two site index-site unit table formats Report by Region and Report by Biogeoclimatic Unit.

In the **Site Index-Site Unit Report by Region**, the tables for biogeoclimatic subzones and variants are presented alphabetically by forest region and biogeoclimatic units. There is one table for each forested biogeoclimatic subzone/variant in the region. In the **Site Index-Site Unit Report by Biogeoclimatic Unit**, the tables are presented alphabetically by biogeoclimatic subzones and variants.

For those site series and species combinations within each BEC subzone/variant that meet the minimum sample size criteria of 7 samples, point estimates of mean site index and their standard error are reported along with their sample size. Otherwise the first approximation site index class estimates are reported.

Note:
1. The following Biogeoclimatic Units have recommended upper elevation limits when applying the SIBEC estimates:

ESSFdc1 – 1850m (Kamloops)
ESSFdc1 – 1800 (Nelson)
ESSFdc2 – 1750m
ESSFdv – 1750m
ESSFdk – 1850m
ESSFmc – 1400m
ESSFmk – 1400m
ESSFmm1 – 1400m
ESSFmw – 1550m
ESSFmv1 – 1300m
ESSFmv2 – 1250m
ESSFmv3 – 1300m
ESSFmv4 – 1250m
ESSFwc2 – 1500m (Prince George)
ESSFwc2 – 1600m (Nelson)
ESSFwc3 – 1450m
ESSFwc4 – 1800m
ESSFwk2 – 1150m
ESSFwm – 1750m
ESSFwv – 1300m
ESSFvc – 1550m
ESSFxc – 1950m

Table of Contents

Report By BGC Unit

Biogeoclimatic Unit	Page
BGxh1	1
BGxh2	1
BGxw1	1
BWBSdk1	1
BWBSdk2	3
BWBSmw1	4
BWBSmw2	5
BWBSwk1	6
BWBSwk2	7
BWBSwk3	8
CDFmm	9
CWHdm	10
CWHds1	12
CWHds2	13
CWHmm1	15
CWHmm2	16
CWHms1	18
CWHms2	19
CWHvh1	21
CWHvh2	23
CWHvm1	26
CWHvm2	29
CWHwh1	31
CWHwh2	34
CWHwm	35
CWHws1	36
CWHws2	38
CWHxm	40
ESSFdc1	42
ESSFdc2	42
ESSFdk	43
ESSFdv	45
ESSFmc	46
ESSFmk	47
ESSFmm1	48
ESSFmv1	49
ESSFmv2	50
ESSFmv3	51
ESSFmv4	52
ESSFmw	53
ESSFvc	54
ESSFvv	55
ESSFwc1	55
ESSFwc2	56
ESSFwc3	57
ESSFwc4	58
ESSFwk1	59
ESSFwk2	60
ESSFwm	60
ESSFwv	61
ESSFxc	62
ESSFxv1	63
ICHdk	63
ICHdw	64

ICHmc1 66
ICHmc1a 67
ICHmc2 67
ICHmk1 69
ICHmk2 71
ICHmk3 72
ICHmm 73
ICHmw1 75
ICHmw2 77
ICHmw3 81
ICHvc 83
ICHvk1 84
ICHvk2 85
ICHwc 87
ICHwk1 88
ICHwk2 90
ICHwk3 91
ICHwk4 93
ICHxw 94
IDFdk1 95
IDFdk2 96
IDFdk3 97
IDFdk4 98
IDFdm1 99
IDFdm2 100
IDFdw 101
IDFmw1 101
IDFmw2 102
IDFww 103
IDFxh1 104
IDFxh2 105
IDFxm 106
IDFxw 107
MHmm1 108
MHmm2 109
MHwh 110
MHwh1 110
MSdc 110
MSdc2 111
MSdk 111
MSdm1 112
MSdm2 114
MSdv 115
MSxk 115
MSxv 116
PPdh1 117
PPdh2 117
PPxh1 118
PPxh2 119
SBPSdc 119
SBPSmc 120
SBPSmk 121
SBPSxc 122
SBSdh 122
SBSdh1 123
SBSdk 123
SBSdw1 125
SBSdw2 126
SBSdw3 127

SBSmc1 129
SBSmc2 130
SBSmc3 132
SBSmh 133
SBSmk1 134
SBSmk2 135
SBSmm 136
SBSmw 137
SBSvk 139
SBSwk1 140
SBSwk2 142
SBSwk3 143

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BGxh1	04	Py - Antelope brush - Red three-awn	Fd		9.0	
BGxh1	04	Py - Antelope brush - Red three-awn	Py		12.0	
BGxh1	05	Py - Sumac	Fd		15.0	
BGxh1	05	Py - Sumac	Py		15.0	
BGxh1	06	PyAct - Nootka rose - Poison ivy	Fd		18.0	
BGxh1	06	PyAct - Nootka rose - Poison ivy	Py		18.0	
BGxh1	07	Act - Water birch	Fd		21.0	
BGxh1	07	Act - Water birch	Py		21.0	
BGxh2	03	Py - Red three-awn	Py		12.0	
BGxh2	04	Py - Bluebunch wheatgrass	Fd		12.0	
BGxh2	04	Py - Bluebunch wheatgrass	Py		12.0	
BGxh2	07	Act - Snowberry - Dogwood	Fd		21.0	
BGxh2	07	Act - Snowberry - Dogwood	Py		21.0	
BGxw1	03	Py - Bluebunch wheatgrass	Fd		12.0	
BGxw1	03	Py - Bluebunch wheatgrass	Py		12.0	
BGxw1	05	Py - Rough fescue - Bluebunch wheatgrass	Fd		15.0	
BGxw1	05	Py - Rough fescue - Bluebunch wheatgrass	Py		15.0	
BGxw1	08	At - Snowberry - Kentucky bluegrass	Fd		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSdk1	01	Sw - Knight's plume - Step moss	Bl		12.0	
BWBSdk1	01	Sw - Knight's plume - Step moss	Pl	15	15.4	0.5
BWBSdk1	01	Sw - Knight's plume - Step moss	Sw	8	14.0	0.8
BWBSdk1	02	Pl - Lingonberry - Feathermoss	Pl		12.0	
BWBSdk1	02	Pl - Lingonberry - Feathermoss	Sw		9.0	
BWBSdk1	03	Sw - Wildrye - Toad-flax	Pl		12.0	
BWBSdk1	03	Sw - Wildrye - Toad-flax	Sw		12.0	
BWBSdk1	04	Sb - Lingonberry - Knight's plume	Pl	15	13.7	0.4
BWBSdk1	04	Sb - Lingonberry - Knight's plume	Sb		9.0	
BWBSdk1	04	Sb - Lingonberry - Knight's plume	Sw		12.0	
BWBSdk1	05	Sw - Soopolallie - Twinflower	Bl		12.0	
BWBSdk1	05	SwPl - Soopolallie - Twinflower	Bl		12.0	
BWBSdk1	05	Sw - Soopolallie - Twinflower	Pl		18.0	
BWBSdk1	05	SwPl - Soopolallie - Twinflower	Pl		18.0	
BWBSdk1	05	Sw - Soopolallie - Twinflower	Sw		15.0	
BWBSdk1	05	SwPl - Soopolallie - Twinflower	Sw		15.0	
BWBSdk1	06	Sw - Scouring-rush - Step moss	Bl		12.0	
BWBSdk1	06	Sw - Scouring-rush - Step moss	Pl		15.0	
BWBSdk1	06	Sw - Scouring-rush - Step moss	Sw		12.0	
BWBSdk1	06	Sw - Scouring-rush - Step moss	Sw		15.0	
BWBSdk1	07	Sb - Lingonberry - Coltsfoot	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
BWBSdk1	07	Sb - Lingonberry - Coltsfoot	Sb		12.0	
BWBSdk1	07	Sb - Lingonberry - Coltsfoot	Sw		12.0	
BWBSdk1	08	Sw - Currant - Horsetail	Pl		18.0	
BWBSdk1	08	Sw - Currant - Horsetail	Sw		18.0	
BWBSdk1	09	Sb - Horsetail - Sphagnum	Pl		9.0	
BWBSdk1	09	Sb - Horsetail - Sphagnum	Sw		9.0	
BWBSdk1	10	Sb - Labrador tea - Sphagnum	Pl		6.0	
BWBSdk1	10	Sb - Labrador tea - Sphagnum	Sw		6.0	
BWBSdk1	11	Sw - Willow - Glow moss	Pl		6.0	
BWBSdk1	11	Sw - Willow - Glow moss	Sw		6.0	
BWBSdk2	01	Sw - Knight's plume - Step moss	Pl	15	12.8	0.6
BWBSdk2	01	Sw - Knight's plume - Step moss	Sb		9.0	
BWBSdk2	01	Sw - Knight's plume - Step moss	Sw		12.0	
BWBSdk2	02	Pl - Lingonberry - Cladonia	Pl	8	11.4	0.6
BWBSdk2	02	Pl - Lingonberry - Cladonia	Sw		9.0	
BWBSdk2	03	Sb - Lingonberry - Knight's plume	Pl		9.0	
BWBSdk2	03	Sb - Lingonberry - Knight's plume	Sb		6.0	
BWBSdk2	03	Sb - Lingonberry - Knight's plume	Sw		9.0	
BWBSdk2	04	Sb - Labrador tea - Feathermoss	Pl		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSdk2	04	Sb - Labrador tea - Feathermoss	Sb		6.0	
BWBSdk2	04	Sb - Labrador tea - Feathermoss	Sw		9.0	
BWBSdk2	05	Sw - Wildrye - Toad-flax	Pl	12	14.7	0.8
BWBSdk2	05	Sw - Wildrye - Toad-flax	Sw		12.0	
BWBSdk2	06	Sw - Currant - Horsetail	Pl		15.0	
BWBSdk2	06	Sw - Currant - Horsetail	Sw		15.0	
BWBSdk2	07	Sb - Labrador tea - Sphagnum	Pl		6.0	
BWBSdk2	07	Sb - Labrador tea - Sphagnum	Sw		6.0	
BWBSdk2	08	Lt - Glow moss	Lt		9.0	
BWBSdk2	08	Lt - Glow moss	Sw		9.0	
BWBSmw1	01	SwAt - Step moss	At	13	17.6	0.8
BWBSmw1	01	SwAt - Step moss	Pl		18.0	
BWBSmw1	01	SwAt - Step moss	Sw	16	17.7	0.7
BWBSmw1	02	Pl - Lingonberry - Velvet-leaved blueberry	Pl		12.0	
BWBSmw1	02	Pl - Lingonberry - Velvet-leaved blueberry	Sw		9.0	
BWBSmw1	03	Sw - Wildrye - Peavine	At	13	16.5	0.7
BWBSmw1	03	Sw - Wildrye - Peavine	Pl		18.0	
BWBSmw1	03	Sw - Wildrye - Peavine	Sw	9	17.0	0.6
BWBSmw1	04	Sb - Lingonberry - Coltsfoot	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSmw1	04	Sb - Lingonberry - Coltsfoot	Sb		9.0	
BWBSmw1	04	Sb - Lingonberry - Coltsfoot	Sw		12.0	
BWBSmw1	05	Sw - Currant - Oak fern	Pl		18.0	
BWBSmw1	05	Sw - Currant - Oak fern	Sb		15.0	
BWBSmw1	05	Sw - Currant - Oak fern	Sw		18.0	
BWBSmw1	06	Sw - Currant - Bluebells	At	8	17.1	1.2
BWBSmw1	06	Sw - Currant - Bluebells	Pl		18.0	
BWBSmw1	06	Sw - Currant - Bluebells	Sw	9	18.1	0.9
BWBSmw1	07	Sw - Currant - Horsetail	Pl		18.0	
BWBSmw1	07	Sw - Currant - Horsetail	Sw		18.0	
BWBSmw1	08	Sb - Labrador tea - Sphagnum	Pl		12.0	
BWBSmw1	08	Sb - Labrador tea - Sphagnum	Sb		9.0	
BWBSmw1	08	Sb - Labrador tea - Sphagnum	Sw		9.0	
BWBSmw2	01	SwAt - Step moss	Pl		15.0	
BWBSmw2	01	SwAt - Step moss	Sw		15.0	
BWBSmw2	02	Pl - Lingonberry - Velvet-leaved blueberry	Pl		12.0	
BWBSmw2	02	Pl - Lingonberry - Velvet-leaved blueberry	Sw		9.0	
BWBSmw2	03	Sb - Lingonberry - Knight's plume	Pl		15.0	
BWBSmw2	03	Sb - Lingonberry - Knight's plume	Sb		12.0	
BWBSmw2	03	Sb - Lingonberry - Knight's plume	Sw		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSmw2	04	Sb - Lingonberry - Coltsfoot	Pl		15.0	
BWBSmw2	04	Sb - Lingonberry - Coltsfoot	Sb		12.0	
BWBSmw2	04	Sb - Lingonberry - Coltsfoot	Sw		12.0	
BWBSmw2	05	Sw - Currant - Horsetail	Sw		18.0	
BWBSmw2	06	Sb - Feathermoss - Bluebells	Pl		18.0	
BWBSmw2	06	Sb - Feathermoss - Bluebells	Sb	7	8.4	0.9
BWBSmw2	06	Sb - Feathermoss - Bluebells	Sw		15.0	
BWBSmw2	07	Lt - Horsetail	Lt		15.0	
BWBSmw2	07	Lt - Horsetail	Sb		15.0	
BWBSmw2	07	Lt - Horsetail	Sw		12.0	
BWBSmw2	08	Sb - Cloudberry - Sphagnum	Pl		12.0	
BWBSmw2	08	Sb - Cloudberry - Sphagnum	Sb	8	8.9	0.5
BWBSmw2	08	Sb - Cloudberry - Sphagnum	Sw		9.0	
BWBSmw2	09	Sb - Willow - Glow moss	Lt		12.0	
BWBSmw2	09	Sb - Willow	Sb	8	12.4	0.9
BWBSmw2	09	Sb - Willow - Glow moss	Sb		9.0	
BWBSmw2	09	Sb - Willow - Glow moss	Sw		9.0	
BWBSmw2	10	Lt - Buckbean	Lt		12.0	
BWBSmw2	10	Lt - Buckbean	Pl		12.0	
BWBSmw2	10	Lt - Buckbean	Sb		9.0	
BWBSmw2	10	Lt - Buckbean	Sw		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSwk1	01	Sw - Huckleberry - Step moss	Pl		15.0	
BWBSwk1	01	Sw - Huckleberry - Step moss	Sw		12.0	
BWBSwk1	02	Pl - Lingonberry - Velvet-leaved blueberry	Pl		12.0	
BWBSwk1	02	Pl - Lingonberry - Velvet-leaved blueberry	Sw		9.0	
BWBSwk1	03	Sb - Lingonberry - Coltsfoot	Pl		12.0	
BWBSwk1	03	Sb - Lingonberry - Coltsfoot	Sb		9.0	
BWBSwk1	03	Sb - Lingonberry - Coltsfoot	Sw		9.0	
BWBSwk1	04	Sw - Wildrye - Peavine	Pl		15.0	
BWBSwk1	04	Sw - Wildrye - Peavine	Sw		12.0	
BWBSwk1	05	Sw - Currant - Bluebells	Pl		15.0	
BWBSwk1	05	Sw - Currant - Bluebells	Sw		15.0	
BWBSwk1	06	Sw - Currant - Horsetail	Pl		15.0	
BWBSwk1	06	Sw - Currant - Horsetail	Sw		15.0	
BWBSwk1	07	Sb - Horsetail - Sphagnum	Pl		12.0	
BWBSwk1	07	Sb - Horsetail - Sphagnum	Sb		9.0	
BWBSwk1	07	Sb - Horsetail - Sphagnum	Sw		9.0	
BWBSwk1	08	Sb - Willow - Glow moss	Lt		9.0	
BWBSwk1	08	Sb - Willow - Glow moss	Pl		9.0	
BWBSwk1	08	Sb - Willow - Glow moss	Sb		6.0	
BWBSwk1	08	Sb - Willow - Glow moss	Sw		6.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
BWBSwk2	01	Sw - Huckleberry - Step moss	Pl		15.0	
BWBSwk2	01	Sw - Huckleberry - Step moss	Sw		12.0	
BWBSwk2	02	Pl - Lingonberry - Feathermoss	Pl		12.0	
BWBSwk2	02	Pl - Lingonberry - Feathermoss	Sw		9.0	
BWBSwk2	03	Sw - Wildrye - Peavine	Pl		15.0	
BWBSwk2	03	Sw - Wildrye - Peavine	Sw		12.0	
BWBSwk2	04	Sb - Lingonberry - Coltsfoot	Pl		12.0	
BWBSwk2	04	Sb - Lingonberry - Coltsfoot	Sb		9.0	
BWBSwk2	04	Sb - Lingonberry - Coltsfoot	Sw		9.0	
BWBSwk2	05	Sw - Currant - Bluebells	Pl		15.0	
BWBSwk2	05	Sw - Currant - Bluebells	Sw		15.0	
BWBSwk2	06	Sw - Currant - Horsetail	Pl		15.0	
BWBSwk2	06	Sw - Currant - Horsetail	Sw		15.0	
BWBSwk2	07	Sb - Horsetail - Sphagnum	Pl		12.0	
BWBSwk2	07	Sb - Horsetail - Sphagnum	Sb		9.0	
BWBSwk2	07	Sb - Horsetail - Sphagnum	Sw		9.0	
BWBSwk2	08	Sb - Willow - Glow moss	Lt		9.0	
BWBSwk2	08	Sb - Willow - Glow moss	Pl		9.0	
BWBSwk2	08	Sb - Willow - Glow moss	Sb		6.0	
BWBSwk2	08	Sb - Willow - Glow moss	Sw		6.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
BWBSwk3	01	Sw - Huckleberry - Step moss	Pl		12.0	
BWBSwk3	01	Sw - Huckleberry - Step moss	Sw		9.0	
CDFmm	01	Fd - Salal	Bg		20.0	
CDFmm	01	Fd - Salal	Cw		20.0	
CDFmm	01	Fd - Salal	Fd	12	29.7	2.3
CDFmm	01	Fd - Salal	Pl		20.0	
CDFmm	02	FdPl - Arbutus	Fd		16.0	
CDFmm	02	FdPl - Arbutus	Pl		16.0	
CDFmm	03	Fd - Oniongrass	Fd		20.0	
CDFmm	03	Fd - Oniongrass	Pl		16.0	
CDFmm	04	FdBg - Oregon grape	Bg		24.0	
CDFmm	04	FdBg - Oregon grape	Cw		24.0	
CDFmm	04	FdBg - Oregon grape	Fd		28.0	
CDFmm	05	CwFd - Kindbergia	Cw		24.0	
CDFmm	05	CwFd - Kindbergia	Fd		24.0	
CDFmm	06	CwBg - Foamflower	Bg		32.0	
CDFmm	06	CwBg - Foamflower	Cw		28.0	
CDFmm	06	CwBg - Foamflower	Fd		32.0	
CDFmm	07	Cw - Snowberry	Bg		32.0	
CDFmm	07	Cw - Snowberry	Cw		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CDFmm	07	Cw - Snowberry	Fd		32.0	
CDFmm	08	Act - Red-osier dogwood	Bg		24.0	
CDFmm	08	Act - Red-osier dogwood	Cw		24.0	
CDFmm	10	Pl - Sphagnum	Cw		8.0	
CDFmm	10	Pl - Sphagnum	Pl		16.0	
CDFmm	11	Cw - Skunk cabbage	Cw		16.0	
CDFmm	12	Cw - Vanilla leaf	Bg		28.0	
CDFmm	12	Cw - Vanilla leaf	Cw		24.0	
CDFmm	12	Cw - Vanilla leaf	Fd		28.0	
CDFmm	13	Cw - Indian plum	Bg		28.0	
CDFmm	13	Cw - Indian plum	Cw		28.0	
CDFmm	13	Cw - Indian plum	Fd		28.0	
CDFmm	14	Cw - Slough sedge	Bg		20.0	
CDFmm	14	Cw - Slough sedge	Cw		20.0	
CWHdm	01	Hw - Flat moss	Cw	18	27.6	0.6
CWHdm	01	Hw - Flat moss	Fd	12	34.1	1.2
CWHdm	01	Hw - Flat moss	Hw	13	30.3	0.7
CWHdm	02	FdPl - Cladina	Fd		16.0	
CWHdm	02	FdPl - Cladina	Pl		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHdm	03	FdHw - Salal	Cw		20.0	
CWHdm	03	FdHw - Salal	Fd		24.0	
CWHdm	04	Fd - Sword fern	Cw		24.0	
CWHdm	04	Fd - Sword fern	Fd		28.0	
CWHdm	05	Cw - Sword Fern	Cw		28.0	
CWHdm	05	Cw - Sword Fern	Fd	11	39.7	0.7
CWHdm	06	HwCw - Deer fern	Cw		32.0	
CWHdm	06	HwCw - Deer fern	Fd		36.0	
CWHdm	06	HwCw - Deer fern	Hw		32.0	
CWHdm	07	Cw - Foamflower	Bg		40.0	
CWHdm	07	Cw - Foamflower	Cw	11	30.8	1.3
CWHdm	07	Cw - Foamflower	Fd	9	41.0	1.0
CWHdm	07	Cw - Foamflower	Hw	11	33.9	1.3
CWHdm	08	Ss - Salmonberry	Bg		40.0	
CWHdm	08	Ss - Salmonberry	Cw		32.0	
CWHdm	09	Act - Red-osier dogwood	Bg		28.0	
CWHdm	09	Act - Red-osier dogwood	Cw		28.0	
CWHdm	11	Pl - Sphagnum	Cw		12.0	
CWHdm	11	Pl - Sphagnum	Pl		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHdm	12	CwSs - Skunk cabbage	Cw		20.0	
CWHdm	12	CwSs - Skunk cabbage	Hw		32.0	
CWHdm	12	CwSs - Skunk cabbage	Ss		28.0	
CWHdm	13	Cw - Salmonberry	Bg		36.0	
CWHdm	13	Cw - Salmonberry	Cw		28.0	
CWHdm	13	Cw - Salmonberry	Fd		36.0	
CWHdm	14	Cw - Black twinberry	Bg		28.0	
CWHdm	14	Cw - Black twinberry	Cw		28.0	
CWHdm	15	Cw - Slough sedge	Cw		24.0	
CWHds1	01	HwFd - Cat's-tail moss	Cw		20.0	
CWHds1	01	HwFd - Cat's-tail moss	Fd	8	33.8	1.4
CWHds1	02	FdPl - Kinnikinnick	Fd		12.0	
CWHds1	02	FdPl - Kinnikinnick	Pl		12.0	
CWHds1	03	FdHw - Falsebox	Cw		12.0	
CWHds1	03	FdHw - Falsebox	Fd		16.0	
CWHds1	03	FdHw - Falsebox	Pl		16.0	
CWHds1	04	Fd - Fairybells	Cw		20.0	
CWHds1	04	Fd - Fairybells	Fd		24.0	
CWHds1	05	Cw - Solomon's seal	Cw		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHds1	05	Cw - Solomon's seal	Fd		36.0	
CWHds1	06	Hw - Queen's cup	Cw		24.0	
CWHds1	06	Hw - Queen's cup	Fd		28 0	
CWHds1	06	Hw - Queen's cup	Hw		28 0	
CWHds1	07	Cw - Devil's club	Bg		36.0	
CWHds1	07	Cw - Devil's club	Cw		28.0	
CWHds1	07	Cw - Devil's club	Dr	8	26.4	1.5
CWHds1	07	Cw - Devil's club	Fd		36.0	
CWHds1	08	Ss - Salmonberry	Bg		36.0	
CWHds1	08	Ss - Salmonberry	Cw		28.0	
CWHds1	09	Act - Red-osier dogwood	Bg		28.0	
CWHds1	09	Act - Red-osier dogwood	Cw		24.0	
CWHds1	11	Pl - Sphagnum	Cw		12.0	
CWHds1	11	Pl - Sphagnum	Pl		16.0	
CWHds1	12	CwSs - Skunk cabbage	Cw		20.0	
CWHds2	01	HwFd - Cat's-tail moss	Cw		16.0	
CWHds2	01	HwFd - Cat's-tail moss	Fd		24.0	
CWHds2	01	HwFd - Cat's-tail moss	Hw		20.0	
CWHds2	02	FdPl - Kinnikinnick	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHds2	03	FdHw - Falsebox	Cw		12.0	
CWHds2	03	FdHw - Falsebox	Fd		16.0	
CWHds2	03	FdHw - Falsebox	Pl		16.0	
CWHds2	04	Fd - Fairybells	Cw		20.0	
CWHds2	04	Fd - Fairybells	Fd		24.0	
CWHds2	04	Fd - Fairybells	Pl		24.0	
CWHds2	05	Cw - Solomon's seal	Cw		24.0	
CWHds2	05	Cw - Solomon's seal	Fd		36.0	
CWHds2	05	Cw - Solomon's seal	Ss		32.0	
CWHds2	06	Hw - Queen's cup	Cw		24.0	
CWHds2	06	Hw - Queen's cup	Fd		28.0	
CWHds2	06	Hw - Queen's cup	Hw		28.0	
CWHds2	07	Cw - Devil's club	Cw		28.0	
CWHds2	07	Cw - Devil's club	Fd		36.0	
CWHds2	07	Cw - Devil's club	Ss		36.0	
CWHds2	08	Ss - Salmonberry	Cw		28.0	
CWHds2	08	Ss - Salmonberry	Ss		36.0	
CWHds2	09	Act - Red-osier dogwood	Cw		24.0	
CWHds2	09	Act - Red-osier dogwood	Ss		28.0	
CWHds2	11	Pl - Sphagnum	Cw		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHds2	11	Pl - Sphagnum	Pl		16.0	
CWHds2	12	CwSs - Skunk cabbage	Cw		20.0	
CWHds2	12	CwSs - Skunk cabbage	Ss		24.0	
CWHmm1	01	HwBa - Pipecleaner moss	Cw		24.0	
CWHmm1	01	HwBa - Pipecleaner moss	Fd		28.0	
CWHmm1	01	HwBa - Pipecleaner moss	Hw		24.0	
CWHmm1	02	FdHw - Salal	Fd		20.0	
CWHmm1	02	FdHw - Salal	Pl		20.0	
CWHmm1	03	HwCw - Salal	Cw		20.0	
CWHmm1	03	HwCw - Salal	Fd		32.0	
CWHmm1	04	CwHw - Sword fern	Cw		24.0	
CWHmm1	04	CwHw - Sword fern	Fd		36.0	
CWHmm1	05	BaCw - Foamflower	Cw		28.0	
CWHmm1	05	BaCw - Foamflower	Fd		40.0	
CWHmm1	05	BaCw - Foamflower	Hw		28.0	
CWHmm1	06	HwBa - Deer fern	Ba		28.0	
CWHmm1	06	HwBa - Deer fern	Cw		24.0	
CWHmm1	06	HwBa - Deer fern	Hw		24.0	
CWHmm1	07	BaCw - Salmonberry	Ba		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHmm1	07	BaCw - Salmonberry	Cw		28.0	
CWHmm1	07	BaCw - Salmonberry	Fd		36.0	
CWHmm1	08	Ss - Salmonberry	Ba		28.0	
CWHmm1	08	Ss - Salmonberry	Cw		28.0	
CWHmm1	09	Act - Red-osier dogwood	Ba		24.0	
CWHmm1	09	Act - Red-osier dogwood	Cw		28.0	
CWHmm1	11	Pl - Sphagnum	Cw		12.0	
CWHmm1	11	Pl - Sphagnum	Pl		16.0	
CWHmm1	12	CwSs - Skunk cabbage	Cw		20.0	
CWHmm1	12	CwSs - Skunk cabbage	Hw		24.0	
CWHmm1	12	CwSs - Skunk cabbage	Ss		24.0	
CWHmm2	01	HwBa - Pipecleaner moss	Ba		24.0	
CWHmm2	01	HwBa - Pipecleaner moss	Cw		24.0	
CWHmm2	01	HwBa - Pipecleaner moss	Fd		28.0	
CWHmm2	01	HwBa - Pipecleaner moss	Hw		24.0	
CWHmm2	01	HwBa - Pipecleaner moss	Yc		24.0	
CWHmm2	02	FdHw - Salal	Fd		16.0	
CWHmm2	02	FdHw - Salal	Pl		16.0	
CWHmm2	03	HwCw - Salal	Cw		20.0	
CWHmm2	03	HwCw - Salal	Fd		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHmm2	03	HwCw - Salal	Yc		20.0	
CWHmm2	04	CwHw - Sword fern	Cw		20.0	
CWHmm2	04	CwHw - Sword fern	Fd		24.0	
CWHmm2	04	CwHw - Sword fern	Yc		20.0	
CWHmm2	05	BaCw - Foamflower	Ba		28.0	
CWHmm2	05	BaCw - Foamflower	Cw		24.0	
CWHmm2	05	BaCw - Foamflower	Fd		28.0	
CWHmm2	05	BaCw - Foamflower	Hw		28.0	
CWHmm2	05	BaCw - Foamflower	Yc		24.0	
CWHmm2	06	HwBa - Deer fern	Ba		24.0	
CWHmm2	06	HwBa - Deer fern	Cw		20.0	
CWHmm2	06	HwBa - Deer fern	Hw		24.0	
CWHmm2	06	HwBa - Deer fern	Yc		20.0	
CWHmm2	07	CwYc - Goldthread	Cw		16.0	
CWHmm2	07	CwYc - Goldthread	Yc		16.0	
CWHmm2	08	BaCw - Salmonberry	Ba		28.0	
CWHmm2	08	BaCw - Salmonberry	Cw		24.0	
CWHmm2	08	BaCw - Salmonberry	Fd		28.0	
CWHmm2	08	BaCw - Salmonberry	Hw		24.0	
CWHmm2	08	BaCw - Salmonberry	Yc		24.0	
CWHmm2	09	Pl - Sphagnum	Pl		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHmm2	09	Pl - Sphagnum	Yc		12.0	
CWHmm2	10	CwYc - Skunk cabbage	Cw		16.0	
CWHmm2	10	CwYc - Skunk cabbage	Hw		20.0	
CWHmm2	10	CwYc - Skunk cabbage	Yc		16.0	
CWHms1	01	HwBa - Step moss	Ba		16.0	
CWHms1	01	HwBa - Step moss	Cw		20.0	
CWHms1	01	HwBa - Step moss	Fd		24.0	
CWHms1	01	HwBa - Step moss	Hw		20.0	
CWHms1	02	FdPl - Kinnikinnick	Fd		12.0	
CWHms1	02	FdPl - Kinnikinnick	Pl		12.0	
CWHms1	03	FdHw - Falsebox	Fd		16.0	
CWHms1	04	BaCw - Oak fern	Ba		16.0	
CWHms1	04	BaCw - Oak fern	Cw		20.0	
CWHms1	04	BaCw - Oak fern	Fd		28.0	
CWHms1	04	BaCw - Oak fern	Hw		24.0	
CWHms1	04	BaCw - Oak fern	Yc		20.0	
CWHms1	05	HwBa - Queen's cup	Ba		20.0	
CWHms1	05	HwBa - Queen's cup	Cw		20.0	
CWHms1	05	HwBa - Queen's cup	Hw		24.0	
CWHms1	05	HwBa - Queen's cup	Yc		20.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHms1	06	BaCw - Devil's club	Ba		24.0	
CWHms1	06	BaCw - Devil's club	Bg		28.0	
CWHms1	06	BaCw - Devil's club	Cw		24.0	
CWHms1	06	BaCw - Devil's club	Fd		28.0	
CWHms1	06	BaCw - Devil's club	Yc		24.0	
CWHms1	07	Ss - Salmonberry	Ba		24.0	
CWHms1	07	Ss - Salmonberry	Cw		24.0	
CWHms1	08	Act - Red-osier dogwood	Ba		20.0	
CWHms1	08	Act - Red-osier dogwood	Cw		20.0	
CWHms1	10	Pl - Sphagnum	Cw		12.0	
CWHms1	10	Pl - Sphagnum	Pl		12.0	
CWHms1	11	CwSs - Skunk cabbage	Cw		20.0	
CWHms1	11	CwSs - Skunk cabbage	Yc		20.0	
CWHms2	01	HwBa - Step moss	Cw		20.0	
CWHms2	01	HwBa - Step moss	Fd		24.0	
CWHms2	01	HwBa - Step moss	Hw		20.0	
CWHms2	02	FdPl - Kinnikinnick	Fd		12.0	
CWHms2	02	FdPl - Kinnikinnick	Pl		12.0	
CWHms2	03	FdHw - Falsebox	Cw		16.0	
CWHms2	03	FdHw - Falsebox	Fd		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHms2	03	FdHw - Falsebox	Pl		16.0	
CWHms2	04	BaCw - Oak fern	Ba		16.0	
CWHms2	04	BaCw - Oak fern	Cw		20.0	
CWHms2	04	BaCw - Oak fern	Fd		28.0	
CWHms2	04	BaCw - Oak fern	Hw		20.0	
CWHms2	04	BaCw - Oak fern	Ss		24.0	
CWHms2	05	HwBa - Queen's cup	Ba		20.0	
CWHms2	05	HwBa - Queen's cup	Cw		16.0	
CWHms2	05	HwBa - Queen's cup	Hw		24.0	
CWHms2	06	BaCw - Devil's club	Ba		28.0	
CWHms2	06	BaCw - Devil's club	Cw		24.0	
CWHms2	06	BaCw - Devil's club	Fd		28.0	
CWHms2	06	BaCw - Devil's club	Ss		28.0	
CWHms2	07	Ss - Salmonberry	Ba		28.0	
CWHms2	07	Ss - Salmonberry	Cw		24.0	
CWHms2	07	Ss - Salmonberry	Ss		28.0	
CWHms2	08	Act - Red-osier dogwood	Ba		20.0	
CWHms2	08	Act - Red-osier dogwood	Cw		20.0	
CWHms2	10	Pl - Sphagnum	Cw		12.0	
CWHms2	10	Pl - Sphagnum	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHms2	11	CwSs - Skunk cabbage	Cw		20.0	
CWHms2	11	CwSs - Skunk cabbage	Hw		20.0	
CWHms2	11	CwSs - Skunk cabbage	Ss		20.0	
CWHvh1	01	CwHw - Salal	Ba		12.0	
CWHvh1	01	CwHw - Salal	Cw		16.0	
CWHvh1	01	CwHw - Salal	Hw		16.0	
CWHvh1	01	CwHw - Salal	Pl		16.0	
CWHvh1	01	CwHw - Salal	Ss		20.0	
CWHvh1	02	PlYc - Rhacomitrium	Cw		8.0	
CWHvh1	02	PlYc - Rhacomitrium	Pl		12.0	
CWHvh1	02	PlYc - Rhacomitrium	Yc		8.0	
CWHvh1	03	CwYc - Salal	Cw		12.0	
CWHvh1	03	CwYc - Salal	Hw		12.0	
CWHvh1	03	CwYc - Salal	Pl		12.0	
CWHvh1	04	HwSs - Lanky moss	Ba		24.0	
CWHvh1	04	HwSs - Lanky moss	Cw		20.0	
CWHvh1	04	HwSs - Lanky moss	Hw		24.0	
CWHvh1	04	HwSs - Lanky moss	Ss		24.0	
CWHvh1	05	CwSs - Sword fern	Ba		28.0	
CWHvh1	05	CwSs - Sword fern	Cw		24.0	
CWHvh1	05	CwSs - Sword fern	Hw		28.0	
CWHvh1	05	CwSs - Sword fern	Ss		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvh1	06	CwSs - Foamflower	Ba		24.0	
CWHvh1	06	CwSs - Foamflower	Cw		24.0	
CWHvh1	06	CwSs - Foamflower	Hw		24.0	
CWHvh1	06	CwSs - Foamflower	Ss		32.0	
CWHvh1	07	CwSs - Devil's club	Ba		28.0	
CWHvh1	07	CwSs - Devil's club	Cw		24.0	
CWHvh1	07	CwSs - Devil's club	Hw		28.0	
CWHvh1	07	CwSs - Devil's club	Ss		32.0	
CWHvh1	08	Ss - Lily-of-the-valley	Ba		28.0	
CWHvh1	08	Ss - Lily-of-the-valley	Cw		24.0	
CWHvh1	08	Ss - Lily-of-the-valley	Hw		28.0	
CWHvh1	08	Ss - Lily-of-the-valley	Ss		28.0	
CWHvh1	09	Ss - Trisetum	Ba		24.0	
CWHvh1	09	Ss - Trisetum	Cw		16.0	
CWHvh1	09	Ss - Trisetum	Hw		20.0	
CWHvh1	09	Ss - Trisetum	Ss		24.0	
CWHvh1	11	CwYc - Goldthread	Cw		12.0	
CWHvh1	11	CwYc - Goldthread	Hw		16.0	
CWHvh1	11	CwYc - Goldthread	Yc		8.0	
CWHvh1	12	PlYc - Sphagnum	Cw		8.0	
CWHvh1	12	PlYc - Sphagnum	Pl		8.0	
CWHvh1	12	PlYc - Sphagnum	Yc		8.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvh1	13	CwSs - Skunk cabbage	Cw		16.0	
CWHvh1	13	CwSs - Skunk cabbage	Hw		16.0	
CWHvh1	13	CwSs - Skunk cabbage	Ss		20.0	
CWHvh1	14	Ss - Salal	Cw		8.0	
CWHvh1	14	Ss - Salal	Hw		12.0	
CWHvh1	14	Ss - Salal	Pl		12.0	
CWHvh1	14	Ss - Salal	Ss		12.0	
CWHvh1	15	Ss - Kindbergia	Cw		16.0	
CWHvh1	15	Ss - Kindbergia	Hw		20.0	
CWHvh1	15	Ss - Kindbergia	Ss		24.0	
CWHvh1	16	Ss - Reedgrass	Cw		12.0	
CWHvh1	16	Ss - Reedgrass	Hw		20.0	
CWHvh1	16	Ss - Reedgrass	Pl		20.0	
CWHvh1	16	Ss - Reedgrass	Ss		24.0	
CWHvh1	17	Ss - Sword fern	Cw		12.0	
CWHvh1	17	Ss - Sword fern	Hw		20.0	
CWHvh1	17	Ss - Sword fern	Ss		28.0	
CWHvh1	18	Ss - Slough sedge	Cw		8.0	
CWHvh1	18	Ss - Slough sedge	Ss		12.0	
CWHvh2	01	CwHw - Salal	Ba		16.0	
CWHvh2	01	CwHw - Salal	Cw	7	19.7	0.8

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvh2	01	CwHw - Salal	Hw		20.0	
CWHvh2	01	CwHw - Salal	Pl		20.0	
CWHvh2	01	CwHw - Salal - Prince Rupert	Ss		16.0	
CWHvh2	01	CwHw - Salal - Vancouver	Ss		20.0	
CWHvh2	01	CwHw - Salal	Yc		16.0	
CWHvh2	03	CwYc - Salal	Cw		16.0	
CWHvh2	03	CwYc - Salal	Hw		16.0	
CWHvh2	03	CwYc - Salal	Pl		16.0	
CWHvh2	04	HwSs - Lanky moss	Ba	33	27.3	0.7
CWHvh2	04	HwSs - Lanky moss	Cw	20	22.8	0.5
CWHvh2	04	HwSs - Lanky moss	Hw	43	27.0	0.6
CWHvh2	04	HwSs - Lanky moss	Ss	43	31.6	0.6
CWHvh2	05	CwSs - Sword fern	Ba		24.0	
CWHvh2	05	CwSs - Sword fern	Cw		24.0	
CWHvh2	05	CwSs - Sword fern	Hw		24.0	
CWHvh2	05	CwSs - Sword fern	Ss		28.0	
CWHvh2	06	CwSs - Foamflower	Ba	15	31.0	0.7
CWHvh2	06	CwSs - Foamflower	Cw	10	24.2	0.5
CWHvh2	06	CwSs - Foamflower	Hw	18	28.2	0.7
CWHvh2	06	CwSs - Foamflower	Ss	27	32.9	0.8
CWHvh2	07	CwSs - Devil's club - Vancouver	Ba		24.0	
CWHvh2	07	CwSs - Devil's club - Prince Rupert	Ba		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvh2	07	CwSs - Devil's club	Cw	9	22.0	1.2
CWHvh2	07	CwSs - Devil's club	Hw	9	24.7	2.3
CWHvh2	07	CwSs - Devil's club	Ss	18	30.5	1.5
CWHvh2	08	Ss - Lily-of-the-valley - Vancouver	Ba		24.0	
CWHvh2	08	Ss - Lily-of-the-valley - Prince Rupert	Ba		28.0	
CWHvh2	08	Ss - Lily-of-the-valley	Cw		24.0	
CWHvh2	08	Ss - Lily-of-the-valley	Hw		24.0	
CWHvh2	08	Ss - Lily-of-the-valley	Ss		32.0	
CWHvh2	09	Ss - Trisetum	Hw		28.0	
CWHvh2	09	Ss - Trisetum	Ss		32.0	
CWHvh2	11	CwYc - Goldthread	Cw		12.0	
CWHvh2	11	CwYc - Goldthread	Hw		16.0	
CWHvh2	11	CwYc - Goldthread	Pl		16.0	
CWHvh2	11	CwYc - Goldthread - Vancouver	Yc		8.0	
CWHvh2	11	CwYc - Goldthread - Prince Rupert	Yc		12.0	
CWHvh2	12	PlYc - Sphagnum	Cw		8.0	
CWHvh2	12	PlYc - Sphagnum	Pl		12.0	
CWHvh2	12	PlYc - Sphagnum	Yc		8.0	
CWHvh2	13	CwSs - Skunk cabbage	Cw		16.0	
CWHvh2	13	CwSs - Skunk cabbage	Hw		16.0	
CWHvh2	13	CwSs - Skunk cabbage	Ss		20.0	
CWHvh2	13	CwSs - Skunk cabbage	Yc		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvh2	14	Ss - Salal	Cw		12.0	
CWHvh2	14	Ss - Salal	Hw		12.0	
CWHvh2	14	Ss - Salal	Ss		16.0	
CWHvh2	15	Ss - Kindbergia	Cw		16.0	
CWHvh2	15	Ss - Kindbergia	Hw		16.0	
CWHvh2	15	Ss - Kindbergia	Ss		24.0	
CWHvh2	16	Ss - Reedgrass	Cw		12.0	
CWHvh2	16	Ss - Reedgrass	Hw		12.0	
CWHvh2	16	Ss - Reedgrass	Ss		16.0	
CWHvh2	17	Ss - Sword fern	Cw		24.0	
CWHvh2	17	Ss - Sword fern	Hw		24.0	
CWHvh2	17	Ss - Sword fern	Ss		32.0	
CWHvh2	18	Ss - Slough sedge	Cw		16.0	
CWHvh2	18	Ss - Slough sedge	Ss		20.0	
CWHvm1	01	HwBa - Blueberry	Ba	43	29.3	0.6
CWHvm1	01	HwBa - Blueberry	Cw	34	22.6	0.5
CWHvm1	01	HwBa - Blueberry	Fd	9	35.8	1.0
CWHvm1	01	HwBa - Blueberry	Hw	94	27.7	0.4
CWHvm1	01	HwBa - Blueberry	Ss	37	30.8	0.7
CWHvm1	02	HwPl - Cladina	Cw		8.0	
CWHvm1	02	HwPl - Cladina	Fd		8.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvm1	02	HwPl - Cladina	Hw		8.0	
CWHvm1	02	HwPl - Cladina	Pl		12.0	
CWHvm1	03	HwCw - Salal	Cw		16.0	
CWHvm1	03	HwCw - Salal	Fd	9	32.2	2.4
CWHvm1	03	HwCw - Salal	Hw		16.0	
CWHvm1	03	HwCw - Salal	Pl		16.0	
CWHvm1	04	CwHw - Sword fern	Ba		24.0	
CWHvm1	04	CwHw - Sword fern	Cw	10	22.5	1.2
CWHvm1	04	CwHw - Sword fern	Fd		32.0	
CWHvm1	04	CwHw - Sword fern	Hw	7	26.2	2.3
CWHvm1	04	CwHw - Sword fern	Ss		24.0	
CWHvm1	05	BaCw - Foamflower	Ba	27	30.9	0.5
CWHvm1	05	BaCw - Foamflower	Cw	15	24.0	0.8
CWHvm1	05	BaCw - Foamflower	Fd		36.0	
CWHvm1	05	BaCw - Foamflower	Hw	35	28.5	0.6
CWHvm1	05	BaCw - Foamflower	Ss	30	32.7	0.9
CWHvm1	06	HwBa - Deer fern	Ba		24.0	
CWHvm1	06	HwBa - Deer fern	Cw	9	23.3	1.9
CWHvm1	06	HwBa - Deer fern	Hw	20	25.2	1.4
CWHvm1	06	HwBa - Deer fern - Vancouver	Ss		24.0	
CWHvm1	06	HwBa - Deer fern - Prince Rupert	Ss		28.0	
CWHvm1	07	BaCw - Salmonberry	Ba		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvm1	07	BaCw - Salmonberry	Cw		24.0	
CWHvm1	07	BaCw - Salmonberry	Hw	13	32.6	2.2
CWHvm1	07	BaCw - Salmonberry	Ss		32.0	
CWHvm1	08	BaSs - Devil's club	Ba		28.0	
CWHvm1	08	BaSs - Devil's club	Cw	8	22.1	1.2
CWHvm1	08	BaSs - Devil's club	Hw	16	26.3	1.0
CWHvm1	08	BaSs - Devil's club	Ss	29	31.4	0.9
CWHvm1	09	Ss - Salmonberry	Ba		28.0	
CWHvm1	09	Ss - Salmonberry	Cw		24.0	
CWHvm1	09	Ss - Salmonberry	Hw		28.0	
CWHvm1	09	Ss - Salmonberry - Vancouver	Ss		28.0	
CWHvm1	09	Ss - Salmonberry - Prince Rupert	Ss		32.0	
CWHvm1	10	Act - Red-osier dogwood	Ba		28.0	
CWHvm1	10	Act - Red-osier dogwood	Cw		24.0	
CWHvm1	10	Act - Red-osier dogwood	Ss		32.0	
CWHvm1	12	CwYc - Goldthread	Cw		12.0	
CWHvm1	12	CwYc - Goldthread	Hm		16.0	
CWHvm1	12	CwYc - Goldthread	Hw		16.0	
CWHvm1	12	CwYc - Goldthread	Pl		16.0	
CWHvm1	12	CwYc - Goldthread	Yc		12.0	
CWHvm1	13	Pl - Sphagnum	Cw		8.0	
CWHvm1	13	Pl - Sphagnum	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvm1	13	Pl - Sphagnum	Yc		8.0	
CWHvm1	14	CwSs - Skunk cabbage	Cw	13	19.4	0.9
CWHvm1	14	CwSs - Skunk cabbage	Hw	10	21.0	1.6
CWHvm1	14	CwSs - Skunk cabbage	Ss	8	26.0	1.7
CWHvm2	01	HwBa - Blueberry - Prince Rupert	Ba		24.0	
CWHvm2	01	HwBa - Blueberry - Vancouver	Ba		28.0	
CWHvm2	01	HwBa - Blueberry	Cw		20.0	
CWHvm2	01	HwBa - Blueberry - Prince Rupert	Hw		24.0	
CWHvm2	01	HwBa - Blueberry - Vancouver	Hw		28.0	
CWHvm2	01	HwBa - Blueberry	Ss		20.0	
CWHvm2	01	HwBa - Blueberry	Yc		20.0	
CWHvm2	02	HwPl - Cladina	Cw		8.0	
CWHvm2	02	HwPl - Cladina	Fd		8.0	
CWHvm2	02	HwPl - Cladina	Hw		8.0	
CWHvm2	02	HwPl - Cladina	Pl		12.0	
CWHvm2	02	HwPl - Cladina	Yc		8.0	
CWHvm2	03	HwCw - Salal	Ba		16.0	
CWHvm2	03	HwCw - Salal	Cw		16.0	
CWHvm2	03	HwCw - Salal	Fd		24.0	
CWHvm2	03	HwCw - Salal	Hw		16.0	
CWHvm2	03	HwCw - Salal	Pl		20.0	
CWHvm2	03	HwCw - Salal	Yc		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
CWHvm2	04	CwHw - Sword fern	Ba		20.0	
CWHvm2	04	CwHw - Sword fern	Cw		20.0	
CWHvm2	04	CwHw - Sword fern	Fd		24.0	
CWHvm2	04	CwHw - Sword fern	Hw		24.0	
CWHvm2	04	CwHw - Sword fern	Ss		24.0	
CWHvm2	04	CwHw - Sword fern	Yc		20.0	
CWHvm2	05	BaCw - Foamflower	Ba		28.0	
CWHvm2	05	BaCw - Foamflower	Cw		24.0	
CWHvm2	05	BaCw - Foamflower	Hw		28.0	
CWHvm2	05	BaCw - Foamflower	Ss		24.0	
CWHvm2	05	BaCw - Foamflower	Yc		24.0	
CWHvm2	06	HwBa - Deer fern	Ba		24.0	
CWHvm2	06	HwBa - Deer fern	Cw		20.0	
CWHvm2	06	HwBa - Deer fern	Hw		24.0	
CWHvm2	06	HwBa - Deer fern	Ss		24.0	
CWHvm2	06	HwBa - Deer fern	Yc		20.0	
CWHvm2	07	BaCw - Salmonberry	Ba		28.0	
CWHvm2	07	BaCw - Salmonberry	Cw		24.0	
CWHvm2	07	BaCw - Salmonberry	Hw		28.0	
CWHvm2	07	BaCw - Salmonberry	Ss		28.0	
CWHvm2	07	BaCw - Salmonberry	Yc		24.0	
CWHvm2	08	BaSs - Devil's club	Ba		28.0	
CWHvm2	08	BaSs - Devil's club	Cw		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHvm2	08	BaSs - Devil's club	Hw		28.0	
CWHvm2	08	BaSs - Devil's club	Ss		28.0	
CWHvm2	08	BaSs - Devil's club	Yc		24.0	
CWHvm2	09	CwYc - Goldthread	Cw		12.0	
CWHvm2	09	CwYc - Goldthread	Hm		12.0	
CWHvm2	09	CwYc - Goldthread	Hw		12.0	
CWHvm2	09	CwYc - Goldthread	Pl		12.0	
CWHvm2	09	CwYc - Goldthread	Yc		12.0	
CWHvm2	10	Pl - Sphagnum	Pl		12.0	
CWHvm2	10	Pl - Sphagnum	Yc		8.0	
CWHvm2	11	CwYc - Skunk cabbage	Cw		16.0	
CWHvm2	11	CwYc - Skunk cabbage	Hm		16.0	
CWHvm2	11	CwYc - Skunk cabbage	Hw		16.0	
CWHvm2	11	CwYc - Skunk cabbage	Ss		20.0	
CWHvm2	11	CwYc - Skunk cabbage	Yc		16.0	
CWHwh1	01	HwSs - Lanky moss	Cw	15	21.4	0.6
CWHwh1	01	HwSs - Lanky moss	Hw	11	22.9	0.9
CWHwh1	01	HwSs - Lanky moss	Ss	36	29.2	1.1
CWHwh1	02	CwSs - Salal	Cw		20.0	
CWHwh1	02	CwSs - Salal	Hw	7	23.9	1.1
CWHwh1	02	CwSs - Salal	Pl		20.0	
CWHwh1	02	CwSs - Salal	Ss	11	27.9	1.8

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHwh1	03	CwSs - Sword fern	Cw		20.0	
CWHwh1	03	CwSs - Sword fern	Hw	8	26.9	0.9
CWHwh1	03	CwSs - Sword fern	Ss	31	29.7	0.9
CWHwh1	04	CwHw - Salal	Cw		16.0	
CWHwh1	04	CwHw - Salal	Hw		24.0	
CWHwh1	04	CwHw - Salal	Ss		24.0	
CWHwh1	05	CwSs - Foamflower	Cw		20.0	
CWHwh1	05	CwSs - Foamflower	Hw		28.0	
CWHwh1	05	CwSs - Foamflower	Ss	32	35.4	0.6
CWHwh1	06	CwSs - Conocephalum	Cw		20.0	
CWHwh1	06	CwSs - Conocephalum	Hw		20.0	
CWHwh1	06	CwSs - Conocephalum	Ss	11	28.5	2.2
CWHwh1	07	Ss - Lily-of-the-valley	Cw		20.0	
CWHwh1	07	Ss - Lily-of-the-valley	Hw		28.0	
CWHwh1	07	Ss - Lily-of-the-valley	Ss		36.0	
CWHwh1	08	Ss - Trisetum	Cw		12.0	
CWHwh1	08	Ss - Trisetum	Ss		32.0	
CWHwh1	10	CwYc - Goldthread	Cw		12.0	
CWHwh1	10	CwYc - Goldthread	Hw		16.0	
CWHwh1	10	CwYc - Goldthread	Pl		16.0	
CWHwh1	10	CwYc - Goldthread	Ss	8	31.6	2.0

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHwh1	10	CwYc - Goldthread	Yc		16.0	
CWHwh1	11	PlYc - Sphagnum	Cw		8.0	
CWHwh1	11	PlYc - Sphagnum	Pl		12.0	
CWHwh1	11	PlYc - Sphagnum	Yc		8.0	
CWHwh1	12	CwSs - Skunk cabbage	Cw		12.0	
CWHwh1	12	CwSs - Skunk cabbage	Hw		16.0	
CWHwh1	12	CwSs - Skunk cabbage	Pl		16.0	
CWHwh1	13	Ss - Salal	Cw		8.0	
CWHwh1	13	Ss - Salal	Hw		12.0	
CWHwh1	13	Ss - Salal	Pl		12.0	
CWHwh1	13	Ss - Salal	Ss		16.0	
CWHwh1	14	Ss - Kindbergia	Cw		16.0	
CWHwh1	14	Ss - Kindbergia	Hw		20.0	
CWHwh1	14	Ss - Kindbergia	Ss		24.0	
CWHwh1	15	Ss - Reedgrass	Cw		16.0	
CWHwh1	15	Ss - Reedgrass	Hw		20.0	
CWHwh1	15	Ss - Reedgrass	Pl		20.0	
CWHwh1	15	Ss - Reedgrass	Ss		24.0	
CWHwh1	16	Ss - Sword fern	Cw		20.0	
CWHwh1	16	Ss - Sword fern	Hw		28.0	
CWHwh1	16	Ss - Sword fern	Ss		36.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHwh1	17	Ss - Slough sedge	Ss		36.0	
CWHwh2	01	HwSs - Lanky moss	Cw		16.0	
CWHwh2	01	HwSs - Lanky moss	Hw		20.0	
CWHwh2	01	HwSs - Lanky moss	Ss		24.0	
CWHwh2	01	HwSs - Lanky moss	Yc		16.0	
CWHwh2	02	CwHw - Salal	Cw		16.0	
CWHwh2	02	CwHw - Salal	Hm		12.0	
CWHwh2	02	CwHw - Salal	Hw		16.0	
CWHwh2	02	CwHw - Salal	Yc		16.0	
CWHwh2	03	CwSs - Foamflower	Cw		16.0	
CWHwh2	03	CwSs - Foamflower	Hw		20.0	
CWHwh2	03	CwSs - Foamflower	Ss		24.0	
CWHwh2	03	CwSs - Foamflower	Yc		16.0	
CWHwh2	04	CwSs - Conocephalum	Cw		12.0	
CWHwh2	04	CwSs - Conocephalum	Hw		16.0	
CWHwh2	04	CwSs - Conocephalum	Ss		20.0	
CWHwh2	04	CwSs - Conocephalum	Yc		12.0	
CWHwh2	05	CwYc - Goldthread	Cw		8.0	
CWHwh2	05	CwYc - Goldthread	Hm		8.0	
CWHwh2	05	CwYc - Goldthread	Hw		12.0	
CWHwh2	05	CwYc - Goldthread	Yc		8.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHwh2	06	CwSs - Skunk cabbage	Cw		8.0	
CWHwh2	06	CwSs - Skunk cabbage	Hm		8.0	
CWHwh2	06	CwSs - Skunk cabbage	Hw		12.0	
CWHwh2	06	CwSs - Skunk cabbage	Yc		8.0	
CWHwm	01	HwSs - Blueberry	Ba		24.0	
CWHwm	01	HwSs - Blueberry	Cw	9	19.7	0.9
CWHwm	01	HwSs - Blueberry	Hm		24.0	
CWHwm	01	HwSs - Blueberry	Hw	17	19.6	0.7
CWHwm	01	HwSs - Blueberry	Ss	10	21.4	1.3
CWHwm	01	HwSs - Blueberry	Yc		20.0	
CWHwm	02	HwSs - Step moss	Cw		16.0	
CWHwm	02	HwSs - Step moss	Hm		20.0	
CWHwm	02	HwSs - Step moss	Hw		20.0	
CWHwm	02	HwSs - Step moss	Pl		20.0	
CWHwm	02	HwSs - Step moss	Ss		16.0	
CWHwm	02	HwSs - Step moss	Yc		16.0	
CWHwm	03	SsHw - Oak fern	Ba		28.0	
CWHwm	03	SsHw - Oak fern	Cw		24.0	
CWHwm	03	SsHw - Oak fern	Hw		28.0	
CWHwm	03	SsHw - Oak fern	Ss	7	30.3	1.7
CWHwm	04	SsHw - Devil's club	Ba		28.0	
CWHwm	04	SsHw - Devil's club	Cw		24.0	
CWHwm	04	SsHw - Devil's club	Hw		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHwm	04	SsHw - Devil's club	Ss		32.0	
CWHwm	05	Ss - Salmonberry	Ba		28.0	
CWHwm	05	Ss - Salmonberry	Cw		24.0	
CWHwm	05	Ss - Salmonberry	Hw		28.0	
CWHwm	05	Ss - Salmonberry	Ss		32.0	
CWHwm	06	Act - Red-osier dogwood	Ba		28.0	
CWHwm	06	Act - Red-osier dogwood	Cw		24.0	
CWHwm	06	Act - Red-osier dogwood	Ss		32.0	
CWHwm	08	Hw - Sphagnum	Cw		12.0	
CWHwm	08	Hw - Sphagnum	Hm		16.0	
CWHwm	08	Hw - Sphagnum	Hw		16.0	
CWHwm	08	Hw - Sphagnum	Pl		16.0	
CWHwm	08	Hw - Sphagnum	Yc		12.0	
CWHwm	09	Ss - Skunk cabbage	Cw		16.0	
CWHwm	09	Ss - Skunk cabbage	Hw		16.0	
CWHwm	09	Ss - Skunk cabbage	Ss		20.0	
CWHwm	10	Pl - Sphagnum	Cw		8.0	
CWHwm	10	Pl - Sphagnum	Pl		12.0	
CWHwm	10	Pl - Sphagnum	Yc		8.0	
CWHws1	01	HwBa - Bramble	Ba		20.0	
CWHws1	01	HwBa - Bramble	Cw		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHws1	01	HwBa - Bramble	Hw	8	22.6	1.3
CWHws1	01	HwBa - Bramble	Pl		20.0	
CWHws1	01	HwBa - Bramble	Sx		20.0	
CWHws1	02	Pl - Kinnikinnick	Cw		8.0	
CWHws1	02	Pl - Kinnikinnick	Hw		12.0	
CWHws1	02	Pl - Kinnikinnick	Pl		12.0	
CWHws1	03	HwPl - Feathermoss	Cw		16.0	
CWHws1	03	HwPl - Feathermoss	Hw		16.0	
CWHws1	03	HwPl - Feathermoss	Pl		20.0	
CWHws1	04	BaCw - Oak fern	Ba		24.0	
CWHws1	04	BaCw - Oak fern	Cw		20.0	
CWHws1	04	BaCw - Oak fern	Hw		24.0	
CWHws1	04	BaCw - Oak fern	Pl		24.0	
CWHws1	04	BaCw - Oak fern	Sx		24.0	
CWHws1	05	HwBa - Queen's cup	Ba		20.0	
CWHws1	05	HwBa - Queen's cup	Cw		16.0	
CWHws1	05	HwBa - Queen's cup	Hw		20.0	
CWHws1	05	HwBa - Queen's cup	Sx		24.0	
CWHws1	06	BaCw - Devil's club	Ba		28.0	
CWHws1	06	BaCw - Devil's club	Cw		24.0	
CWHws1	06	BaCw - Devil's club	Hw		24.0	
CWHws1	06	BaCw - Devil's club	Sx		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHws1	07	Ss - Salmonberry	Ba		28.0	
CWHws1	07	Ss - Salmonberry	Cw		20.0	
CWHws1	07	Ss - Salmonberry	Sx		32.0	
CWHws1	08	Act - Red-osier dogwood	Ba		28.0	
CWHws1	08	Act - Red-osier dogwood	Cw		20.0	
CWHws1	08	Act - Red-osier dogwood	Sx		32.0	
CWHws1	10	Pl - Sphagnum	Cw		8.0	
CWHws1	10	Pl - Sphagnum	Pl		12.0	
CWHws1	11	CwSs - Skunk cabbage	Ba		12.0	
CWHws1	11	CwSs - Skunk cabbage	Cw		16.0	
CWHws1	11	CwSs - Skunk cabbage	Hw		12.0	
CWHws1	11	CwSs - Skunk cabbage	Sx		16.0	
CWHws2	01	HwBa - Bramble	Ba		20.0	
CWHws2	01	HwBa - Bramble	Cw		16.0	
CWHws2	01	HwBa - Bramble	Hw		20.0	
CWHws2	01	HwBa - Bramble	Pl		20.0	
CWHws2	01	HwBa - Bramble	Sx		20.0	
CWHws2	02	Pl - Kinnikinnick	Cw		8.0	
CWHws2	02	Pl - Kinnikinnick	Hw		12.0	
CWHws2	02	Pl - Kinnikinnick	Pl		12.0	
CWHws2	03	HwPl - Feathermoss	Cw		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHws2	03	HwPl - Feathermoss	Fd		20.0	
CWHws2	03	HwPl - Feathermoss	Hw		16.0	
CWHws2	03	HwPl - Feathermoss	Pl		16.0	
CWHws2	04	BaCw - Oak fern	Ba		24.0	
CWHws2	04	BaCw - Oak fern	Cw		16.0	
CWHws2	04	BaCw - Oak fern	Hw		24.0	
CWHws2	04	BaCw - Oak fern	Sx		24.0	
CWHws2	05	HwBa - Queen's cup	Ba		20.0	
CWHws2	05	HwBa - Queen's cup	Cw		16.0	
CWHws2	05	HwBa - Queen's cup	Hw		20.0	
CWHws2	05	HwBa - Queen's cup	Sx		20.0	
CWHws2	06	BaCw - Devil's club	Ba		24.0	
CWHws2	06	BaCw - Devil's club	Cw		20.0	
CWHws2	06	BaCw - Devil's club	Hw		24.0	
CWHws2	06	BaCw - Devil's club	Sx		24.0	
CWHws2	07	Ss - Salmonberry	Ba		28.0	
CWHws2	07	Ss - Salmonberry	Cw		20.0	
CWHws2	07	Ss - Salmonberry	Hw		28.0	
CWHws2	07	Ss - Salmonberry	Sx		28.0	
CWHws2	08	Act - Red-osier dogwood	Ba		28.0	
CWHws2	08	Act - Red-osier dogwood	Cw		20.0	
CWHws2	08	Act - Red-osier dogwood	Sx		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHws2	10	Pl - Sphagnum	Cw		8.0	
CWHws2	10	Pl - Sphagnum	Pl		12.0	
CWHws2	11	CwSs - Skunk cabbage	Ba		12.0	
CWHws2	11	CwSs - Skunk cabbage	Cw		12.0	
CWHws2	11	CwSs - Skunk cabbage	Hw		12.0	
CWHws2	11	CwSs - Skunk cabbage	Sx		12.0	
CWHxm	01	HwFd - Kindbergia	Cw		24.0	
CWHxm	01	HwFd - Kindbergia	Fd		32.0	
CWHxm	01	HwFd - Kindbergia	Hw		24.0	
CWHxm	02	FdPl - Cladina	Fd		20.0	
CWHxm	02	FdPl - Cladina	Pl		20.0	
CWHxm	03	FdHw - Salal	Cw		20.0	
CWHxm	03	FdHw - Salal	Fd		24.0	
CWHxm	03	FdHw - Salal	Pl		24.0	
CWHxm	04	Fd - Sword fern	Cw		28.0	
CWHxm	04	Fd - Sword fern	Fd		28.0	
CWHxm	05	Cw - Sword fern	Bg		32.0	
CWHxm	05	Cw - Sword fern	Cw		24.0	
CWHxm	05	Cw - Sword fern	Fd		36.0	
CWHxm	06	HwCw - Deer fern	Cw		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHxm	06	HwCw - Deer fern	Fd		32.0	
CWHxm	06	HwCw - Deer fern	Hw		24.0	
CWHxm	07	Cw - Foamflower	Bg		40.0	
CWHxm	07	Cw - Foamflower	Cw		28.0	
CWHxm	07	Cw - Foamflower	Fd		40.0	
CWHxm	08	Ss - Salmonberry	Bg		40.0	
CWHxm	08	Ss - Salmonberry	Cw		24.0	
CWHxm	09	Act - Red-osier dogwood	Bg		28.0	
CWHxm	09	Act - Red-osier dogwood	Cw		24.0	
CWHxm	11	Pl - Sphagnum	Cw		8.0	
CWHxm	11	Pl - Sphagnum	Pl		16.0	
CWHxm	12	CwSs - Skunk cabbage	Cw		16.0	
CWHxm	12	CwSs - Skunk cabbage	Hw		32.0	
CWHxm	12	CwSs - Skunk cabbage	Ss		28.0	
CWHxm	13	Cw - Salmonberry	Bg		36.0	
CWHxm	13	Cw - Salmonberry	Cw		24.0	
CWHxm	13	Cw - Salmonberry	Fd		36.0	
CWHxm	14	Cw - Black twinberry	Bg		28.0	
CWHxm	14	Cw - Black twinberry	Cw		28.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
CWHxm	15	Cw - Slough sedge	Cw		24.0	
ESSFdc1	01	Bl - Rhododendron - Grouseberry	Bl		12.0	
ESSFdc1	01	Bl - Rhododendron - Grouseberry	Pl		15.0	
ESSFdc1	01	Bl - Rhododendron - Grouseberry	Se		12.0	
ESSFdc1	02	PlSe - Pinegrass	Bl		9.0	
ESSFdc1	02	PlSe - Pinegrass	Pl		12.0	
ESSFdc1	02	PlSe - Pinegrass	Se		9.0	
ESSFdc1	03	Bl - Grouseberry - Cladonia	Bl		9.0	
ESSFdc1	03	Bl - Grouseberry - Cladonia	Pl		12.0	
ESSFdc1	03	Bl - Grouseberry - Cladonia	Se		9.0	
ESSFdc1	04	Bl - Rhododendron - Valerian	Bl		12.0	
ESSFdc1	04	Bl - Rhododendron - Valerian	Pl		15.0	
ESSFdc1	04	Bl - Rhododendron - Valerian	Se		12.0	
ESSFdc1	05	Bl - Trapper's tea	Bl		12.0	
ESSFdc1	05	Bl - Trapper's tea	Pl		12.0	
ESSFdc1	05	Bl - Trapper's tea	Se		12.0	
ESSFdc1	06	Bl - Horsetail - Glow moss	Bl		9.0	
ESSFdc1	06	Bl - Horsetail - Glow moss	Pl		9.0	
ESSFdc1	06	Bl - Horsetail - Glow moss	Se		9.0	
ESSFdc2	01	Bl - Rhododendron - Grouseberry	Bl	9	16.4	0.8

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFdc2	01	Bl - Rhododendron - Grouseberry	Pl	9	17.3	0.6
ESSFdc2	01	Bl - Rhododendron - Grouseberry	Se	14	16.1	1.0
ESSFdc2	03	PlSe - Falsebox - Pinegrass	Bl		12.0	
ESSFdc2	03	PlSe - Falsebox - Pinegrass	Pl		15.0	
ESSFdc2	03	PlSe - Falsebox - Pinegrass	Se		12.0	
ESSFdc2	04	Bl - Grouseberry - Cladonia	Bl	7	14.2	1.5
ESSFdc2	04	Bl - Grouseberry - Cladonia	Pl		15.0	
ESSFdc2	04	Bl - Grouseberry - Cladonia	Se		12.0	
ESSFdc2	05	Bl - Huckleberry - Feathermoss	Bl		12.0	
ESSFdc2	05	Bl - Huckleberry - Feathermoss	Pl		15.0	
ESSFdc2	05	Bl - Huckleberry - Feathermoss	Se		12.0	
ESSFdc2	06	Bl - Gooseberry - Oak fern	Bl		12.0	
ESSFdc2	06	Bl - Gooseberry - Oak fern	Pl		15.0	
ESSFdc2	06	Bl - Gooseberry - Oak fern	Se	9	18.6	1.4
ESSFdc2	07	Bl - Rhododendron - Valerian	Bl		12.0	
ESSFdc2	07	Bl - Rhododendron - Valerian	Pl		15.0	
ESSFdc2	07	Bl - Rhododendron - Valerian	Se		15.0	
ESSFdc2	08	Bl - Trapper's tea	Bl		9.0	
ESSFdc2	08	Bl - Trapper's tea	Pl		12.0	
ESSFdc2	08	Bl - Trapper's tea	Se		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFdk	01	Bl - Azalea - Foamflower	Bl		15.0	
ESSFdk	01	Bl - Azalea - Foamflower	Fd		18.0	
ESSFdk	01	Bl - Azalea - Foamflower	Lw		18.0	
ESSFdk	01	Bl - Azalea - Foamflower	Pl	11	19.8	0.5
ESSFdk	01	Bl - Azalea - Foamflower	Se		15.0	
ESSFdk	02	Fd - Douglas maple - Soopolallie	Bl		12.0	
ESSFdk	02	Fd - Douglas maple - Soopolallie	Fd		15.0	
ESSFdk	02	Fd - Douglas maple - Soopolallie	Lw		15.0	
ESSFdk	02	Fd - Douglas maple - Soopolallie	Pl		15.0	
ESSFdk	02	Fd - Douglas maple - Soopolallie	Se		12.0	
ESSFdk	03	Bl - Azalea - Grouseberry	Bl	16	14.3	1.0
ESSFdk	03	Bl - Azalea - Grouseberry	Pl	15	16.3	0.7
ESSFdk	03	Bl - Azalea - Grouseberry	Se	14	14.7	0.9
ESSFdk	04	Bl - Azalea - Soopolallie	Bl	20	14.4	0.8
ESSFdk	04	Bl - Azalea - Soopolallie	Fd	10	17.3	0.7
ESSFdk	04	Bl - Azalea - Soopolallie	Lw		18.0	
ESSFdk	04	Bl - Azalea - Soopolallie	Pa		15.0	
ESSFdk	04	Bl - Azalea - Soopolallie	Pl	17	17.8	0.8
ESSFdk	04	Bl - Azalea - Soopolallie	Se	21	14.3	0.8
ESSFdk	05	Bl - Azalea - Step moss	Bl		12.0	
ESSFdk	05	Bl - Azalea - Step moss	Pl		18.0	
ESSFdk	05	Bl - Azalea - Step moss	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFdk	06	Bl - Azalea - Horsetail	Bl		12.0	
ESSFdk	06	Bl - Azalea - Horsetail	Pl		15.0	
ESSFdk	06	Bl - Azalea - Horsetail	Se		15.0	
ESSFdv	01	Bl - Rhododendron - Heron's-bill	Bl		12.0	
ESSFdv	01	Bl - Rhododendron - Heron's-bill	Pl		15.0	
ESSFdv	01	Bl - Rhododendron - Heron's-bill	Se		12.0	
ESSFdv	02	Pa - Junegrass	Bl		9.0	
ESSFdv	02	Pa - Junegrass	Pa		6.0	
ESSFdv	02	Pa - Junegrass	Pl		12.0	
ESSFdv	02	Pa - Junegrass	Se		9.0	
ESSFdv	03	BlPa - Juniper	Bl		9.0	
ESSFdv	03	BlPa - Juniper	Pa		9.0	
ESSFdv	03	BlPa - Juniper	Pl		12.0	
ESSFdv	03	BlPa - Juniper	Se		9.0	
ESSFdv	04	Bl - Huckleberry - Brachythecium	Bl		12.0	
ESSFdv	04	Bl - Huckleberry - Brachythecium	Pa		9.0	
ESSFdv	04	Bl - Huckleberry - Brachythecium	Pl		15.0	
ESSFdv	04	Bl - Huckleberry - Brachythecium	Se		12.0	
ESSFdv	05	Bl - Valerian - Arnica	Bl		12.0	
ESSFdv	05	Bl - Valerian - Arnica	Pl		15.0	
ESSFdv	05	Bl - Valerian - Arnica	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFdv	06	Bl - Horsetail - Glow moss	Bl		9.0	
ESSFdv	06	Bl - Horsetail - Glow moss	Pl		9.0	
ESSFdv	06	Bl - Horsetail - Glow moss	Se		9.0	
ESSFmc	01	Bl - Huckleberry - Leafy liverwort	Bl	10	13.8	1.3
ESSFmc	01	Bl - Huckleberry - Leafy liverwort	Pl	11	16.2	0.7
ESSFmc	01	Bl - Huckleberry - Leafy liverwort	Se	10	15.4	1.2
ESSFmc	02	BlPl - Juniper - Cladonia	Bl		9.0	
ESSFmc	02	BlPl - Juniper - Cladonia	Pl		9.0	
ESSFmc	02	BlPl - Juniper - Cladonia	Se		9.0	
ESSFmc	03	Bl - Huckleberry - Crowberry	Bl		9.0	
ESSFmc	03	Bl - Huckleberry - Crowberry	Pl		9.0	
ESSFmc	03	Bl - Huckleberry - Crowberry	Se		9.0	
ESSFmc	04	Bl - Huckleberry - Heron's-bill	Bl	10	12.8	1.0
ESSFmc	04	Bl - Huckleberry - Heron's-bill	Pl	9	14.9	1.0
ESSFmc	04	Bl - Huckleberry - Heron's-bill	Se	9	14.2	1.0
ESSFmc	05	Bl - Huckleberry - Thimbleberry	Bl	7	14.1	1.3
ESSFmc	05	Bl - Huckleberry - Thimbleberry	Pl		12.0	
ESSFmc	05	Bl - Huckleberry - Thimbleberry	Se	7	17.2	1.4
ESSFmc	06	Bl - Oak fern - Heron's-bill	Bl	12	15.5	0.8
ESSFmc	06	Bl - Oak fern - Heron's-bill	Pl	12	19.0	0.5
ESSFmc	06	Bl - Oak fern - Heron's-bill	Se	11	19.6	1.1

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFmc	07	Bl - Devil's club - Lady fern	Bl		12.0	
ESSFmc	07	Bl - Devil's club - Lady fern	Pl		15.0	
ESSFmc	07	Bl - Devil's club - Lady fern	Se		15.0	
ESSFmc	08	Bl - Valerian - Sickle moss	Bl		9.0	
ESSFmc	08	Bl - Valerian - Sickle moss	Se		9.0	
ESSFmc	09	Bl - Horsetail - Glow moss	Bl		9.0	
ESSFmc	09	Bl - Horsetail - Glow moss	Se		9.0	
ESSFmc	10	Bl - Horsetail - Leafy moss	Bl		9.0	
ESSFmc	10	Bl - Horsetail - Leafy moss	Se	7	12.8	1.6
ESSFmk	01	BlHm - Twistedstalk	Ba		12.0	
ESSFmk	01	BlHm - Twistedstalk	Bl		12.0	
ESSFmk	01	BlHm - Twistedstalk	Hm		12.0	
ESSFmk	01	BlHm - Twistedstalk	Pl		12.0	
ESSFmk	01	BlHm - Twistedstalk	Se		12.0	
ESSFmk	02	BlPa - Cladonia	Bl		9.0	
ESSFmk	02	BlPa - Cladonia	Hm		9.0	
ESSFmk	02	BlPa - Cladonia	Pa		9.0	
ESSFmk	02	BlPa - Cladonia	Pl		9.0	
ESSFmk	02	BlPa - Cladonia	Se		9.0	
ESSFmk	03	BlHm - Cladonia	Bl		9.0	
ESSFmk	03	BlHm - Cladonia	Hm		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFmk	03	BlHm - Cladonia	Pa		9.0	
ESSFmk	03	BlHm - Cladonia	Pl		9.0	
ESSFmk	03	BlHm - Cladonia	Se		9.0	
ESSFmk	04	BlHm - Oak fern	Ba		12.0	
ESSFmk	04	BlHm - Oak fern	Bl		12.0	
ESSFmk	04	BlHm - Oak fern	Hm		12.0	
ESSFmk	04	BlHm - Oak fern	Pl		12.0	
ESSFmk	04	BlHm - Oak fern	Se		12.0	
ESSFmk	05	BlHm - Devil's club - Lady fern	Ba		12.0	
ESSFmk	05	BlHm - Devil's club - Lady fern	Bl		12.0	
ESSFmk	05	BlHm - Devil's club - Lady fern	Hm		12.0	
ESSFmk	05	BlHm - Devil's club - Lady fern	Pl		15.0	
ESSFmk	05	BlHm - Devil's club - Lady fern	Se		15.0	
ESSFmk	06	Bl - Horsetail - Leafy moss	Bl		9.0	
ESSFmk	06	Bl - Horsetail - Leafy moss	Se		9.0	
ESSFmk	07	Bl - Lady fern - Horsetail	Bl		9.0	
ESSFmk	07	Bl - Lady fern - Horsetail	Se		9.0	
ESSFmm1	01	Bl - Azalea - Gooseberry	Bl		15.0	
ESSFmm1	01	Bl - Azalea - Gooseberry	Pl		18.0	
ESSFmm1	01	Bl - Azalea - Gooseberry	Se		15.0	
ESSFmm1	02	Bl - Huckleberry - Feathermoss	Bl		6.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFmm1	02	Bl - Huckleberry - Feathermoss	Pl		9.0	
ESSFmm1	02	Bl - Huckleberry - Feathermoss	Se		9.0	
ESSFmm1	03	BlPl - Cladina	Bl		12.0	
ESSFmm1	03	BlPl - Cladina	Pl		12.0	
ESSFmm1	03	BlPl - Cladina	Se		12.0	
ESSFmm1	04	Bl - Azalea - Rhododendron	Bl		12.0	
ESSFmm1	04	Bl - Azalea - Rhododendron	Pl		15.0	
ESSFmm1	04	Bl - Azalea - Rhododendron	Se		12.0	
ESSFmm1	05	Bl - Oak fern- Bramble	Bl		15.0	
ESSFmm1	05	Bl - Oak fern- Bramble	Pl		15.0	
ESSFmm1	05	Bl - Oak fern- Bramble	Se		15.0	
ESSFmm1	06	Bl - Devil's club - Lady fern	Bl		15.0	
ESSFmm1	06	Bl - Devil's club - Lady fern	Pl		18.0	
ESSFmm1	06	Bl - Devil's club - Lady fern	Se		18.0	
ESSFmm1	07	Bl - Labrador tea - Horsetail	Bl		12.0	
ESSFmm1	07	Bl - Labrador tea - Horsetail	Pl		12.0	
ESSFmm1	07	Bl - Labrador tea - Horsetail	Se		12.0	
ESSFmv1	01	Bl - Rhododendron - Feathermoss	Bl		12.0	
ESSFmv1	01	Bl - Rhododendron - Feathermoss	Pl		15.0	
ESSFmv1	01	Bl - Rhododendron - Feathermoss	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFmv1	02	Pl - Huckleberry - Cladonia	Bl		9.0	
ESSFmv1	02	Pl - Huckleberry - Cladonia	Pl		12.0	
ESSFmv1	03	Bl - Huckleberry - Feathermoss	Bl		9.0	
ESSFmv1	03	Bl - Huckleberry - Feathermoss	Pl		12.0	
ESSFmv1	03	Bl - Huckleberry - Feathermoss	Se		12.0	
ESSFmv1	04	Bl - Huckleberry - Gooseberry	Bl		15.0	
ESSFmv1	04	Bl - Huckleberry - Gooseberry	Pl		18.0	
ESSFmv1	04	Bl - Huckleberry - Gooseberry	Se		15.0	
ESSFmv1	05	Bl - Horsetail - Glow moss	Bl		15.0	
ESSFmv1	05	Bl - Horsetail - Glow moss	Pl		15.0	
ESSFmv1	05	Bl - Horsetail - Glow moss	Se		15.0	
ESSFmv2	01	Bl - Rhododendron - Feathermoss	Bl		12.0	
ESSFmv2	01	Bl - Rhododendron - Feathermoss	Pl		15.0	
ESSFmv2	01	Bl - Rhododendron - Feathermoss	Se		15.0	
ESSFmv2	02	Bl - Lingonberry	Bl		9.0	
ESSFmv2	02	Bl - Lingonberry	Pl		12.0	
ESSFmv2	02	Bl - Lingonberry	Se		9.0	
ESSFmv2	03	BlSb - Labrador tea	Bl		6.0	
ESSFmv2	03	BlSb - Labrador tea	Pl		9.0	
ESSFmv2	03	BlSb - Labrador tea	Sb		6.0	
ESSFmv2	03	BlSb - Labrador tea	Se		6.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFmv2	04	Bl - Oak fern - Knight's plume	Bl		15.0	
ESSFmv2	04	Bl - Oak fern - Knight's plume	Pl		18.0	
ESSFmv2	04	Bl - Oak fern - Knight's plume	Se		15.0	
ESSFmv2	05	Bl - Devil's club - Rhododendron	Bl		15.0	
ESSFmv2	05	Bl - Devil's club - Rhododendron	Pl		15.0	
ESSFmv2	05	Bl - Devil's club - Rhododendron	Se		15.0	
ESSFmv2	06	Bl - Alder - Horsetail	Bl		15.0	
ESSFmv2	06	Bl - Alder - Horsetail	Pl		15.0	
ESSFmv2	06	Bl - Alder - Horsetail	Se		15.0	
ESSFmv3	01	Bl - Rhododendron - Feathermoss	Bl		12.0	
ESSFmv3	01	Bl - Rhododendron - Feathermoss	Pl		12.0	
ESSFmv3	01	Bl - Rhododendron - Feathermoss	Se		12.0	
ESSFmv3	02	BlPl - Crowberry - Cladina	Bl		9.0	
ESSFmv3	02	BlPl - Crowberry - Cladina	Pl		9.0	
ESSFmv3	02	BlPl - Crowberry - Cladina	Se		9.0	
ESSFmv3	03	BlSb - Labrador tea	Bl		6.0	
ESSFmv3	03	BlSb - Labrador tea	Pl		9.0	
ESSFmv3	03	BlSb - Labrador tea	Sb		6.0	
ESSFmv3	03	BlSb - Labrador tea	Se		6.0	
ESSFmv3	04	Bl - Oak fern - Knight's plume	Bl		12.0	
ESSFmv3	04	Bl - Oak fern - Knight's plume	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFmv3	04	Bl - Oak fern - Knight's plume	Se		15.0	
ESSFmv3	05	Bl - Devil's club - Rhododendron	Bl		12.0	
ESSFmv3	05	Bl - Devil's club - Rhododendron	Pl		15.0	
ESSFmv3	05	Bl - Devil's club - Rhododendron	Se		15.0	
ESSFmv3	06	Sxw - Huckleberry - Highbush-cranberry	Bl		12.0	
ESSFmv3	06	Sxw - Huckleberry - Highbush-cranberry	Pl		12.0	
ESSFmv3	07	Bl - Horsetail - Feathermoss	Bl		9.0	
ESSFmv3	07	Bl - Horsetail - Feathermoss	Pl		9.0	
ESSFmv3	07	Bl - Horsetail - Feathermoss	Se		9.0	
ESSFmv4	01	Bl - Rhododendron - Feathermoss	Bl		12.0	
ESSFmv4	01	Bl - Rhododendron - Feathermoss	Pl		15.0	
ESSFmv4	01	Bl - Rhododendron - Feathermoss	Se		15.0	
ESSFmv4	02	BlPl - Crowberry - Cladina	Bl		9.0	
ESSFmv4	02	BlPl - Crowberry - Cladina	Pl		12.0	
ESSFmv4	02	BlPl - Crowberry - Cladina	Se		9.0	
ESSFmv4	03	BlSb - Labrador tea	Bl		6.0	
ESSFmv4	03	BlSb - Labrador tea	Pl		9.0	
ESSFmv4	03	BlSb - Labrador tea	Sb		6.0	
ESSFmv4	03	BlSb - Labrador tea	Se		6.0	
ESSFmv4	04	Bl - Rhododendron - Horsetail	Bl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFmv4	04	Bl - Rhododendron - Horsetail	Pl		18.0	
ESSFmv4	04	Bl - Rhododendron - Horsetail	Se		15.0	
ESSFmv4	05	Bl - Alder - Horsetail	Bl		15.0	
ESSFmv4	05	Bl - Alder - Horsetail	Pl		15.0	
ESSFmv4	05	Bl - Alder - Horsetail	Se		15.0	
ESSFmw	01	BlBa - Rhododendron	Ba		15.0	
ESSFmw	01	BlBa - Rhododendron	Bl		15.0	
ESSFmw	01	BlBa - Rhododendron	Pl		15.0	
ESSFmw	01	BlBa - Rhododendron	Se		15.0	
ESSFmw	02	BlPl - Juniper - Rhacomitrium	Bl		9.0	
ESSFmw	02	BlPl - Juniper - Rhacomitrium	Pa		9.0	
ESSFmw	02	BlPl - Juniper - Rhacomitrium	Pl		12.0	
ESSFmw	02	BlPl - Juniper - Rhacomitrium	Se		12.0	
ESSFmw	03	FdBl - Falsebox - Pinegrass	Fd		15.0	
ESSFmw	03	FdBl - Falsebox - Pinegrass	Pl		15.0	
ESSFmw	03	FdBl - Falsebox - Pinegrass	Se		12.0	
ESSFmw	04	Bl - Huckleberry - Falsebox	Bl		12.0	
ESSFmw	04	Bl - Huckleberry - Falsebox	Fd		15.0	
ESSFmw	04	Bl - Huckleberry - Falsebox	Pl		15.0	
ESSFmw	04	Bl - Huckleberry - Falsebox	Se		12.0	
ESSFmw	05	BlBa - Azalea - Pipecleaner moss	Ba		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFmw	05	BlBa - Azalea - Pipecleaner moss	Bl		15.0	
ESSFmw	05	BlBa - Azalea - Pipecleaner moss	Pl		18.0	
ESSFmw	05	BlBa - Azalea - Pipecleaner moss	Se		15.0	
ESSFmw	06	Bl - Gooseberry - Valerian	Ba		15.0	
ESSFmw	06	Bl - Gooseberry - Valerian	Bl		15.0	
ESSFmw	06	Bl - Gooseberry - Valerian	Pl		15.0	
ESSFmw	06	Bl - Gooseberry - Valerian	Se		15.0	
ESSFmw	07	BlBa - Oak fern - Lady fern	Ba		18.0	
ESSFmw	07	BlBa - Oak fern - Lady fern	Bl		18.0	
ESSFmw	07	BlBa - Oak fern - Lady fern	Se		18.0	
ESSFmw	08	Bl - Gooseberry - Horsetail	Bl		9.0	
ESSFmw	08	Bl - Gooseberry - Horsetail	Se		18.0	
ESSFvc	01	BlHm - Rhododendron - Oak fern	Bl		15.0	
ESSFvc	01	BlHm - Rhododendron - Oak fern	Hm		12.0	
ESSFvc	01	BlHm - Rhododendron - Oak fern	Se		15.0	
ESSFvc	02	BlHm - Rhododendron - Leafy liverwort	Bl		12.0	
ESSFvc	02	BlHm - Rhododendron - Leafy liverwort	Hm		9.0	
ESSFvc	02	BlHm - Rhododendron - Leafy liverwort	Se		12.0	
ESSFvc	03	BlHm - Rhododendron - Pipecleaner moss	Bl		15.0	
ESSFvc	03	BlHm - Rhododendron - Pipecleaner moss	Hm		12.0	
ESSFvc	03	BlHm - Rhododendron - Pipecleaner moss	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFvc	04	BlHm - Devil's club - Lady fern	Bl		18.0	
ESSFvc	04	BlHm - Devil's club - Lady fern	Se		18.0	
ESSFvc	05	BlHm - Horsetail	Bl		18.0	
ESSFvc	05	BlHm - Horsetail	Se		18.0	
ESSFvv	01	Bl - Rhododendron - Foamflower	Bl		12.0	
ESSFvv	01	Bl - Rhododendron - Foamflower	Se		12.0	
ESSFvv	02	Bl - Huckleberry - Mountain liverwort	Bl		9.0	
ESSFvv	02	Bl - Huckleberry - Mountain liverwort	Pl		12.0	
ESSFvv	02	Bl - Huckleberry - Mountain liverwort	Se		9.0	
ESSFvv	03	BlHm - Rhododendron - Leafy liverwort	Bl		12.0	
ESSFvv	03	BlHm - Rhododendron - Leafy liverwort	Se		9.0	
ESSFvv	04	Bl - Valerian - Groundsel	Bl		12.0	
ESSFvv	04	Bl - Valerian - Groundsel	Se		12.0	
ESSFwc1	01	Bl - Rhododendron - Oak fern	Bl	18	19.6	0.7
ESSFwc1	01	Bl - Rhododendron - Oak fern	Cw		15.0	
ESSFwc1	01	Bl - Rhododendron - Oak fern	Hw		15.0	
ESSFwc1	01	Bl - Rhododendron - Oak fern	Pl	18	20.5	0.3
ESSFwc1	01	Bl - Rhododendron - Oak fern	Se	18	18.5	0.8
ESSFwc1	02	Bl - Falsebox - Grouseberry	Bl	29	17.2	0.7
ESSFwc1	02	Bl - Falsebox - Grouseberry	Pl	28	17.8	0.6

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFwc1	02	Bl - Falsebox - Grouseberry	Se		15.0	
ESSFwc1	03	Bl - Devil's club - Lady fern	Bl	15	19.7	0.5
ESSFwc1	03	Bl - Devil's club - Lady fern	Cw		15.0	
ESSFwc1	03	Bl - Devil's club - Lady fern	Hw		15.0	
ESSFwc1	03	Bl - Devil's club - Lady fern	Pl		18.0	
ESSFwc1	03	Bl - Devil's club - Lady fern	Se		21.0	
ESSFwc1	04	Bl - Horsetail - Brachythecium	Bl		18.0	
ESSFwc1	04	Bl - Horsetail - Brachythecium	Hw		15.0	
ESSFwc1	04	Bl - Horsetail - Brachythecium	Pl		18.0	
ESSFwc1	04	Bl - Horsetail - Brachythecium	Se		21.0	
ESSFwc2	01	Bl - Azalea - Oak fern	Bl		15.0	
ESSFwc2	01	Bl - Azalea - Oak fern	Pl		15.0	
ESSFwc2	01	Bl - Azalea - Oak fern	Se		15.0	
ESSFwc2	02	Pl - Huckleberry - Cladonia	Bl		9.0	
ESSFwc2	02	Pl - Huckleberry - Cladonia	Pl		12.0	
ESSFwc2	02	Pl - Huckleberry - Cladonia	Se		12.0	
ESSFwc2	03	Bl - Huckleberry - Arnica	Bl		12.0	
ESSFwc2	03	Bl - Huckleberry - Arnica	Pl		15.0	
ESSFwc2	03	Bl - Huckleberry - Arnica	Se		12.0	
ESSFwc2	04	Bl - Rhododendron - Heron's-bill	Bl		12.0	
ESSFwc2	04	Bl - Rhododendron - Heron's-bill	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFwc2	04	Bl - Rhododendron - Heron's-bill	Se		12.0	
ESSFwc2	05	Bl - Azalea - Feathermoss	Bl	11	13.6	0.8
ESSFwc2	05	Bl - Azalea - Feathermoss	Pl		12.0	
ESSFwc2	05	Bl - Azalea - Feathermoss	Pl		15.0	
ESSFwc2	05	Bl - Azalea - Feathermoss	Se		12.0	
ESSFwc2	06	Bl - Valerian - Oak fern	Bl		15.0	
ESSFwc2	06	Bl - Valerian - Oak fern	Pl		18.0	
ESSFwc2	06	Bl - Valerian - Oak fern	Se		15.0	
ESSFwc2	07	Bl - Devil's club - Lady fern	Bl		18.0	
ESSFwc2	07	Bl - Devil's club - Lady fern	Pl		18.0	
ESSFwc2	07	Bl - Devil's club - Lady fern	Se		21.0	
ESSFwc2	08	Bl - Horsetail - Sphagnum	Bl		15.0	
ESSFwc2	08	Bl - Horsetail - Sphagnum	Pl		12.0	
ESSFwc2	08	Bl - Horsetail - Sphagnum	Se		15.0	
ESSFwc2	09	Pl - Dwarf blueberry - Sphagnum	Bl		12.0	
ESSFwc2	09	Pl - Dwarf blueberry - Sphagnum	Pl		12.0	
ESSFwc2	09	Pl - Dwarf blueberry - Sphagnum	Se		12.0	
ESSFwc3	01	Bl - Rhododendron - Oak fern	Bl		15.0	
ESSFwc3	01	Bl - Rhododendron - Oak fern	Pl		12.0	
ESSFwc3	01	Bl - Rhododendron - Oak fern	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFwc3	02	Bl - Rhododendron - Queen's cup	Bl		9.0	
ESSFwc3	02	Bl - Rhododendron - Queen's cup	Pl		9.0	
ESSFwc3	02	Bl - Rhododendron - Queen's cup	Se		9.0	
ESSFwc3	03	Bl - Globeflower - Horsetail	Bl		15.0	
ESSFwc3	03	Bl - Globeflower - Horsetail	Se		15.0	
ESSFwc4	01	Bl - Rhododendron - Oak fern	Bl	8	16.2	1.2
ESSFwc4	01	Bl - Rhododendron - Oak fern	Pl		21.0	
ESSFwc4	01	Bl - Rhododendron - Oak fern	Se		18.0	
ESSFwc4	02	Bl - Rhododendron - Falsebox	Bl	11	15.6	0.9
ESSFwc4	02	Bl - Rhododendron - Falsebox	Pl	14	15.8	0.6
ESSFwc4	02	Bl - Rhododendron - Falsebox	Se		15.0	
ESSFwc4	03	Bl - Rhododendron - Woodrush	Bl		15.0	
ESSFwc4	03	Bl - Rhododendron - Woodrush	Pl		18.0	
ESSFwc4	03	Bl - Rhododendron - Woodrush	Se		15.0	
ESSFwc4	04	Bl - Rhododendron - Foamflower	Bl		15.0	
ESSFwc4	04	Bl - Rhododendron - Foamflower	Pl		21.0	
ESSFwc4	04	Bl - Rhododendron - Foamflower	Se		18.0	
ESSFwc4	05	Bl - Rhododendron - Lady fern	Bl		18.0	
ESSFwc4	05	Bl - Rhododendron - Lady fern	Se		18.0	
ESSFwc4	06	Bl - Horsetail - Brachythecium	Bl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFwc4	06	Bl - Horsetail - Brachythecium	Se		18.0	
ESSFwc4	07	Bl - Sedge - Sphagnum	Bl		12.0	
ESSFwc4	07	Bl - Sedge - Sphagnum	Pl		12.0	
ESSFwc4	07	Bl - Sedge - Sphagnum	Se		12.0	
ESSFwk1	01	Bl - Oak fern - Brachythecium	Bl		15.0	
ESSFwk1	01	Bl - Oak fern - Brachythecium	Pl		18.0	
ESSFwk1	01	Bl - Oak fern - Brachythecium	Se		15.0	
ESSFwk1	02	Bl - Huckleberry - Feathermoss	Bl		9.0	
ESSFwk1	02	Bl - Huckleberry - Feathermoss	Pl		12.0	
ESSFwk1	02	Bl - Huckleberry - Feathermoss	Se		9.0	
ESSFwk1	03	Bl - Oak fern - Knight's plume	Bl		12.0	
ESSFwk1	03	Bl - Oak fern - Knight's plume	Pl		15 0	
ESSFwk1	03	Bl - Oak fern - Knight's plume	Se		12 0	
ESSFwk1	04	Bl - Twinberry - Lady fern	Bl		15.0	
ESSFwk1	04	Bl - Twinberry - Lady fern	Pl		18.0	
ESSFwk1	04	Bl - Twinberry - Lady fern	Se		15.0	
ESSFwk1	05	Bl - Devil's club - Lady fern	Bl		15.0	
ESSFwk1	05	Bl - Devil's club - Lady fern	Pl		18.0	
ESSFwk1	05	Bl - Devil's club - Lady fern	Se		15.0	
ESSFwk1	06	Bl - Horsetail - Sphagnum	Bl		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFwk1	06	Bl - Horsetail - Sphagnum	Se		9.0	
ESSFwk1	07	Bl - Lady fern - Horsetail	Bl		12.0	
ESSFwk1	07	Bl - Lady fern - Horsetail	Se		15.0	
ESSFwk2	01	Bl - Oak fern - Knight's plume	Bl		15.0	
ESSFwk2	01	Bl - Oak fern - Knight's plume	Se		15.0	
ESSFwk2	02	Bl - Oak fern - Sarsaparilla	Bl		9.0	
ESSFwk2	02	Bl - Oak fern - Sarsaparilla	Se		9.0	
ESSFwk2	03	Bl - Oak fern - Bluebells	Bl		12.0	
ESSFwk2	03	Bl - Oak fern - Bluebells	Pl		15.0	
ESSFwk2	03	Bl - Oak fern - Bluebells	Se		12.0	
ESSFwk2	04	Bl - Devil's club - Rhododendron	Bl		15.0	
ESSFwk2	04	Bl - Devil's club - Rhododendron	Se		15.0	
ESSFwk2	05	Bl - Rhododendron - Lady fern	Bl		15.0	
ESSFwk2	05	Bl - Rhododendron - Lady fern	Se		15.0	
ESSFwk2	06	Bl - Horsetail - Sphagnum	Bl		12.0	
ESSFwk2	06	Bl - Horsetail - Sphagnum	Se		12.0	
ESSFwm	01	Bl - Azalea - Arnica	Bl		12.0	
ESSFwm	01	Bl - Azalea - Arnica	Pl		18.0	
ESSFwm	01	Bl - Azalea - Arnica	Se		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFwm	02	Bl - Rhododendron - Azalea	Bl		12.0	
ESSFwm	02	Bl - Rhododendron - Azalea	Pl		15.0	
ESSFwm	02	Bl - Rhododendron - Azalea	Se		15.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Bl		12.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Fd		18.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Hw		15.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Lw		18.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Pl		18.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Pw		18.0	
ESSFwm	03	BlHw - Rhododendron - Azalea	Se		15.0	
ESSFwm	04	Bl - Azalea - Queen's cup	Bl		15.0	
ESSFwm	04	Bl - Azalea - Queen's cup	Pl		18.0	
ESSFwm	04	Bl - Azalea - Queen's cup	Se		18.0	
ESSFwv	01	BlHm - Azalea	Bl	9	11.9	1.2
ESSFwv	01	BlHm - Azalea	Pl	7	15.1	0.8
ESSFwv	01	BlHm - Azalea	Se	10	14.9	1.7
ESSFwv	02	BlPl - Cladonia	Pl		9.0	
ESSFwv	02	BlPl - Cladonia	Se		9.0	
ESSFwv	03	BlHm - Feathermoss	Bl		9.0	
ESSFwv	03	BlHm - Feathermoss	Pl		9.0	
ESSFwv	03	BlHm - Feathermoss	Se		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ESSFwv	04	BlHm - Heron's-bill	Bl		12.0	
ESSFwv	04	BlHm - Heron's-bill	Pl		12.0	
ESSFwv	04	BlHm - Heron's-bill	Se		12.0	
ESSFwv	05	Bl - Oak fern - Heron's-bill	Bl		12.0	
ESSFwv	05	Bl - Oak fern - Heron's-bill	Pl		12.0	
ESSFwv	05	Bl - Oak fern - Heron's-bill	Se		12.0	
ESSFwv	06	Bl - Devil's club - Lady fern	Bl		12.0	
ESSFwv	06	Bl - Devil's club - Lady fern	Pl		15.0	
ESSFwv	06	Bl - Devil's club - Lady fern	Se		15.0	
ESSFwv	07	Bl - Valerian - Sickle moss	Bl		9.0	
ESSFwv	07	Bl - Valerian - Sickle moss	Se		9.0	
ESSFwv	08	Bl - Horsetail - Glow moss	Bl		9.0	
ESSFwv	08	Bl - Horsetail - Glow moss	Se		9.0	
ESSFwv	09	Bl - Lady fern - Horsetail	Bl		9.0	
ESSFwv	09	Bl - Lady fern - Horsetail	Se		9.0	
ESSFxc	01	Bl - Grouseberry - Valerian	Bl	9	15.6	1.1
ESSFxc	01	Bl - Grouseberry - Valerian	Pl	8	16.1	1.1
ESSFxc	01	Bl - Grouseberry - Valerian	Se		12.0	
ESSFxc	02	Pl - Juniper - Lupine	Bl		9.0	
ESSFxc	02	Pl - Juniper - Lupine	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ESSFxc	02	Pl - Juniper - Lupine	Se		9.0	
ESSFxc	05	Bl - Grouseberry - Cladonia	Bl	7	16.2	1.3
ESSFxc	05	Bl - Grouseberry - Cladonia	Pl	11	16.9	1.3
ESSFxc	05	Bl - Grouseberry - Cladonia	Se		12.0	
ESSFxc	06	Bl - Rhododendron - Grouseberry	Bl	11	13.0	0.9
ESSFxc	06	Bl - Rhododendron - Grouseberry	Pl		15.0	
ESSFxc	06	Bl - Rhododendron - Grouseberry	Se	8	15.3	0.8
ESSFxc	07	Bl - Gooseberry - Foamflower	Bl		15.0	
ESSFxc	07	Bl - Gooseberry - Foamflower	Pl		18.0	
ESSFxc	07	Bl - Gooseberry - Foamflower	Se		15.0	
ESSFxc	08	Bl - Horsetail - Glow moss	Bl		12.0	
ESSFxc	08	Bl - Horsetail - Glow moss	Pl		9.0	
ESSFxc	08	Bl - Horsetail - Glow moss	Se		9.0	
ESSFxv1	01	Bl - Arnica - Cladonia	Bl		12.0	
ESSFxv1	01	Bl - Arnica - Cladonia	Pl		15.0	
ESSFxv1	01	Bl - Arnica - Cladonia	Sx		12.0	
ICHdk	01	CwSxw - Falsebox - Wintergreen	Fd		24.0	
ICHdk	01	CwSxw - Falsebox - Wintergreen	Pl		24.0	
ICHdk	01	CwSxw - Falsebox - Wintergreen	Sx		21.0	
ICHdk	02	CwSxw - Soopolallie	Fd		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHdk	02	CwSxw - Soopolallie	Pl		15.0	
ICHdk	03	CwSxw - Falsebox - Soopolallie	Pl		18.0	
ICHdk	04	CwSxw - Falsebox - Feathermoss	Fd		21.0	
ICHdk	04	CwSxw - Falsebox - Feathermoss	Pl		21.0	
ICHdk	04	CwSxw - Falsebox - Feathermoss	Sx		21.0	
ICHdk	05	CwSxw - Thimbleberry	Fd		24.0	
ICHdk	05	CwSxw - Thimbleberry	Pl		24.0	
ICHdk	05	CwSxw - Thimbleberry	Sx		21.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Bg		18.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Bl		18.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Cw		15.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Fd		21.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Hw		18.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Lw		21.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Pl		21.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Pw		21.0	
ICHdw	01a	CwFd - Falsebox, SX-SM	Py		21.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Bg		21.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Bl		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Cw		18.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Fd		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Hw		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHdw	01b	CwFd - Falsebox, M-SHG	Lw		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Pl		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Pw		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Py		24.0	
ICHdw	01b	CwFd - Falsebox, M-SHG	Sx		21.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Cw		18.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Fd		15.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Hw		18.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Lw		21.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Pl		21.0	
ICHdw	02	FdPy - Oregon grape - Parsley fern	Py		21.0	
ICHdw	03	CwHw - White pine - Devil's club	Bg		21.0	
ICHdw	03	CwHw - White pine - Devil's club	Bl		21.0	
ICHdw	03	CwHw - White pine - Devil's club	Cw		18.0	
ICHdw	03	CwHw - White pine - Devil's club	Fd		27.0	
ICHdw	03	CwHw - White pine - Devil's club	Hw		21.0	
ICHdw	03	CwHw - White pine - Devil's club	Lw		27.0	
ICHdw	03	CwHw - White pine - Devil's club	Pl		24.0	
ICHdw	03	CwHw - White pine - Devil's club	Pw		24.0	
ICHdw	03	CwHw - White pine - Devil's club	Sx		24.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Bg		21.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Bl		21.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Cw		21.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Fd		27.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHdw	04	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Lw		27.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Pl		24.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Pw		27.0	
ICHdw	04	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHmc1	01	Hw - Step moss	Bl	8	18.1	0.8
ICHmc1	01	Hw - Step moss	Hw		15.0	
ICHmc1	01	Hw - Step moss	Pl	7	20.8	0.8
ICHmc1	01	Hw - Step moss	Sx	7	20.7	1.4
ICHmc1	02	Hw - Kinnikinnick - Cladonia	Bl		12.0	
ICHmc1	02	Hw - Kinnikinnick - Cladonia	Hw		12.0	
ICHmc1	02	Hw - Kinnikinnick - Cladonia	Pl		15.0	
ICHmc1	03	HwBl - Oak fern	Bl		18.0	
ICHmc1	03	HwBl - Oak fern	Hw		15.0	
ICHmc1	03	HwBl - Oak fern	Pl		21.0	
ICHmc1	03	HwBl - Oak fern	Sx	7	20.7	1.5
ICHmc1	04	HwBl - Devil's club	Bl		18.0	
ICHmc1	04	HwBl - Devil's club	Hw		18.0	
ICHmc1	04	HwBl - Devil's club	Pl		24.0	
ICHmc1	04	HwBl - Devil's club	Sx		24.0	
ICHmc1	05	ActSx - Dogwood	Bl		21.0	
ICHmc1	05	ActSx - Dogwood	Pl		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmc1	05	ActSx - Dogwood	Sx		24.0	
ICHmc1	06	Hw - Azalea - Skunk cabbage	Bl		15.0	
ICHmc1	06	Hw - Azalea - Skunk cabbage	Hw		15.0	
ICHmc1	06	Hw - Azalea - Skunk cabbage	Sx		21.0	
ICHmc1a	01	HwBa - Bramble	Hw		15.0	
ICHmc1a	01	HwBa - Bramble	Pl		21.0	
ICHmc1a	01	HwBa - Bramble	Sx		21.0	
ICHmc1a	02	HwBa - Oak fern	Hw		15.0	
ICHmc1a	02	HwBa - Oak fern	Pl		21.0	
ICHmc1a	02	HwBa - Oak fern	Sx		21.0	
ICHmc1a	03	HwBa - Devil's club - Lady fern	Hw		18.0	
ICHmc1a	03	HwBa - Devil's club - Lady fern	Pl		24.0	
ICHmc1a	03	HwBa - Devil's club - Lady fern	Sx		24.0	
ICHmc2	01	Hw - Step moss	Bl	7	19.6	1.1
ICHmc2	01	Hw - Step moss	Cw	13	15.9	0.3
ICHmc2	01	Hw - Step moss	Hw	31	16.0	0.5
ICHmc2	01	Hw - Step moss	Pl	22	19.1	1.0
ICHmc2	01	Hw - Step moss	Sx	13	17.7	1.0
ICHmc2	02	Hw - Kinnikinnick - Cladonia	Bl		12.0	
ICHmc2	02	Hw - Kinnikinnick - Cladonia	Hw		12.0	
ICHmc2	02	Hw - Kinnikinnick - Cladonia	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmc2	03	HwCw - Oak fern	Bl		18.0	
ICHmc2	03	HwCw - Oak fern	Cw		15.0	
ICHmc2	03	HwCw - Oak fern	Hw		15.0	
ICHmc2	03	HwCw - Oak fern	Pl		21.0	
ICHmc2	03	HwCw - Oak fern	Sx		21.0	
ICHmc2	04	CwHw - Devil's club - Oak Fern	Bl		21.0	
ICHmc2	04	CwHw - Devil's club - Oak Fern	Cw		15.0	
ICHmc2	04	CwHw - Devil's club - Oak Fern	Hw		15.0	
ICHmc2	04	CwHw - Devil's club - Oak Fern	Pl		21.0	
ICHmc2	04	CwHw - Devil's club - Oak Fern	Sx		21.0	
ICHmc2	05	Sx - Devil's club - Lady fern	Bl		21.0	
ICHmc2	05	Sx - Devil's club - Lady fern	Cw		18.0	
ICHmc2	05	Sx - Devil's club - Lady fern	Hw		18.0	
ICHmc2	05	Sx - Devil's club - Lady fern	Pl		24.0	
ICHmc2	05	Sx - Devil's club - Lady fern	Sx		24.0	
ICHmc2	06	ActSx - Dogwood	Bl		21.0	
ICHmc2	06	ActSx - Dogwood	Cw		21.0	
ICHmc2	06	ActSx - Dogwood	Hw		18.0	
ICHmc2	06	ActSx - Dogwood	Pl		21.0	
ICHmc2	06	ActSx - Dogwood	Sx		24.0	
ICHmc2	07	CwSx - Horsetail	Bl		15.0	
ICHmc2	07	CwSx - Horsetail	Cw		18.0	
ICHmc2	07	CwSx - Horsetail	Hw		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmc2	07	CwSx - Horsetail	Pl		15.0	
ICHmc2	07	CwSx - Horsetail	Sx		21.0	
ICHmc2	51	PlHw - Feathermoss	Hw		15.0	
ICHmc2	51	PlHw - Feathermoss	Pl		18.0	
ICHmc2	52	SxEp - Thimbleberry- Hazelnut	Bl		18.0	
ICHmc2	52	SxEp - Thimbleberry- Hazelnut	Cw		15.0	
ICHmc2	52	SxEp - Thimbleberry- Hazelnut	Hw		15.0	
ICHmc2	52	SxEp - Thimbleberry- Hazelnut	Pl		21.0	
ICHmc2	52	SxEp - Thimbleberry- Hazelnut	Sx		21.0	
ICHmc2	53	AtEp - Dogwood	Bl		18.0	
ICHmc2	53	AtEp - Dogwood	Cw		15.0	
ICHmc2	53	AtEp - Dogwood	Hw		15.0	
ICHmc2	53	AtEp - Dogwood	Pl		21.0	
ICHmc2	53	AtEp - Dogwood	Sx		21.0	
ICHmc2	54	SxEp - Devil's club	Bl		21.0	
ICHmc2	54	SxEp - Devil's club	Cw		18.0	
ICHmc2	54	SxEp - Devil's club	Hw		15.0	
ICHmc2	54	SxEp - Devil's club	Pl		21.0	
ICHmc2	54	SxEp - Devil's club	Sx		24.0	
ICHmk1	01	CwSxw - Falsebox	Bl	10	16.5	1.1
ICHmk1	01	CwSxw - Falsebox	Cw		15.0	
ICHmk1	01	CwSxw - Falsebox	Fd	18	20.4	0.8

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmk1	01	CwSxw - Falsebox	Lw		21.0	
ICHmk1	01	CwSxw - Falsebox	Pl	7	19.3	0.9
ICHmk1	01	CwSxw - Falsebox	Sx	12	19.4	1.2
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Bl		18.0	
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Cw		15.0	
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Fd		21.0	
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Lw		21.0	
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Pl		21.0	
ICHmk1	01-YS	CwSxw - Aspen - Kamloops	Sx		18.0	
ICHmk1	02	Fd - Penstemon - Pinegrass	Fd		15.0	
ICHmk1	02	Fd - Penstemon - Pinegrass	Pl		18.0	
ICHmk1	02	Fd - Penstemon - Pinegrass - Nelson	Py		15.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower	Bl		15.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower	Fd		18.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower	Lw		21.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower	Pl		21.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower - Nelson	Py		18.0	
ICHmk1	03	FdPl - Pinegrass - Twinflower	Sx		18.0	
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Bl		18.0	
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Cw		12.0	
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Fd	11	22.6	0.9
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Lw		21.0	
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Pl	16	20.5	0.9

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmk1	04	FdPl - Sitka alder - Pinegrass	Sx		18.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Bl		21.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Cw		18.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Fd		21.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Lw		24.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Pl		21.0	
ICHmk1	05	Sxw - Gooseberry - Sarsaparilla	Sx		21.0	
ICHmk1	06	Sxw - Oak fern	Bl		21.0	
ICHmk1	06	Sxw - Oak fern	Cw		18.0	
ICHmk1	06	Sxw - Oak fern	Fd		24.0	
ICHmk1	06	Sxw - Oak fern	Lw		24.0	
ICHmk1	06	Sxw - Oak fern	Pl		24.0	
ICHmk1	06	Sxw - Oak fern	Sx		21.0	
ICHmk1	07	Sxw - Horsetail	Bl		18.0	
ICHmk1	07	Sxw - Horsetail	Cw		15.0	
ICHmk1	07	Sxw - Horsetail	Pl		21.0	
ICHmk1	07	Sxw - Horsetail	Sx		18.0	
ICHmk2	01	CwSxw - Falsebox - Knight's plume	Bl		18.0	
ICHmk2	01	CwSxw - Falsebox - Knight's plume	Cw		15.0	
ICHmk2	01	CwSxw - Falsebox - Knight's plume	Fd		18.0	
ICHmk2	01	CwSxw - Falsebox - Knight's plume	Pl		21.0	
ICHmk2	01	CwSxw - Falsebox - Knight's plume	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmk2	02	Fd - Juniper - Pinegrass	Fd		15.0	
ICHmk2	02	Fd - Juniper - Pinegrass	Pl		18.0	
ICHmk2	03	Fd - Falsebox - Pinegrass	Bl		15.0	
ICHmk2	03	Fd - Falsebox - Pinegrass	Fd		18.0	
ICHmk2	03	Fd - Falsebox - Pinegrass	Pl		21.0	
ICHmk2	03	Fd - Falsebox - Pinegrass	Sx		18.0	
ICHmk2	04	CwSxw - Douglas maple - Fairybells	Cw		12.0	
ICHmk2	04	CwSxw - Douglas maple - Fairybells	Fd		18.0	
ICHmk2	04	CwSxw - Douglas maple - Fairybells	Pl		21.0	
ICHmk2	04	CwSxw - Douglas maple - Fairybells	Sx		18.0	
ICHmk2	05	CwSxw - Oak fern - Bunchberry	Bl		21.0	
ICHmk2	05	CwSxw - Oak fern - Bunchberry	Cw		18.0	
ICHmk2	05	CwSxw - Oak fern - Bunchberry	Fd		21.0	
ICHmk2	05	CwSxw - Oak fern - Bunchberry	Pl		24.0	
ICHmk2	05	CwSxw - Oak fern - Bunchberry	Sx		21.0	
ICHmk2	06	Sxw - Horsetail	Bl		18.0	
ICHmk2	06	Sxw - Horsetail	Cw		15.0	
ICHmk2	06	Sxw - Horsetail	Pl		21.0	
ICHmk2	06	Sxw - Horsetail	Sx		18.0	
ICHmk3	01	CwSxw - Falsebox - Knight's plume	Fd		24.0	
ICHmk3	01	CwSxw - Falsebox - Knight's plume	Pl		24.0	
ICHmk3	01	CwSxw - Falsebox - Knight's plume	Sx		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmk3	02	FdCw - Wavy-leaved moss	Fd		15.0	
ICHmk3	02	FdCw - Wavy-leaved moss	Pl		18.0	
ICHmk3	03	CwSxw - Soopolallie	Fd		18.0	
ICHmk3	03	CwSxw - Soopolallie	Pl		21.0	
ICHmk3	04	CwSxw - Oak fern - Cat's-tail moss	Fd		24.0	
ICHmk3	04	CwSxw - Oak fern - Cat's-tail moss	Pl		24.0	
ICHmk3	04	CwSxw - Oak fern - Cat's-tail moss	Sx		24.0	
ICHmk3	05	SxwCw - Oak fern	Pl		21.0	
ICHmk3	05	SxwCw - Oak fern	Sx		21.0	
ICHmk3	06	CwHw - Devil's club - Lady fern	Fd		21.0	
ICHmk3	06	CwHw - Devil's club - Lady fern	Pl		21.0	
ICHmk3	06	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHmk3	07	CwSxw - Devil's club - Horsetail	Pl		21.0	
ICHmk3	07	CwSxw - Devil's club - Horsetail	Sx		21.0	
ICHmm	01	HwCw - Spruce - Step moss	Bl	8	20.5	1.4
ICHmm	01	HwCw - Spruce - Step moss	Cw	7	17.3	1.4
ICHmm	01	HwCw - Spruce - Step moss	Fd	15	22.9	0.9
ICHmm	01	HwCw - Spruce - Step moss	Hw	7	20.8	2.5
ICHmm	01	HwCw - Spruce - Step moss	Pl	7	23.6	1.0
ICHmm	01	HwCw - Spruce - Step moss	Sx	13	22.8	0.7

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHmm	02	CwSxw - Soopolallie	Bl		12.0	
ICHmm	02	CwSxw - Soopolallie	Cw		12.0	
ICHmm	02	CwSxw - Soopolallie	Fd		15.0	
ICHmm	02	CwSxw - Soopolallie	Hw		12.0	
ICHmm	02	CwSxw - Soopolallie	Pl		15.0	
ICHmm	02	CwSxw - Soopolallie	Sx		12.0	
ICHmm	03	HwCw - Step moss	Bl	7	20.3	1.5
ICHmm	03	HwCw - Step moss	Cw		12.0	
ICHmm	03	HwCw - Step moss	Fd	8	21.9	1.2
ICHmm	03	HwCw - Step moss	Hw		15.0	
ICHmm	03	HwCw - Step moss	Pl	10	22.0	0.7
ICHmm	03	HwCw - Step moss	Sx		15.0	
ICHmm	04	CwHw - Oak fern	Bl		15.0	
ICHmm	04	CwHw - Oak fern	Cw		15.0	
ICHmm	04	CwHw - Oak fern	Fd		21.0	
ICHmm	04	CwHw - Oak fern	Hw		18.0	
ICHmm	04	CwHw - Oak fern	Pl		21.0	
ICHmm	04	CwHw - Oak fern	Pw		21.0	
ICHmm	04	CwHw - Oak fern	Sx		18.0	
ICHmm	05	CwHw - Devil's club - Lady fern	Bl		18.0	
ICHmm	05	CwHw - Devil's club - Lady fern	Cw		18.0	
ICHmm	05	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHmm	05	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHmm	05	CwHw - Devil's club - Lady fern	Pl		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHmm	05	CwHw - Devil's club - Lady fern	Sx		21.0	
ICHmm	06	CwSxw - Devil's club - Horsetail	Bl		18.0	
ICHmm	06	CwSxw - Devil's club - Horsetail	Cw		18.0	
ICHmm	06	CwSxw - Devil's club - Horsetail	Hw		18.0	
ICHmm	06	CwSxw - Devil's club - Horsetail	Pl		21.0	
ICHmm	06	CwSxw - Devil's club - Horsetail	Sx		21.0	
ICHmm	07	SbPl - Bog-laurel - Sphagnum	Pl		15.0	
ICHmm	07	SbPl - Bog-laurel - Sphagnum	Sb		12.0	
ICHmm	07	SbPl - Bog-laurel - Sphagnum	Sx		12.0	
ICHmm	08	Skunk cabbage - Sphagnum	Bl		18.0	
ICHmm	08	Skunk cabbage - Sphagnum	Cw		18.0	
ICHmm	08	Skunk cabbage - Sphagnum	Pl		15.0	
ICHmm	08	Skunk cabbage - Sphagnum	Sx		18.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Bl		18.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Cw		18.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Fd	7	24.0	0.7
ICHmw1	01	HwCw - Falsebox - Feathermoss	Hw		18.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Pl		24.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Pw		24.0	
ICHmw1	01	HwCw - Falsebox - Feathermoss	Sx		21.0	
ICHmw1	02	Pl - Juniper - Twinflower	Bl		15.0	
ICHmw1	02	Pl - Juniper - Twinflower	Cw		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw1	02	Pl - Juniper - Twinflower	Fd		18.0	
ICHmw1	02	Pl - Juniper - Twinflower	Hw		12.0	
ICHmw1	02	Pl - Juniper - Twinflower	Pl		18.0	
ICHmw1	02	Pl - Juniper - Twinflower	Pw		18.0	
ICHmw1	02	Pl - Juniper - Twinflower	Sx		15.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Bl		18.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Cw		15.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Fd		21.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Hw		15.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Pl		21.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Pw		21.0	
ICHmw1	03	HwCw - Falsebox - Pipecleaner moss	Sx		18.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Bl		18.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Cw		15.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Fd		21.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Hw		15.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Pl		21.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Pw		21.0	
ICHmw1	04	CwFd - Soopolallie - Douglas maple	Sx		18.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Bl		21.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Cw		18.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Pl		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw1	05	CwHw - Devil's club - Lady fern	Pw		24.0	
ICHmw1	05	CwHw - Devil's club - Lady fern	Sx		21.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Bl		21.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Cw		18.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Fd		24.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Hw		18.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Pl		24.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Pw		21.0	
ICHmw1	06	CwHw - Oval-leaved blueberry - Oak fern	Sx		21.0	
ICHmw1	07	CwHw - Horsetail	Bl		18.0	
ICHmw1	07	CwHw - Horsetail	Cw		15.0	
ICHmw1	07	CwHw - Horsetail	Hw		15.0	
ICHmw1	07	CwHw - Horsetail	Pl		21.0	
ICHmw1	07	CwHw - Horsetail	Sx		18.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Bl		18.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Cw		18.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Fd		24.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Hw	9	19.3	1.3
ICHmw2	01	HwCw - Falsebox - Feathermoss	Lw		24.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Pl		24.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Pw		24.0	
ICHmw2	01	HwCw - Falsebox - Feathermoss	Sx		18.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Bl		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Cw		18.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Fd		24.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Hw		18.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Lw		24.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Pl		24.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Pw		24.0	
ICHmw2	01-YS	CwFd - Feathermoss - Kamloops	Sx		18.0	
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Bl		15.0	
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Cw		15.0	
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Fd	17	22.4	0.8
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Hw	14	19.4	1.0
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Lw	16	21.1	0.5
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Pl	11	21.2	0.9
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Pw		24.0	
ICHmw2	02	FdCw - Falsebox - Prince's pine - Kamloops	Sx		15.0	
ICHmw2	03	CwFd - Falsebox - Kamloops	Bl		18.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Bl		15.0	
ICHmw2	03	CwFd - Falsebox - Kamloops	Cw		18.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Cw		15.0	
ICHmw2	03	CwFd - Falsebox - Kamloops	Fd		21.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Fd	17	22.4	0.8
ICHmw2	03	CwFd - Falsebox - Kamloops	Hw		18.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Hw	14	19.4	1.0
ICHmw2	03	CwFd - Falsebox - Kamloops	Lw	10	22.3	1.2
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Lw	16	21.1	0.5

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw2	03	CwFd - Falsebox - Kamloops	Pl		24.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Pl	11	21.2	0.9
ICHmw2	03	CwFd - Falsebox - Kamloops	Pw		24.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Pw		24.0	
ICHmw2	03	CwFd - Falsebox - Kamloops	Sx		18.0	
ICHmw2	03	FdCw - Falsebox - Prince's pine - Nelson	Sx		15.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Bl		18.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Bl		21.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Cw		18.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Cw		18.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Fd		21.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Fd		24.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Hw		18.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Hw		18.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Lw	10	22.3	1.2
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Lw		24.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Pl		24.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Pl		24.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Pw		24.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Pw		27.0	
ICHmw2	04	CwFd - Falsebox - Nelson	Sx		18.0	
ICHmw2	04	CwHw - Oak fern - Foamflower - Kamloops	Sx		24.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Bl		21.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Bl		21.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Cw		27.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Cw		18.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Fd		27.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Fd		24.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Hw		21.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Hw		18.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Lw		27.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Lw		24.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Pl		27.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Pl		24.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Pw		27.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Pw		27.0	
ICHmw2	05	CwHw - Devil's club - Lady fern - Kamloops	Sx		24.0	
ICHmw2	05	CwHw - Oak fern - Foamflower - Nelson	Sx		24.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Bl		21.0	
ICHmw2	06	CwHw - Horsetail - Kamloops	Bl		18.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Cw		27.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Fd		27.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Hw		21.0	
ICHmw2	06	CwHw - Horsetail - Kamloops	Hw		15.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Lw		27.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Pl		27.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Pw		27.0	
ICHmw2	06	CwHw - Devil's club - Lady fern - Nelson	Sx		24.0	
ICHmw2	06	CwHw - Horsetail - Kamloops	Sx		21.0	
ICHmw2	07	CwHw - Horsetail - Nelson	Bl		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw2	07	CwSxw - Skunk cabbage - Kamloops	Bl		18.0	
ICHmw2	07	CwHw - Horsetail - Nelson	Hw		15.0	
ICHmw2	07	CwSxw - Skunk cabbage - Kamloops	Hw		15.0	
ICHmw2	07	CwHw - Horsetail - Nelson	Sx		21.0	
ICHmw2	07	CwSxw - Skunk cabbage - Kamloops	Sx		18.0	
ICHmw2	08	CwSxw - Skunk cabbage - Nelson	Bl		18.0	
ICHmw2	08	CwSxw - Skunk cabbage - Nelson	Hw		15.0	
ICHmw2	08	CwSxw - Skunk cabbage - Nelson	Sx		18.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Bl		18.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Cw		15.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Fd		21.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Hw	9	19.4	0.7
ICHmw3	01	HwCw - Falsebox - Feathermoss	Pl		21.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Pw		24.0	
ICHmw3	01	HwCw - Falsebox - Feathermoss	Sx		18.0	
ICHmw3	01-YC	HwCw - Feathermoss	Bl		18.0	
ICHmw3	01-YC	HwCw - Feathermoss	Cw		15.0	
ICHmw3	01-YC	HwCw - Feathermoss	Fd		21.0	
ICHmw3	01-YC	HwCw - Feathermoss	Hw		18.0	
ICHmw3	01-YC	HwCw - Feathermoss	Pl		21.0	
ICHmw3	01-YC	HwCw - Feathermoss	Pw		24.0	
ICHmw3	01-YC	HwCw - Feathermoss	Sx		18.0	
ICHmw3	02	Fd - Juniper - Cladina	Fd		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw3	02	Fd - Juniper - Cladina	Pl		18.0	
ICHmw3	03	FdPl - Pinegrass - Feathermoss	Bl		15.0	
ICHmw3	03	FdPl - Pinegrass - Feathermoss	Cw		15.0	
ICHmw3	03	FdPl - Pinegrass - Feathermoss	Fd		18.0	
ICHmw3	03	FdPl - Pinegrass - Feathermoss	Pl		21.0	
ICHmw3	03	FdPl - Pinegrass - Feathermoss	Sx		15.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Cw		15.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Fd		21.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Hw		15.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Lw		21.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Pl		21.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Pw		21.0	
ICHmw3	04	CwFd - Soopolallie - Twinflower	Sx		18.0	
ICHmw3	05	CwFd - Falsebox	Bl		18.0	
ICHmw3	05	CwFd - Falsebox	Cw		15.0	
ICHmw3	05	CwFd - Falsebox	Fd		21.0	
ICHmw3	05	CwFd - Falsebox	Hw		18.0	
ICHmw3	05	CwFd - Falsebox	Pl		21.0	
ICHmw3	05	CwFd - Falsebox	Pw		21.0	
ICHmw3	05	CwFd - Falsebox	Sx		18.0	
ICHmw3	06	CwHw - Oak fern	Bl		21.0	
ICHmw3	06	CwHw - Oak fern	Cw		18.0	
ICHmw3	06	CwHw - Oak fern	Fd		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHmw3	06	CwHw - Oak fern	Hw		18.0	
ICHmw3	06	CwHw - Oak fern	Pl		24.0	
ICHmw3	06	CwHw - Oak fern	Pw		24.0	
ICHmw3	06	CwHw - Oak fern	Sx		21.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Bl		21.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Cw		18.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Fd		27.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Pw		27.0	
ICHmw3	07	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHmw3	08	CwSxw - Skunk cabbage	Bl		15.0	
ICHmw3	08	CwSxw - Skunk cabbage	Cw		15.0	
ICHmw3	08	CwSxw - Skunk cabbage	Hw		15.0	
ICHmw3	08	CwSxw - Skunk cabbage	Sx		18.0	
ICHvc	01	Hw - Devil's club	Bl		18.0	
ICHvc	01	Hw - Devil's club	Hw		15.0	
ICHvc	01	Hw - Devil's club	Sx		18.0	
ICHvc	02	Hw - Step moss	Bl		18.0	
ICHvc	02	Hw - Step moss	Hw		15.0	
ICHvc	02	Hw - Step moss	Sx		18.0	
ICHvc	03	Sx - Devil's club	Bl		18.0	
ICHvc	03	Sx - Devil's club	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHvc	04	Sx - Devil's club - Dogwood	Bl		21.0	
ICHvc	04	Sx - Devil's club - Dogwood	Sx		21.0	
ICHvc	05	ActSx - Dogwood	Bl		21.0	
ICHvc	05	ActSx - Dogwood	Sx		21.0	
ICHvc	06	Sx - Horsetail	Bl		15.0	
ICHvc	06	Sx - Horsetail	Sx		18.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Bl		21.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Cw		21.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Pw		24.0	
ICHvk1	01	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHvk1	02	HwCw - Falsebox - Feathermoss - Kamloops	Bl		18.0	
ICHvk1	02	HwCw - Falsebox - Feathermoss - Kamloops	Fd		24.0	
ICHvk1	02	HwCw - Falsebox - Feathermoss - Kamloops	Hw		18.0	
ICHvk1	02	HwCw - Falsebox - Feathermoss - Kamloops	Pw		24.0	
ICHvk1	02	HwCw - Falsebox - Feathermoss - Kamloops	Sx		21.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Bl		18.0	
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Bl		18.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Cw		18.0	
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Cw		18.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Fd		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

				Site Series Summary		
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Fd		24.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Hw		18.0	
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Hw		18.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Pw		24.0	
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Pw		24.0	
ICHvk1	03	CwHw - Oak fern - Foamflower - Kamloops	Sx		21.0	
ICHvk1	03	HwCw - Falsebox - Feathermoss - Nelson	Sx		21.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Bl		21.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Cw		18.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Fd		27.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Hw		18.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Pw		27.0	
ICHvk1	04	CwHw - Oak fern - Spiny wood fern	Sx		24.0	
ICHvk1	05	CwSxw - Devil's club - Horsetail	Bl		18.0	
ICHvk1	05	CwSxw - Devil's club - Horsetail	Cw		15.0	
ICHvk1	05	CwSxw - Devil's club - Horsetail	Hw		15.0	
ICHvk1	05	CwSxw - Devil's club - Horsetail	Pw		24.0	
ICHvk1	05	CwSxw - Devil's club - Horsetail	Sx		21.0	
ICHvk1	06	CwSxw - Skunk cabbage	Bl		15.0	
ICHvk1	06	CwSxw - Skunk cabbage	Cw		15.0	
ICHvk1	06	CwSxw - Skunk cabbage	Hw		15.0	
ICHvk1	06	CwSxw - Skunk cabbage	Sx		18.0	
ICHvk2	01	CwHw - Devil's club - Lady fern	Bl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHvk2	01	CwHw - Devil's club - Lady fern	Cw		18.0	
ICHvk2	01	CwHw - Devil's club - Lady fern	Fd		21.0	
ICHvk2	01	CwHw - Devil's club - Lady fern	Hw		15.0	
ICHvk2	01	CwHw - Devil's club - Lady fern	Pl		24.0	
ICHvk2	01	CwHw - Devil's club - Lady fern	Sx		21.0	
ICHvk2	02	HwCw - Cladonia	Cw		12.0	
ICHvk2	02	HwCw - Cladonia	Hw		12.0	
ICHvk2	02	HwCw - Cladonia	Pl		15.0	
ICHvk2	02	HwCw - Cladonia	Sx		12.0	
ICHvk2	03	HwCw - Step moss	Bl		12.0	
ICHvk2	03	HwCw - Step moss	Cw		12.0	
ICHvk2	03	HwCw - Step moss	Fd		15.0	
ICHvk2	03	HwCw - Step moss	Hw		12.0	
ICHvk2	03	HwCw - Step moss	Pl		15.0	
ICHvk2	03	HwCw - Step moss	Sx		12.0	
ICHvk2	04	CwHw - Oak fern	Bl		15.0	
ICHvk2	04	CwHw - Oak fern	Cw		12.0	
ICHvk2	04	CwHw - Oak fern	Fd		18.0	
ICHvk2	04	CwHw - Oak fern	Hw		15.0	
ICHvk2	04	CwHw - Oak fern	Pl		18.0	
ICHvk2	04	CwHw - Oak fern	Sx		15.0	
ICHvk2	05	Cw - Devil's club - Ostrich fern	Bl		15.0	
ICHvk2	05	Cw - Devil's club - Ostrich fern	Cw		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHvk2	05	Cw - Devil's club - Ostrich fern	Hw		18.0	
ICHvk2	05	Cw - Devil's club - Ostrich fern	Pl		21.0	
ICHvk2	05	Cw - Devil's club - Ostrich fern	Sx		21.0	
ICHvk2	06	CwSxw - Skunk cabbage	Bl		18.0	
ICHvk2	06	CwSxw - Skunk cabbage	Cw		18.0	
ICHvk2	06	CwSxw - Skunk cabbage	Hw		15.0	
ICHvk2	06	CwSxw - Skunk cabbage	Pl		18.0	
ICHvk2	06	CwSxw - Skunk cabbage	Sx		18.0	
ICHvk2	07	Sb - Sphagnum	Pl		15.0	
ICHvk2	07	Sb - Sphagnum	Sb		12.0	
ICHvk2	07	Sb - Sphagnum	Sx		12.0	
ICHwc	01	HwBl - Oak fern	Bl		18.0	
ICHwc	01	HwBl - Oak fern	Hw		15.0	
ICHwc	01	HwBl - Oak fern	Pl		21.0	
ICHwc	01	HwBl - Oak fern	Sx		21.0	
ICHwc	02	HwPl - Feathermoss - Cladonia	Hw		12.0	
ICHwc	02	HwPl - Feathermoss - Cladonia	Pl		15.0	
ICHwc	03	Hw - Step moss	Bl		18.0	
ICHwc	03	Hw - Step moss	Hw		15.0	
ICHwc	03	Hw - Step moss	Pl		21.0	
ICHwc	03	Hw - Step moss	Sx		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHwc	04	HwBl - Devil's club	Bl		18.0	
ICHwc	04	HwBl - Devil's club	Hw		18.0	
ICHwc	04	HwBl - Devil's club	Pl		24.0	
ICHwc	04	HwBl - Devil's club	Sx		24.0	
ICHwc	05	Sx - Devil's club	Bl		18.0	
ICHwc	05	Sx - Devil's club	Hw		18.0	
ICHwc	05	Sx - Devil's club	Sx		24.0	
ICHwc	06	ActSx - Dogwood	Bl		21.0	
ICHwc	06	ActSx - Dogwood	Sx		24.0	
ICHwc	08	Sx - Horsetail	Bl		15.0	
ICHwc	08	Sx - Horsetail	Hw		15.0	
ICHwc	08	Sx - Horsetail	Sx		21.0	
ICHwk1	01	CwHw - Oak fern	Bl		21.0	
ICHwk1	01	CwHw - Oak fern	Cw	10	19.0	1.1
ICHwk1	01	CwHw - Oak fern	Fd		24.0	
ICHwk1	01	CwHw - Oak fern	Hw	15	20.3	0.7
ICHwk1	01	CwHw - Oak fern	Pl		24.0	
ICHwk1	01	CwHw - Oak fern	Pw		24.0	
ICHwk1	01	CwHw - Oak fern	Sx		24.0	
ICHwk1	02	PlHw - Velvet-leaved blueberry - Kamloops	Bl		15.0	
ICHwk1	02	PlHw - Velvet-leaved blueberry - Kamloops	Cw		15.0	
ICHwk1	02	PlHw - Velvet-leaved blueberry - Kamloops	Hw		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHwk1	02	PlHw - Velvet-leaved blueberry - Kamloops	Pl		18.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Bl		18.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Bl		18.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Cw		15.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Cw		15.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Fd		21.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Fd		21.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Hw		15.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Hw		15.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Pl		21.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Pl		21.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Pw		24.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Pw		24.0	
ICHwk1	03	HwCw - Step moss - Kamloops	Sx		18.0	
ICHwk1	03	PlHw - Velvet-leaved blueberry - Prince George	Sx		18.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Bl		18.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Cw		18.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Fd	8	23.7	1.7
ICHwk1	04	HwCw - Falsebox - Feathermoss	Hw		18.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Pl		21.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Pw		24.0	
ICHwk1	04	HwCw - Falsebox - Feathermoss	Sx		21.0	
ICHwk1	05	CwHw - Devil's club - Lady fern	Bl		21.0	
ICHwk1	05	CwHw - Devil's club - Lady fern	Cw		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHwk1	05	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHwk1	05	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHwk1	05	CwHw - Devil's club - Lady fern	Pw		27.0	
ICHwk1	05	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHwk1	06	CwSxw - Devil's club - Horsetail	Bl		18.0	
ICHwk1	06	CwSxw - Devil's club - Horsetail	Cw		15.0	
ICHwk1	06	CwSxw - Devil's club - Horsetail	Hw		15.0	
ICHwk1	06	CwSxw - Devil's club - Horsetail	Sx		21.0	
ICHwk1	07	Act - Dogwood - Twinberry - Nelson	Bl		18.0	
ICHwk1	07	CwSxw - Skunk cabbage - Kamloops	Bl		18.0	
ICHwk1	07	Act - Dogwood - Twinberry - Nelson	Cw		15.0	
ICHwk1	07	CwSxw - Skunk cabbage - Kamloops	Cw		15.0	
ICHwk1	07	Act - Dogwood - Twinberry - Nelson	Hw		15.0	
ICHwk1	07	CwSxw - Skunk cabbage - Kamloops	Hw		15.0	
ICHwk1	07	Act - Dogwood - Twinberry - Nelson	Pw		24.0	
ICHwk1	07	Act - Dogwood - Twinberry - Nelson	Sx		21.0	
ICHwk1	07	CwSxw - Skunk cabbage - Kamloops	Sx		18.0	
ICHwk1	08	CwSxw - Skunk cabbage - Nelson	Bl		18.0	
ICHwk1	08	CwSxw - Skunk cabbage - Nelson	Cw		15.0	
ICHwk1	08	CwSxw - Skunk cabbage - Nelson	Hw		15.0	
ICHwk1	08	CwSxw - Skunk cabbage - Nelson	Sx		18.0	
ICHwk2	01	CwHw - Oak fern	Fd		24.0	
ICHwk2	01	CwHw - Oak fern	Pl		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHwk2	01	CwHw - Oak fern	Sx		21.0	
ICHwk2	02	HwCw - Cladonia	Fd		15.0	
ICHwk2	02	HwCw - Cladonia	Pl		15.0	
ICHwk2	03	CwFd - Juniper - Falsebox	Fd		15.0	
ICHwk2	03	CwFd - Juniper - Falsebox	Pl		15.0	
ICHwk2	04	HwCw - Step moss	Fd		21.0	
ICHwk2	04	HwCw - Step moss	Pl		21.0	
ICHwk2	04	HwCw - Step moss	Sx		15.0	
ICHwk2	05	SxwCw - Oak fern	Pl		21.0	
ICHwk2	05	SxwCw - Oak fern	Sx		21.0	
ICHwk2	06	Sxw - Twinberry - Oak fern	Pl		21.0	
ICHwk2	06	Sxw - Twinberry - Oak fern	Sx		21.0	
ICHwk2	07	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHwk2	07	CwHw - Devil's club - Lady fern	Pl		21.0	
ICHwk2	07	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHwk2	08	CwSxw - Skunk cabbage	Sx		21.0	
ICHwk3	01	CwHw - Oak fern	Bl		15.0	
ICHwk3	01	CwHw - Oak fern	Cw		18.0	
ICHwk3	01	CwHw - Oak fern	Fd	10	23.5	0.7

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHwk3	01	CwHw - Oak fern	Hw	9	19.7	1.1
ICHwk3	01	CwHw - Oak fern	Pl		21.0	
ICHwk3	01	CwHw - Oak fern	Sx	24	22.0	0.6
ICHwk3	02	Hw - Azalea - Cladonia	Hw		12.0	
ICHwk3	02	Hw - Azalea - Cladonia	Pl		15.0	
ICHwk3	02	Hw - Azalea - Cladonia	Sx		12.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Bl		12.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Cw		12.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Fd		15.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Hw		12.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Pl		15.0	
ICHwk3	03	CwSxw - Prince's pine - Cat's-tail moss	Sx		12.0	
ICHwk3	04	HwCw - Step moss	Bl		15.0	
ICHwk3	04	HwCw - Step moss	Cw		15.0	
ICHwk3	04	HwCw - Step moss	Fd	7	21.9	1.6
ICHwk3	04	HwCw - Step moss	Hw		15.0	
ICHwk3	04	HwCw - Step moss	Pl		18.0	
ICHwk3	04	HwCw - Step moss	Sx		15.0	
ICHwk3	05	CwHw - Devil's club - Lady fern	Bl		18.0	
ICHwk3	05	CwHw - Devil's club - Lady fern	Cw		18.0	
ICHwk3	05	CwHw - Devil's club - Lady fern	Fd		21.0	
ICHwk3	05	CwHw - Devil's club - Lady fern	Hw		18.0	
ICHwk3	05	CwHw - Devil's club - Lady fern	Pl		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
ICHwk3	05	CwHw - Devil's club - Lady fern	Sx	8	19.8	1.1
ICHwk3	06	CwSxw - Devil's club - Horsetail	Bl		18.0	
ICHwk3	06	CwSxw - Devil's club - Horsetail	Cw		18.0	
ICHwk3	06	CwSxw - Devil's club - Horsetail	Hw		18.0	
ICHwk3	06	CwSxw - Devil's club - Horsetail	Pl		24.0	
ICHwk3	06	CwSxw - Devil's club - Horsetail	Sx		21.0	
ICHwk3	07	Hw - Wood horsetail - Sphagnum	Hw		15.0	
ICHwk3	07	Hw - Wood horsetail - Sphagnum	Pl		18.0	
ICHwk3	07	Hw - Wood horsetail - Sphagnum	Sx		15.0	
ICHwk3	08	PlSb - Sedge - Sphagnum	Pl		15.0	
ICHwk3	08	PlSb - Sedge - Sphagnum	Sb		12.0	
ICHwk3	09	CwSxw - Skunk cabbage	Bl		18.0	
ICHwk3	09	CwSxw - Skunk cabbage	Cw		18.0	
ICHwk3	09	CwSxw - Skunk cabbage	Hw		15.0	
ICHwk3	09	CwSxw - Skunk cabbage	Sx		18.0	
ICHwk4	01	CwHw - Oak fern	Fd		24.0	
ICHwk4	01	CwHw - Oak fern	Pl		24.0	
ICHwk4	01	CwHw - Oak fern	Sx		21.0	
ICHwk4	02	HwCw - Cladonia	Fd		15.0	
ICHwk4	02	HwCw - Cladonia	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHwk4	03	CwSxw - Soopolallie	Fd		15.0	
ICHwk4	03	CwSxw - Soopolallie	Pl		15.0	
ICHwk4	04	CwSxw - Velvet-leaved blueberry	Fd		18.0	
ICHwk4	04	CwSxw - Velvet-leaved blueberry	Pl		21.0	
ICHwk4	04	CwSxw - Velvet-leaved blueberry	Sx		18.0	
ICHwk4	05	HwCw - Step moss	Fd		21.0	
ICHwk4	05	HwCw - Step moss	Pl		21.0	
ICHwk4	05	HwCw - Step moss	Sx		18.0	
ICHwk4	06	Sxw - Twinberry - Oak fern	Pl		21.0	
ICHwk4	06	Sxw - Twinberry - Oak fern	Sx		21.0	
ICHwk4	07	CwHw - Devil's club - Lady fern	Fd		24.0	
ICHwk4	07	CwHw - Devil's club - Lady fern	Pl		21.0	
ICHwk4	07	CwHw - Devil's club - Lady fern	Sx		24.0	
ICHwk4	08	Sxw - Devil's club - Lady fern	Sx		18.0	
ICHxw	01	CwFd - Mock-orange	Bg		18.0	
ICHxw	01	CwFd - Mock-orange	Cw		15.0	
ICHxw	01	CwFd - Mock-orange	Fd		21.0	
ICHxw	01	CwFd - Mock-orange	Hw		18.0	
ICHxw	01	CwFd - Mock-orange	Lw		21.0	
ICHxw	01	CwFd - Mock-orange	Pl		21.0	
ICHxw	01	CwFd - Mock-orange	Pw		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
ICHxw	01	CwFd - Mock-orange	Py		21.0	
IDFdk1	01	FdPl - Pinegrass - Feathermoss	Fd	9	16.3	0.9
IDFdk1	01	FdPl - Pinegrass - Feathermoss	Pl	7	18.5	0.9
IDFdk1	01	FdPl - Pinegrass - Feathermoss	Sx		15.0	
IDFdk1	02	Fd - Snowberry - Bluebunch wheatgrass	Fd		12.0	
IDFdk1	02	Fd - Snowberry - Bluebunch wheatgrass	Pl		15.0	
IDFdk1	02	Fd - Snowberry - Bluebunch wheatgrass	Py		12.0	
IDFdk1	03	Fd - Juniper - Pinegrass	Fd		15.0	
IDFdk1	03	Fd - Juniper - Pinegrass	Pl		15.0	
IDFdk1	03	Fd - Juniper - Pinegrass	Py		12.0	
IDFdk1	04	Fd - Pinegrass - Feathermoss	Fd		15.0	
IDFdk1	04	Fd - Pinegrass - Yarrow	Fd	11	18.0	0.7
IDFdk1	04	Fd - Pinegrass - Feathermoss	Pl		15.0	
IDFdk1	04	Fd - Pinegrass - Yarrow	Pl	11	17.1	0.8
IDFdk1	04	Fd - Pinegrass - Feathermoss	Py		15.0	
IDFdk1	05	SxwFd - Gooseberry - Feathermoss	Bl		18.0	
IDFdk1	05	SxwFd - Gooseberry - Feathermoss	Fd	8	19.9	0.7
IDFdk1	05	SxwFd - Gooseberry - Feathermoss	Pl		21.0	
IDFdk1	05	SxwFd - Gooseberry - Feathermoss	Sx	12	20.2	0.8
IDFdk1	06	Sxw - Horsetail	Bl		18.0	
IDFdk1	06	Sxw - Horsetail	Fd		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFdk1	06	Sxw - Horsetail	Pl		21.0	
IDFdk1	06	Sxw - Horsetail	Sx		21.0	
IDFdk2	01	FdPl - Pinegrass - Feathermoss	Fd	31	18.2	0.5
IDFdk2	01	FdPl - Pinegrass - Feathermoss	Pl	21	18.4	0.8
IDFdk2	01	FdPl - Pinegrass - Feathermoss	Sx		15.0	
IDFdk2	02	FdPy - Bluebunch wheatgrass - Pinegrass	Fd		12.0	
IDFdk2	02	FdPy - Bluebunch wheatgrass - Pinegrass	Py		12.0	
IDFdk2	03	FdPy - Pinegrass	Fd	12	16.3	0.9
IDFdk2	03	FdPy - Pinegrass	Pl		18.0	
IDFdk2	03	FdPy - Pinegrass	Py		12.0	
IDFdk2	04	Fd - Feathermoss	Fd	7	18.7	2.0
IDFdk2	04	Fd - Feathermoss	Pl	8	18.2	1.1
IDFdk2	04	Fd - Feathermoss	Py		15.0	
IDFdk2	04	Fd - Feathermoss	Sx		15.0	
IDFdk2	05	SxwFd - Dogwood - Gooseberry	Fd	7	21.3	1.3
IDFdk2	05	SxwFd - Dogwood - Gooseberry	Pl		21.0	
IDFdk2	05	SxwFd - Dogwood - Gooseberry	Sx	11	20.4	2.1
IDFdk2	06	Sxw - Horsetail	Fd		21.0	
IDFdk2	06	Sxw - Horsetail	Pl		21.0	
IDFdk2	06	Sxw - Horsetail	Sx		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
IDFdk2	07	CwSxw - Twinberry - Soft-leaved sedge	Cw		15.0	
IDFdk2	07	CwSxw - Twinberry - Soft-leaved sedge	Pl		21.0	
IDFdk2	07	CwSxw - Twinberry - Soft-leaved sedge	Sx		18.0	
IDFdk3	01	FdPl - Pinegrass - Feathermoss	Fd		15.0	
IDFdk3	01	FdPl - Pinegrass - Feathermoss	Pl		18.0	
IDFdk3	02	Fd - Juniper - Kinnikinnick	Fd		12.0	
IDFdk3	02	Fd - Juniper - Kinnikinnick	Pl		12.0	
IDFdk3	03	Fd - Juniper - Peltigera	Fd		12.0	
IDFdk3	03	Fd - Juniper - Peltigera	Pl		15.0	
IDFdk3	04	Fd - Bluebunch wheatgrass - Needlegrass	Fd		12.0	
IDFdk3	05	Fd - Feathermoss - Step moss	Fd		15.0	
IDFdk3	05	Fd - Feathermoss - Step moss	Pl		15.0	
IDFdk3	06	Fd - Pinegrass - Aster	Fd		15.0	
IDFdk3	06	Fd - Pinegrass - Aster	Fd		18.0	
IDFdk3	06	Fd - Pinegrass - Aster	Pl		15.0	
IDFdk3	06	Fd - Pinegrass - Aster	Pl		18.0	
IDFdk3	07	SxwFd - Prickly rose - Sedge	Fd		18.0	
IDFdk3	07	SxwFd - Prickly rose - Sedge	Pl		18.0	
IDFdk3	07	SxwFd - Prickly rose - Sedge	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFdk3	08	SxwFd - Prickly rose - Sarsaparilla	Fd		18.0	
IDFdk3	08	SxwFd - Prickly rose - Sarsaparilla	Pl		18.0	
IDFdk3	08	SxwFd - Prickly rose - Sarsaparilla	Sx		18.0	
IDFdk3	09	Sxw - Horsetail - Glow moss	Pl		18.0	
IDFdk3	09	Sxw - Horsetail - Glow moss	Sx		15.0	
IDFdk4	01	FdPl - Pinegrass - Feathermoss	Fd		12.0	
IDFdk4	01	FdPl - Pinegrass - Feathermoss	Pl		12.0	
IDFdk4	02	Fd - Juniper - Peltigera	Fd		9.0	
IDFdk4	02	Fd - Juniper - Peltigera	Pl		9.0	
IDFdk4	03	Fd - Juniper - Saskatoon	Fd		9.0	
IDFdk4	04	Fd - Juniper - Pasture sage	Fd		9.0	
IDFdk4	05	Fd - Bluebunch wheatgrass - Pinegrass	Fd		9.0	
IDFdk4	05	Fd - Bluebunch wheatgrass - Pinegrass	Pl		9.0	
IDFdk4	06	Pl - Kinnikinnick - Cladonia	Pl		9.0	
IDFdk4	07	Fd - Feathermoss - Step moss	Fd		12.0	
IDFdk4	07	Fd - Feathermoss - Step moss	Pl		12.0	
IDFdk4	08	Sxw - Scrub birch - Feathermoss	Pl		12.0	
IDFdk4	08	Sxw - Scrub birch - Feathermoss	Sx		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFdk4	09	Sxw - Feathermoss - Brachythecium	Fd		15.0	
IDFdk4	09	Sxw - Feathermoss - Brachythecium	Pl		15.0	
IDFdk4	09	Sxw - Feathermoss - Brachythecium	Sx		15.0	
IDFdk4	10	Sxw - Horsetail - Glow moss	Sx		15.0	
IDFdm1	01	FdPl - Pinegrass - Twinflower	Fd	11	18.3	1.0
IDFdm1	01	FdPl - Pinegrass - Twinflower	Lw		18.0	
IDFdm1	01	FdPl - Pinegrass - Twinflower	Pl		18.0	
IDFdm1	01	FdPl - Pinegrass - Twinflower	Py		18.0	
IDFdm1	01	FdPl - Pinegrass - Twinflower	Sx		15.0	
IDFdm1	03	FdPy - Bluebunch wheatgrass - Pinegrass	Fd		12.0	
IDFdm1	03	FdPy - Bluebunch wheatgrass - Pinegrass	Pl		12.0	
IDFdm1	03	FdPy - Bluebunch wheatgrass - Pinegrass	Py		15.0	
IDFdm1	04	Fd - Pinegrass - Kinnikinnick	Fd		15.0	
IDFdm1	04	Fd - Pinegrass - Kinnikinnick	Lw		15.0	
IDFdm1	04	Fd - Pinegrass - Kinnikinnick	Pl		15.0	
IDFdm1	04	Fd - Pinegrass - Kinnikinnick	Py		18.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Bl		18.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Fd		21.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Lw		21.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Pl		21.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Py		21.0	
IDFdm1	05	FdLw - Spruce - Pinegrass	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
IDFdm2	05	SxwAt - Sarsaparilla	Fd		21.0	
IDFdm2	05	SxwAt - Sarsaparilla	Lw		21.0	
IDFdm2	05	SxwAt - Sarsaparilla	Pl		21.0	
IDFdm2	05	SxwAt - Sarsaparilla	Sx		21.0	
IDFdm2	07	Sxw - Horsetail	Fd		18.0	
IDFdm2	07	Sxw - Horsetail	Pl		18.0	
IDFdm2	07	Sxw - Horsetail	Sx		15.0	
IDFdw	01	Fd - Prickly rose - Pinegrass	Fd		15.0	
IDFdw	01	Fd - Prickly rose - Pinegrass	Pl		18.0	
IDFdw	01	Fd - Prickly rose - Pinegrass	Sx		12.0	
IDFmw1	01	FdCw - Falsebox - Prince's pine	Cw		15.0	
IDFmw1	01	FdCw - Falsebox - Prince's pine	Fd	19	20.6	1.0
IDFmw1	01	FdCw - Falsebox - Prince's pine	Lw		24.0	
IDFmw1	01	FdCw - Falsebox - Prince's pine	Pl	9	21.5	0.8
IDFmw1	01	FdCw - Falsebox - Prince's pine	Py		21.0	
IDFmw1	01	FdCw - Falsebox - Prince's pine	Sx		18.0	
IDFmw1	01-YC	CwFd - Feathermoss	Cw		15.0	
IDFmw1	01-YC	CwFd - Feathermoss	Fd		21.0	
IDFmw1	01-YC	CwFd - Feathermoss	Lw		24.0	
IDFmw1	01-YC	CwFd - Feathermoss	Pl		21.0	
IDFmw1	01-YC	CwFd - Feathermoss	Py		21.0	
IDFmw1	01-YC	CwFd - Feathermoss	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFmw1	02	FdPy - Snowberry - Bluebunch wheatgrass	Fd		15.0	
IDFmw1	02	FdPy - Snowberry - Bluebunch wheatgrass	Py		15.0	
IDFmw1	03	Fd - Penstemon - Pinegrass	Fd		18.0	
IDFmw1	03	Fd - Penstemon - Pinegrass	Pl		15.0	
IDFmw1	03	Fd - Penstemon - Pinegrass	Py		18.0	
IDFmw1	04	Fd - Pinegrass - Feathermoss	Cw		15.0	
IDFmw1	04	Fd - Pinegrass - Feathermoss	Fd	11	18.1	1.3
IDFmw1	04	Fd - Pinegrass - Feathermoss	Lw		21.0	
IDFmw1	04	Fd - Pinegrass - Feathermoss	Pl		18.0	
IDFmw1	04	Fd - Pinegrass - Feathermoss	Py		18.0	
IDFmw1	05	CwFd - Dogwood	Cw		18.0	
IDFmw1	05	CwFd - Dogwood	Fd		21.0	
IDFmw1	05	CwFd - Dogwood	Lw		24.0	
IDFmw1	05	CwFd - Dogwood	Pl		21.0	
IDFmw1	05	CwFd - Dogwood	Sx		21.0	
IDFmw1	06	Cw - Devil's club - Foamflower	Cw		21.0	
IDFmw1	06	Cw - Devil's club - Foamflower	Fd		24.0	
IDFmw1	06	Cw - Devil's club - Foamflower	Lw		27.0	
IDFmw1	06	Cw - Devil's club - Foamflower	Pl		21.0	
IDFmw1	06	Cw - Devil's club - Foamflower	Sx		24.0	
IDFmw2	01	FdCw - Falsebox - Prince's pine	Cw		15.0	
IDFmw2	01	FdCw - Falsebox - Prince's pine	Fd	7	23.1	0.9

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFmw2	01	FdCw - Falsebox - Prince's pine	Pl		21.0	
IDFmw2	01	FdCw - Falsebox - Prince's pine	Py		18.0	
IDFmw2	01	FdCw - Falsebox - Prince's pine	Sx		18.0	
IDFmw2	02	Fd - Snowberry - Bluebunch wheatgrass	Fd		15.0	
IDFmw2	02	Fd - Snowberry - Bluebunch wheatgrass	Pl		18.0	
IDFmw2	02	Fd - Snowberry - Bluebunch wheatgrass	Py		15.0	
IDFmw2	03	Fd - Pinegrass - Feathermoss	Fd		18.0	
IDFmw2	03	Fd - Pinegrass - Feathermoss	Pl		21.0	
IDFmw2	03	Fd - Pinegrass - Feathermoss	Py		15.0	
IDFmw2	04	CwSxw - Oak fern	Cw		21.0	
IDFmw2	04	CwSxw - Oak fern	Fd		21.0	
IDFmw2	04	CwSxw - Oak fern	Pl		24.0	
IDFmw2	04	CwSxw - Oak fern	Sx		21.0	
IDFmw2	05	Dogwood - Sedge	Cw		15.0	
IDFmw2	05	Dogwood - Sedge	Pl		18.0	
IDFmw2	05	Dogwood - Sedge	Sx		18.0	
IDFww	01	FdCw - Hazelnut	Cw		15.0	
IDFww	01	FdCw - Hazelnut	Fd		24.0	
IDFww	01	FdCw - Hazelnut	Pl		24.0	
IDFww	01	FdCw - Hazelnut	Py		24.0	
IDFww	02	FdPl - Peltigera	Fd		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFww	02	FdPl - Peltigera	Pl		12.0	
IDFww	03	Fd - Falsebox - Feathermoss	Fd		18.0	
IDFww	03	Fd - Falsebox - Feathermoss	Pl		18.0	
IDFww	03	Fd - Falsebox - Feathermoss	Py		18.0	
IDFww	04	Fd - Douglas maple - Fairybells	Cw		15.0	
IDFww	04	Fd - Douglas maple - Fairybells	Fd		24.0	
IDFww	04	Fd - Douglas maple - Fairybells	Py		24.0	
IDFww	05	CwFd - Vine maple	Cw		24.0	
IDFww	05	CwFd - Vine maple	Fd		27.0	
IDFww	05	CwFd - Vine maple	Ss		27.0	
IDFww	06	Cw - Devil's club - Lady fern	Bg		36.0	
IDFww	06	Cw - Devil's club - Lady fern	Cw		27.0	
IDFww	06	Cw - Devil's club - Lady fern	Fd		36.0	
IDFww	06	Cw - Devil's club - Lady fern	Ss		36.0	
IDFww	07	CwSxw - Skunk cabbage	Cw		15.0	
IDFww	07	CwSxw - Skunk cabbage	Ss		21.0	
IDFxh1	01	FdPy - Pinegrass	Fd	13	16.3	1.1
IDFxh1	01	FdPy - Pinegrass	Py	8	16.8	1.5
IDFxh1	02	FdPy - Bluebunch wheatgrass - Balsamroot	Fd		12.0	
IDFxh1	02	FdPy - Bluebunch wheatgrass - Balsamroot	Py		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFxh1	03	FdPy - Bluebunch wheatgrass - Pinegrass	Fd		12.0	
IDFxh1	03	FdPy - Bluebunch wheatgrass - Pinegrass	Py		15.0	
IDFxh1	04	FdPy - Snowbrush - Pinegrass	Fd		15.0	
IDFxh1	04	FdPy - Snowbrush - Pinegrass	Py		15.0	
IDFxh1	05	FdPy - Pinegrass - Idaho fescue	Fd		15.0	
IDFxh1	05	FdPy - Pinegrass - Idaho fescue	Py		15.0	
IDFxh1	06	FdPy - Spirea - Feathermoss	Fd		18.0	
IDFxh1	06	FdPy - Spirea - Feathermoss	Py		18.0	
IDFxh1	07	FdPy - Snowberry - Spirea	Fd		18.0	
IDFxh1	07	FdPy - Snowberry - Spirea	Py		18.0	
IDFxh1	08	SxwFd - Douglas maple - Dogwood	Fd		21.0	
IDFxh1	08	SxwFd - Douglas maple - Dogwood	Py		21.0	
IDFxh1	08	SxwFd - Douglas maple - Dogwood	Sx		18.0	
IDFxh2	01	FdPy - Pinegrass - Feathermoss	Fd		15.0	
IDFxh2	01	FdPy - Pinegrass - Feathermoss	Py		15.0	
IDFxh2	02	FdPy - Bluebunch wheatgrass - Rough fescue	Fd		12.0	
IDFxh2	02	FdPy - Bluebunch wheatgrass - Rough fescue	Py		12.0	
IDFxh2	03	FdPy - Bluebunch wheatgrass - Balsamroot	Fd		12.0	
IDFxh2	03	FdPy - Bluebunch wheatgrass - Balsamroot	Py		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFxh2	04	FdPy - Bluebunch wheatgrass - Pinegrass	Fd		15.0	
IDFxh2	04	FdPy - Bluebunch wheatgrass - Pinegrass	Py		15.0	
IDFxh2	05	FdPy - Pinegrass	Fd		15.0	
IDFxh2	05	FdPy - Pinegrass	Py		15.0	
IDFxh2	06	Fd - Feathermoss	Fd		15.0	
IDFxh2	06	Fd - Feathermoss	Py		15.0	
IDFxh2	07	CwFd - Dogwood	Fd		21.0	
IDFxh2	07	CwFd - Dogwood	Py		21.0	
IDFxh2	07	CwFd - Dogwood	Sx		18.0	
IDFxh2	08	Sxw - Horsetail	Fd		21.0	
IDFxh2	08	Sxw - Horsetail	Sx		21.0	
IDFxm	01	Fd - Pinegrass - Feathermoss	Fd		15.0	
IDFxm	02	Fd - Bluebunch wheatgrass - Penstemon	Fd		12.0	
IDFxm	03	Fd - Juniper - Cladonia	Fd		12.0	
IDFxm	03	Fd - Juniper - Cladonia	Pl		12.0	
IDFxm	04	Fd - Bluebunch wheatgrass - Pasture sage	Fd		12.0	
IDFxm	05	Fd - Feathermoss - Step moss	Fd		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
IDFxw	07	Sxw - Prickly rose - Coltsfoot	Sx		21.0	
MHmm1	01	HmBa - Blueberry	Ba		12.0	
MHmm1	01	HmBa - Blueberry - Prince Rupert	Hm		12.0	
MHmm1	01	HmBa - Blueberry - Vancouver	Hm		16.0	
MHmm1	02	HmBa - Mountain heather	Ba		8.0	
MHmm1	02	HmBa - Mountain heather - Prince Rupert	Hm		8.0	
MHmm1	02	HmBa - Mountain heather - Vancouver	Hm		12.0	
MHmm1	03	BaHm - Oak fern	Ba		12.0	
MHmm1	03	BaHm - Oak fern	Hm		12.0	
MHmm1	04	HmBa - Bramble - Prince Rupert	Ba		8.0	
MHmm1	04	HmBa - Bramble - Vancouver	Ba		12.0	
MHmm1	04	HmBa - Bramble - Prince Rupert	Hm		8.0	
MHmm1	04	HmBa - Bramble - Vancouver	Hm		16.0	
MHmm1	05	BaHm - Twisted stalk	Ba		16.0	
MHmm1	05	BaHm - Twisted stalk	Hm		16.0	
MHmm1	06	HmYc - Deer cabbage	Ba		8.0	
MHmm1	06	HmYc - Deer cabbage	Hm		8.0	
MHmm1	07	YcHm - Hellebore	Ba		8.0	
MHmm1	07	YcHm - Hellebore	Hm		8.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MHmm1	08	HmYc - Sphagnum	Hm		8.0	
MHmm1	09	YcHm - Skunk cabbage	Hm		8.0	
MHmm2	01	HmBa - Blueberry - Prince Rupert	Ba		12.0	
MHmm2	01	HmBa - Blueberry - Vancouver	Ba		16.0	
MHmm2	01	HmBa - Blueberry - Prince Rupert	Hm		12.0	
MHmm2	01	HmBa - Blueberry - Vancouver	Hm		16.0	
MHmm2	02	HmBa - Mountain heather - Prince Rupert	Ba		8.0	
MHmm2	02	HmBa - Mountain heather - Vancouver	Ba		12.0	
MHmm2	02	HmBa - Mountain heather - Prince Rupert	Hm		8.0	
MHmm2	02	HmBa - Mountain heather - Vancouver	Hm		12.0	
MHmm2	03	BaHm - Oak fern - Prince Rupert	Ba		12.0	
MHmm2	03	BaHm - Oak fern - Vancouver	Ba		16.0	
MHmm2	03	BaHm - Oak fern - Prince Rupert	Hm		12.0	
MHmm2	03	BaHm - Oak fern - Vancouver	Hm		16.0	
MHmm2	04	HmBa - Bramble - Prince Rupert	Ba		8.0	
MHmm2	04	HmBa - Bramble - Vancouver	Ba		16.0	
MHmm2	04	HmBa - Bramble - Prince Rupert	Hm		8.0	
MHmm2	04	HmBa - Bramble - Vancouver	Hm		16.0	
MHmm2	05	BaHm - Twisted stalk	Ba		16.0	
MHmm2	05	BaHm - Twisted stalk	Hm		16.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MHmm2	06	HmYc - Deer cabbage	Ba		8.0	
MHmm2	06	HmYc - Deer cabbage	Hm		8.0	
MHmm2	07	YcHm - Hellebore	Ba		8.0	
MHmm2	07	YcHm - Hellebore	Hm		8.0	
MHmm2	08	HmYc - Sphagnum	Hm		8.0	
MHmm2	09	YcHm - Skunk cabbage	Hm		8.0	
MHwh	01	HmSs - Blueberry	Ba		12.0	
MHwh	01	HmSs - Blueberry	Hm		12.0	
MHwh	01	HmSs - Blueberry	Hw		12.0	
MHwh	01	HmSs - Blueberry	Yc		12.0	
MHwh1	01	HmSs - Blueberry	Ba		12.0	
MHwh1	01	HmSs - Blueberry	Hm		12.0	
MHwh1	01	HmSs - Blueberry	Hw		12.0	
MHwh1	01	HmSs - Blueberry	Yc		12.0	
MSdc	01	Sxw - Wintergreen - Feathermoss	Bl		15.0	
MSdc	01	Sxw - Wintergreen - Feathermoss	Fd		15.0	
MSdc	01	Sxw - Wintergreen - Feathermoss	Pl		18.0	
MSdc	01	Sxw - Wintergreen - Feathermoss	Sx		15.0	
MSdc	02	FdPl - Juniper	Bl		9.0	
MSdc	02	FdPl - Juniper	Fd		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MSdc	02	FdPl - Juniper	Pl		12.0	
MSdc	02	FdPl - Juniper	Sx		9.0	
MSdc	03	Pl - Spirea - Pinegrass	Bl		12.0	
MSdc	03	Pl - Spirea - Pinegrass	Fd		15.0	
MSdc	03	Pl - Spirea - Pinegrass	Pl		15.0	
MSdc	03	Pl - Spirea - Pinegrass	Sx		12.0	
MSdc	04	Sxw - Gooseberry	Bl		18.0	
MSdc	04	Sxw - Gooseberry	Fd		18.0	
MSdc	04	Sxw - Gooseberry	Pl		21.0	
MSdc	04	Sxw - Gooseberry	Sx		18.0	
MSdc2	01	Sxw - Wintergreen - Feathermoss	Bl		15.0	
MSdc2	01	Sxw - Wintergreen - Feathermoss	Pl		18.0	
MSdc2	01	Sxw - Wintergreen - Feathermoss	Sx		15.0	
MSdk	01	Sxw - Soopolallie - Grouseberry	Bl	9	18.0	0.6
MSdk	01	Sxw - Soopolallie - Grouseberry	Fd	15	20.2	0.6
MSdk	01	Sxw - Soopolallie - Grouseberry	Lw	7	18.8	0.8
MSdk	01	Sxw - Soopolallie - Grouseberry	Pl	10	21.5	0.9
MSdk	01	Sxw - Soopolallie - Grouseberry	Sx	13	19.9	0.5
MSdk	03	Pl - Juniper - Pinegrass	At	7	19.5	1.6
MSdk	03	Pl - Juniper - Pinegrass	Bl		12.0	
MSdk	03	Pl - Juniper - Pinegrass	Fd	10	18.5	0.8
MSdk	03	Pl - Juniper - Pinegrass	Lw		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
MSdk	03	Pl - Juniper - Pinegrass	Pl	9	16.8	1.3
MSdk	03	Pl - Juniper - Pinegrass	Sx		15.0	
MSdk	04	Pl - Oregon-grape - Pinegrass	Bl	7	18.4	1.3
MSdk	04	Pl - Oregon-grape - Pinegrass	Fd	31	19.0	0.5
MSdk	04	Pl - Oregon-grape - Pinegrass	Lw	10	16.4	0.6
MSdk	04	Pl - Oregon-grape - Pinegrass	Pl	18	18.1	0.7
MSdk	04	Pl - Oregon-grape - Pinegrass	Sx	7	22.7	1.9
MSdk	05	Sxw - Soopolallie - Snowberry	Bl		15.0	
MSdk	05	Sxw - Soopolallie - Snowberry	Fd	7	17.3	0.6
MSdk	05	Sxw - Soopolallie - Snowberry	Lw	7	21.2	1.2
MSdk	05	Sxw - Soopolallie - Snowberry	Pl	7	19.6	0.6
MSdk	05	Sxw - Soopolallie - Snowberry	Sx	7	22.4	1.2
MSdk	06	Sxw - Dogwood - Horsetail	Bl		15.0	
MSdk	06	Sxw - Dogwood - Horsetail	Fd		18.0	
MSdk	06	Sxw - Dogwood - Horsetail	Pl		15.0	
MSdk	06	Sxw - Dogwood - Horsetail	Sx		18.0	
MSdm1	01	Sxw - Falsebox - Feathermoss	Bl	10	19.3	1.0
MSdm1	01	Sxw - Falsebox - Feathermoss	Fd		18.0	
MSdm1	01	Sxw - Falsebox - Feathermoss	Lw		21.0	
MSdm1	01	Sxw - Falsebox - Feathermoss	Pl	22	19.2	0.6
MSdm1	01	Sxw - Falsebox - Feathermoss	Sx	14	17.5	1.2
MSdm1	02	Fd - Penstemon - Pinegrass	Fd		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MSdm1	02	Fd - Penstemon - Pinegrass	Lw		15.0	
MSdm1	02	Fd - Penstemon - Pinegrass	Pl		15.0	
MSdm1	03	Pl - Grouseberry - Cladonia	Bl		15.0	
MSdm1	03	Pl - Grouseberry - Cladonia	Fd		18.0	
MSdm1	03	Pl - Grouseberry - Cladonia	Lw		18.0	
MSdm1	03	Pl - Grouseberry - Cladonia	Pl	7	13.3	1.7
MSdm1	03	Pl - Grouseberry - Cladonia	Sx		15.0	
MSdm1	04	Pl - Pinegrass - Kinnikinnick	Bl		15.0	
MSdm1	04	Pl - Pinegrass - Kinnikinnick	Fd		18.0	
MSdm1	04	Pl - Pinegrass - Kinnikinnick	Lw		21.0	
MSdm1	04	Pl - Pinegrass - Kinnikinnick	Pl	11	17.6	1.2
MSdm1	04	Pl - Pinegrass - Kinnikinnick	Sx		15.0	
MSdm1	05	Sxw - Trapper's tea - Grouseberry	Bl		18.0	
MSdm1	05	Sxw - Trapper's tea - Grouseberry	Fd		18.0	
MSdm1	05	Sxw - Trapper's tea - Grouseberry	Pl	8	19.7	0.6
MSdm1	05	Sxw - Trapper's tea - Grouseberry	Sx	7	16.3	0.4
MSdm1	06	Sxw - Gooseberry	Bl		18.0	
MSdm1	06	Sxw - Gooseberry	Fd		18.0	
MSdm1	06	Sxw - Gooseberry	Pl		21.0	
MSdm1	06	Sxw - Gooseberry	Sx		18.0	
MSdm1	07	Sxw - Trapper's tea - Horsetail	Bl		15.0	
MSdm1	07	Sxw - Trapper's tea - Horsetail	Pl		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MSdm2	06	Sxw - Gooseberry - Devil's club	Bl		15.0	
MSdm2	06	Sxw - Gooseberry - Devil's club	Fd		18.0	
MSdm2	06	Sxw - Gooseberry - Devil's club	Pl		18.0	
MSdm2	06	Sxw - Gooseberry - Devil's club	Sx		15.0	
MSdm2	07	Sxw - Horsetail - Leafy moss	Bl		12.0	
MSdm2	07	Sxw - Horsetail - Leafy moss	Pl		15.0	
MSdm2	07	Sxw - Horsetail - Leafy moss	Sx		12.0	
MSdv	01	Pl - Soopolallie - Twinflower	Bl		15.0	
MSdv	01	Pl - Soopolallie - Twinflower	Pl		18.0	
MSdv	01	Pl - Soopolallie - Twinflower	Sx		15.0	
MSxk	01	Pl - Pinegrass - Lupine	Bl		12.0	
MSxk	01	Pl - Pinegrass - Lupine	Fd		15.0	
MSxk	01	Pl - Pinegrass - Lupine	Pl	20	15.7	0.6
MSxk	01	Pl - Pinegrass - Lupine	Sx	12	14.8	0.6
MSxk	02	Fd - Juniper - Grouseberry	Bl		9.0	
MSxk	02	Fd - Juniper - Grouseberry	Fd		12.0	
MSxk	02	Fd - Juniper - Grouseberry	Pl	10	12.4	0.9
MSxk	02	Fd - Juniper - Grouseberry	Sx		12.0	
MSxk	05	FdPl - Pinegrass - Arnica	Bl		12.0	
MSxk	05	FdPl - Pinegrass - Arnica	Fd		15.0	
MSxk	05	FdPl - Pinegrass - Arnica	Pl	8	14.9	0.6
MSxk	05	FdPl - Pinegrass - Arnica	Sx		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
MSxk	06	Pl - Falsebox - Lupine	Bl		15.0	
MSxk	06	Pl - Falsebox - Lupine	Fd		18.0	
MSxk	06	Pl - Falsebox - Lupine	Pl	27	16.0	0.5
MSxk	06	Pl - Falsebox - Lupine	Sx	7	13.0	0.8
MSxk	07	Sxw - Trapper's tea - Grouseberry	Bl		12.0	
MSxk	07	Sxw - Trapper's tea - Grouseberry	Pl	14	17.0	0.9
MSxk	07	Sxw - Trapper's tea - Grouseberry	Sx		12.0	
MSxk	08	Sxw - Gooseberry - Grouseberry	Bl		15.0	
MSxk	08	Sxw - Gooseberry - Grouseberry	Pl		18.0	
MSxk	08	Sxw - Gooseberry - Grouseberry	Sx		15.0	
MSxk	09	Sxw - Horsetail - Leafy moss	Bl		12.0	
MSxk	09	Sxw - Horsetail - Leafy moss	Pl		15.0	
MSxk	09	Sxw - Horsetail - Leafy moss	Sx		12.0	
MSxv	01	Pl - Grouseberry - Feathermoss	Pl		18.0	
MSxv	01	Pl - Grouseberry - Feathermoss	Sx		12.0	
MSxv	02	Pl - Fescue - Stereocaulon	Pl		12.0	
MSxv	03	Pl - Kinnikinnick - Cladonia	Pl		12.0	
MSxv	04	Pl - Grouseberry - Kinnikinnick	Pl		15.0	
MSxv	04	Pl - Grouseberry - Kinnikinnick	Sx		9.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
MSxv	05	Pl - Trapper's tea - Crowberry	Pl		18.0	
MSxv	05	Pl - Trapper's tea - Crowberry	Sx		12.0	
MSxv	06	Sxw - Crowberry - Knight's plume	Pl		18.0	
MSxv	06	Sxw - Crowberry - Knight's plume	Sx		15.0	
MSxv	07	Sxw - Crowberry - Glow moss	Pl		12.0	
MSxv	07	Sxw - Crowberry - Glow moss	Sx		12.0	
MSxv	08	Sxw - Horsetail - Crowberry	Pl		12.0	
MSxv	08	Sxw - Horsetail - Crowberry	Sx		12.0	
PPdh1	01	Py - Bluebunch wheatgrass - Junegrass	Fd		15.0	
PPdh1	01	Py - Bluebunch wheatgrass - Junegrass	Py		15.0	
PPdh1	04	FdPy - Ninebark	Fd		18.0	
PPdh1	04	FdPy - Ninebark	Py		18.0	
PPdh1	05	PyAct - Snowberry - Kentucky bluegrass	Fd		18.0	
PPdh1	05	PyAct - Snowberry - Kentucky bluegrass	Py		18.0	
PPdh1	05	PyAct - Snowberry - Kentucky bluegrass	Sx		18.0	
PPdh1	06	AtAct - Snowberry - Horsetail	Fd		21.0	
PPdh1	06	AtAct - Snowberry - Horsetail	Sx		21.0	
PPdh2	01	Py - Bluebunch wheatgrass - Junegrass	Fd		15.0	
PPdh2	01	Py - Bluebunch wheatgrass - Junegrass	Lw		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
PPdh2	01	Py - Bluebunch wheatgrass - Junegrass	Pl		12.0	
PPdh2	01	Py - Bluebunch wheatgrass - Junegrass	Py		15.0	
PPdh2	03	PyAt - Rose - Solomon's-seal	Fd		18.0	
PPdh2	03	PyAt - Rose - Solomon's-seal	Lw		15.0	
PPdh2	03	PyAt - Rose - Solomon's-seal	Pl		15.0	
PPdh2	03	PyAt - Rose - Solomon's-seal	Py		18.0	
PPdh2	03	PyAt - Rose - Solomon's-seal	Sx		15.0	
PPdh2	04	Act - Dogwood - Nootka rose	Sx		18.0	
PPxh1	01	Py - Bluebunch wheatgrass - Idaho fescue	Fd		12.0	
PPxh1	01	Py - Bluebunch wheatgrass - Idaho fescue	Py		15.0	
PPxh1	02	Py - Red three-awn	Py		18.0	
PPxh1	04	Py - Bluebunch wheatgrass - Cheatgrass	Fd		12.0	
PPxh1	04	Py - Bluebunch wheatgrass - Cheatgrass	Py		15.0	
PPxh1	05	Py - Bluebunch wheatgrass - Rough fescue	Fd		18.0	
PPxh1	05	Py - Bluebunch wheatgrass - Rough fescue	Py		15.0	
PPxh1	06	FdPy - Snowberry - Pinegrass	Fd		21.0	
PPxh1	06	FdPy - Snowberry - Pinegrass	Py		18.0	
PPxh1	07	FdPy - Snowberry - Spirea	Fd		21.0	
PPxh1	07	FdPy - Snowberry - Spirea	Py		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
PPxh1	08	Fd - Water birch - Douglas maple	Fd		24.0	
PPxh1	08	Fd - Water birch - Douglas maple	Py		18.0	
PPxh2	01	Py - Bluebunch wheatgrass - Fescue	Fd		12.0	
PPxh2	01	Py - Bluebunch wheatgrass - Fescue	Py		12.0	
PPxh2	02	FdPy - Bluebunch wheatgrass - Selaginella	Fd		9.0	
PPxh2	02	FdPy - Bluebunch wheatgrass - Selaginella	Py		9.0	
PPxh2	03	Py - Bluebunch wheatgrass	Fd		12.0	
PPxh2	03	Py - Bluebunch wheatgrass	Py		12.0	
PPxh2	04	Py - Big sage - Bluebunch wheatgrass	Fd		12.0	
PPxh2	04	Py - Big sage - Bluebunch wheatgrass	Py		12.0	
PPxh2	06	FdPy - Snowberry - Saskatoon	Fd		18.0	
PPxh2	06	FdPy - Snowberry - Saskatoon	Py		15.0	
PPxh2	07	Act - Water birch	Fd		21.0	
PPxh2	07	Act - Water birch	Py		18.0	
SBPSdc	01	Pl - Juniper - Feathermoss	Pl		18.0	
SBPSdc	01	Pl - Juniper - Feathermoss	Sx		15.0	
SBPSdc	02	Pl - Kinnikinnick - Cladonia	Pl		12.0	
SBPSdc	03	Pl - Kinnikinnick - Feathermoss	Pl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBPSdc	04	PlSb - Feathermoss	Pl		15.0	
SBPSdc	05	Sxw - Scrub birch - Feathermoss	Pl		15.0	
SBPSdc	05	Sxw - Scrub birch - Feathermoss	Sx		15.0	
SBPSdc	06	Sxw - Horsetail - Meadowrue	Pl		21.0	
SBPSdc	06	Sxw - Horsetail - Meadowrue	Sx		21.0	
SBPSdc	07	Sb - Scrub birch - Sedge	Pl		9.0	
SBPSdc	07	Sb - Scrub birch - Sedge	Sx		12.0	
SBPSdc	08	Sxw - Horsetail - Glow moss	Pl		15.0	
SBPSdc	08	Sxw - Horsetail - Glow moss	Sx		15.0	
SBPSmc	01	Pl - Feathermoss - Cladina	Pl		12.0	
SBPSmc	01	Pl - Feathermoss - Cladina	Sb		9.0	
SBPSmc	01	Pl - Feathermoss - Cladina	Sx		9.0	
SBPSmc	02	Pl - Kinnikinnick - Cladonia	Pl		9.0	
SBPSmc	02	Pl - Kinnikinnick - Cladonia	Sx		6.0	
SBPSmc	03	SbPl - Feathermoss	Pl		9.0	
SBPSmc	03	SbPl - Feathermoss	Sx		6.0	
SBPSmc	04	Sxw - Scrub birch - Feathermoss	Pl		9.0	
SBPSmc	04	Sxw - Scrub birch - Feathermoss	Sx		6.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary: Species	Sample Size	Mean Site Index	Standard Error
SBPSmk	07	Sxw - Horsetail - Glow moss	Pl		18.0	
SBPSmk	07	Sxw - Horsetail - Glow moss	Sx		21.0	
SBPSmk	08	Sb - Scrub birch - Sedge	Pl		12.0	
SBPSmk	08	Sb - Scrub birch - Sedge	Sx		12.0	
SBPSxc	01	Pl - Kinnikinnick - Feathermoss	Pl		15.0	
SBPSxc	02	Pl - Kinnikinnick - Cladonia	Fd		12.0	
SBPSxc	02	Pl - Kinnikinnick - Cladonia	Pl		12.0	
SBPSxc	03	Sxw - Scrub birch - Fen moss	Pl		15.0	
SBPSxc	03	Sxw - Scrub birch - Fen moss	Sx		12.0	
SBPSxc	04	Sxw - Scrub birch - Feathermoss	Pl		15.0	
SBPSxc	04	Sxw - Scrub birch - Feathermoss	Sx		15.0	
SBPSxc	05	Sxw - Horsetail - Glow moss	Pl		15.0	
SBPSxc	05	Sxw - Horsetail - Glow moss	Sx		15.0	
SBPSxc	06	Sxw - Horsetail - Meadowrue	Pl		21.0	
SBPSxc	06	Sxw - Horsetail - Meadowrue	Sx		18.0	
SBSdh	01	SxwFd - Ricegrass	Fd		21.0	
SBSdh	01	SxwFd - Ricegrass	Pl		21.0	
SBSdh	01	SxwFd - Ricegrass	Sx		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSdh	02	Pl - Velvet-leaved blueberry - Cladonia	Pl		15.0	
SBSdh	02	Pl - Velvet-leaved blueberry - Cladonia	Sx		12.0	
SBSdh	03	FdPl - Pinegrass - Feathermoss	Fd		15.0	
SBSdh	03	FdPl - Pinegrass - Feathermoss	Lw		18.0	
SBSdh	03	FdPl - Pinegrass - Feathermoss	Pl		18.0	
SBSdh	03	FdPl - Pinegrass - Feathermoss	Pw		18.0	
SBSdh	04	Pl - Pinegrass - Feathermoss	Fd		15.0	
SBSdh	04	Pl - Pinegrass - Feathermoss	Pl		18.0	
SBSdh	04	Pl - Pinegrass - Feathermoss	Sx		15.0	
SBSdh	05	Pl - Labrador tea - Velvet-leaved blueberry	Pl		18.0	
SBSdh	05	Pl - Labrador tea - Velvet-leaved blueberry	Sb		15.0	
SBSdh	05	Pl - Labrador tea - Velvet-leaved blueberry	Sx		15.0	
SBSdh	06	SxwFd - Thimbleberry	Pl		21.0	
SBSdh	06	SxwFd - Thimbleberry	Sx		21.0	
SBSdh	07	Sxw - Horsetail	Pl		21.0	
SBSdh	07	Sxw - Horsetail	Sx		21.0	
SBSdh	08	Sb - Scrub birch - Sedge	Pl		15.0	
SBSdh	08	Sb - Scrub birch - Sedge	Sb		12.0	
SBSdh	08	Sb - Scrub birch - Sedge	Sx		12.0	
SBSdh1	01	SxwFd - Ricegrass	Fd	9	21.9	1.5

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSdk	01	Sxw - Spirea - Purple peavine	Pl	24	19.5	0.4
SBSdk	01	Sxw - Spirea - Purple peavine	Sx	17	18.0	0.6
SBSdk	02	Pl - Juniper - Ricegrass	Pl		15.0	
SBSdk	02	Pl - Juniper - Ricegrass	Sx		15.0	
SBSdk	03	Pl - Feathermoss - Cladina	Pl	13	16.2	0.6
SBSdk	03	Pl - Feathermoss - Cladina	Sb		9.0	
SBSdk	03	Pl - Feathermoss - Cladina	Sx	10	14.9	0.6
SBSdk	04	Fd - Soopolallie - Feathermoss	Pl		15.0	
SBSdk	04	Fd - Soopolallie - Feathermoss	Sx		15.0	
SBSdk	05	Sxw - Spirea - Feathermoss	Pl	9	18.9	1.0
SBSdk	05	Sxw - Spirea - Feathermoss	Sx		18.0	
SBSdk	06	Sxw - Twinberry - Coltsfoot	Fd		18.0	
SBSdk	06	Sxw - Twinberry - Coltsfoot	Pl	14	21.9	0.6
SBSdk	06	Sxw - Twinberry - Coltsfoot	Sx	22	20.4	0.6
SBSdk	07	Sxw - Horsetail	Pl		21.0	
SBSdk	07	Sxw - Horsetail	Sx		21.0	
SBSdk	08	Act - Dogwood - Prickly rose	Pl		21.0	
SBSdk	08	Act - Dogwood - Prickly rose	Sx		21.0	
SBSdk	09	Sb - Creeping-snowberry - Sphagnum	Pl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSdk	09	Sb - Creeping-snowberry - Sphagnum	Sb		9.0	
SBSdk	10	Sb - Soft-leaved sedge - Sphagnum	Pl		12.0	
SBSdk	10	Sb - Soft-leaved sedge - Sphagnum	Sb		9.0	
SBSdk	10	Sb - Soft-leaved sedge - Sphagnum	Sx		12.0	
SBSdw1	01	SxwFd - Pinegrass	Fd		21.0	
SBSdw1	01	SxwFd - Pinegrass	Pl		24.0	
SBSdw1	01	SxwFd - Pinegrass	Sx		21.0	
SBSdw1	02	FdPl - Cladonia	Fd		15.0	
SBSdw1	02	FdPl - Cladonia	Pl		15.0	
SBSdw1	03	Fd - Saskatoon - Pinegrass	Fd		15.0	
SBSdw1	03	Fd - Saskatoon - Pinegrass	Pl		15.0	
SBSdw1	04	Pl - Pinegrass - Feathermoss	Fd		15.0	
SBSdw1	04	Pl - Pinegrass - Feathermoss	Pl		18.0	
SBSdw1	04	Pl - Pinegrass - Feathermoss	Sx		15.0	
SBSdw1	05	SxwFd - Ricegrass	Fd		21.0	
SBSdw1	05	SxwFd - Ricegrass	Pl		21.0	
SBSdw1	05	SxwFd - Ricegrass	Sx		18.0	
SBSdw1	06	SxwFd - Thimbleberry	Fd		21.0	
SBSdw1	06	SxwFd - Thimbleberry	Pl		24.0	
SBSdw1	06	SxwFd - Thimbleberry	Sx		21.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSdw1	07	Sxw - Twinberry - Coltsfoot	Fd		21.0	
SBSdw1	07	Sxw - Twinberry - Coltsfoot	Pl		21.0	
SBSdw1	07	Sxw - Twinberry - Coltsfoot	Sx		21.0	
SBSdw1	08	Sxw - Twinberry - Oak fern	Fd		21.0	
SBSdw1	08	Sxw - Twinberry - Oak fern	Pl		24.0	
SBSdw1	08	Sxw - Twinberry - Oak fern	Sx		24.0	
SBSdw1	09	Sxw - Horsetail - Glow moss	Pl		21.0	
SBSdw1	09	Sxw - Horsetail - Glow moss	Sx		21.0	
SBSdw2	01	SxwFd - Pinegrass	Fd		18.0	
SBSdw2	01	SxwFd - Pinegrass	Pl		21.0	
SBSdw2	01	SxwFd - Pinegrass	Sx		18.0	
SBSdw2	02	FdPl - Cladonia	Fd		15.0	
SBSdw2	02	FdPl - Cladonia	Pl		15.0	
SBSdw2	03	Pl - Kinnikinnick - Wavy-leaved moss	Pl		15.0	
SBSdw2	04	Fd - Pinegrass - Aster	Fd		15.0	
SBSdw2	04	Fd - Pinegrass - Aster	Pl		15.0	
SBSdw2	05	SxwFd - Cat's-tail moss	Fd		18.0	
SBSdw2	05	SxwFd - Cat's-tail moss	Pl		21.0	
SBSdw2	05	SxwFd - Cat's-tail moss	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSdw2	06	Pl - Pinegrass - Feathermoss	Fd		18.0	
SBSdw2	06	Pl - Pinegrass - Feathermoss	Pl		21.0	
SBSdw2	06	Pl - Pinegrass - Feathermoss	Sx		18.0	
SBSdw2	07	PlSb - Feathermoss	Pl		18.0	
SBSdw2	07	PlSb - Feathermoss	Sx		15.0	
SBSdw2	08	Sxw - Twinberry	Fd		18.0	
SBSdw2	08	Sxw - Twinberry	Pl		21.0	
SBSdw2	08	Sxw - Twinberry	Sx		18.0	
SBSdw2	09	Sxw - Devil's club - Knight's plume	Fd		21.0	
SBSdw2	09	Sxw - Devil's club - Knight's plume	Pl		21.0	
SBSdw2	09	Sxw - Devil's club - Knight's plume	Sx		21.0	
SBSdw2	10	Sxw - Horsetail	Pl		15.0	
SBSdw2	10	Sxw - Horsetail	Sx		18.0	
SBSdw2	11	Sb - Soft-leaved sedge - Sphagnum	Pl		9.0	
SBSdw2	11	Sb - Soft-leaved sedge - Sphagnum	Sx		9.0	
SBSdw3	01	SxwFd - Pinegrass	At	9	20.1	1.2
SBSdw3	01	SxwFd - Pinegrass	Ep	7	18.6	1.2
SBSdw3	01	SxwFd - Pinegrass	Fd		18.0	
SBSdw3	01	SxwFd - Pinegrass	Pl	13	21.5	0.7
SBSdw3	01	SxwFd - Pinegrass	Sx	15	18.4	0.8

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSdw3	09	Sxw - Horsetail - Glow moss	Pl		18.0	
SBSdw3	09	Sxw - Horsetail - Glow moss	Sx		18.0	
SBSdw3	10	Sb - Soft-leaved sedge - Sphagnum	Lt		15.0	
SBSdw3	10	Sb - Soft-leaved sedge - Sphagnum	Pl		15.0	
SBSdw3	10	Sb - Soft-leaved sedge - Sphagnum	Sb		12.0	
SBSdw3	10	Sb - Soft-leaved sedge - Sphagnum	Sx		12.0	
SBSmc1	01	Sxw - Huckleberry	Bl		15.0	
SBSmc1	01	Sxw - Huckleberry	Fd		18.0	
SBSmc1	01	Sxw - Huckleberry	Pl		18.0	
SBSmc1	01	Sxw - Huckleberry	Sx		18.0	
SBSmc1	02	Pl - Cladonia - Haircap moss	Bl		12.0	
SBSmc1	02	Pl - Cladonia - Haircap moss	Pl		15.0	
SBSmc1	02	Pl - Cladonia - Haircap moss	Sx		12.0	
SBSmc1	03	Fd - Pinegrass - Aster	Fd		18.0	
SBSmc1	03	Fd - Pinegrass - Aster	Pl		15.0	
SBSmc1	04	Sxw - Huckleberry - Labrador tea	Bl		15.0	
SBSmc1	04	Sxw - Huckleberry - Labrador tea	Pl		18.0	
SBSmc1	04	Sxw - Huckleberry - Labrador tea	Sx		15.0	
SBSmc1	05	Sxw - Spirea - Glow moss	Bl		15.0	
SBSmc1	05	Sxw - Spirea - Glow moss	Pl		15.0	
SBSmc1	05	Sxw - Spirea - Glow moss	Sx		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSmc1	06	Sxw - Oak fern	Bl		18.0	
SBSmc1	06	Sxw - Oak fern	Fd		18.0	
SBSmc1	06	Sxw - Oak fern	Pl		21.0	
SBSmc1	06	Sxw - Oak fern	Sx		21.0	
SBSmc1	07	Sxw - Devil's club - Step moss	Bl		18.0	
SBSmc1	07	Sxw - Devil's club - Step moss	Fd		21.0	
SBSmc1	07	Sxw - Devil's club - Step moss	Pl		21.0	
SBSmc1	07	Sxw - Devil's club - Step moss	Sx		21.0	
SBSmc1	08	Sxw - Horsetail - Glow moss	Bl		18.0	
SBSmc1	08	Sxw - Horsetail - Glow moss	Pl		15.0	
SBSmc1	08	Sxw - Horsetail - Glow moss	Sx		15.0	
SBSmc2	01	Sxw - Huckleberry	Bl	31	15.4	0.5
SBSmc2	01	Sxw - Huckleberry	Pl	97	17.9	0.3
SBSmc2	01	Sxw - Huckleberry	Sx	48	18.7	0.5
SBSmc2	02	Pl - Huckleberry - Cladonia	Bl		12.0	
SBSmc2	02	Pl - Huckleberry - Cladonia	Pl	27	16.4	0.5
SBSmc2	02	Pl - Huckleberry - Cladonia	Sx	7	12.3	0.8
SBSmc2	03	SbPl - Feathermoss	Pl		15.0	
SBSmc2	03	SbPl - Feathermoss	Sb		9.0	
SBSmc2	03	SbPl - Feathermoss	Sx		15.0	
SBSmc2	04	Sxw - Huckleberry - Dwarf blueberry	Pl		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSmc2	04	Sxw - Huckleberry - Dwarf blueberry	Sx		18.0	
SBSmc2	05	Sxw - Twinberry - Coltsfoot	Bl	11	16.3	1.0
SBSmc2	05	Sxw - Twinberry - Coltsfoot	Pl	26	19.1	0.5
SBSmc2	05	Sxw - Twinberry - Coltsfoot	Sx	35	21.3	0.6
SBSmc2	06	Sxw - Oak fern	Bl	17	19.1	0.7
SBSmc2	06	Sxw - Oak fern	Pl	10	19.9	0.5
SBSmc2	06	Sxw - Oak fern	Sx	26	19.3	0.5
SBSmc2	07	Sxw - Scrub birch - Feathermoss	Pl		12.0	
SBSmc2	07	Sxw - Scrub birch - Feathermoss	Sb		9.0	
SBSmc2	07	Sxw - Scrub birch - Feathermoss	Sx		12.0	
SBSmc2	08	Sxw - Twinberry - Oak fern	Pl		21.0	
SBSmc2	08	Sxw - Twinberry - Oak fern	Sx		21.0	
SBSmc2	09	Sxw - Devil's club	Bl		18.0	
SBSmc2	09	Sxw - Devil's club	Pl		21.0	
SBSmc2	09	Sxw - Devil's club	Sx	8	19.8	0.8
SBSmc2	10	Sxw - Horsetail	Bl	8	15.3	0.9
SBSmc2	10	Sxw - Horsetail	Pl	7	19.6	0.8
SBSmc2	10	Sxw - Horsetail	Sx	9	19.3	1.0
SBSmc2	11	Sxw - Horsetail - Glow moss	Pl		18.0	
SBSmc2	11	Sxw - Horsetail - Glow moss	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSmc2	12	SbSxw - Scrub birch - Sedge	Pl		12.0	
SBSmc2	12	SbSxw - Scrub birch - Sedge	Sb		9.0	
SBSmc2	12	SbSxw - Scrub birch - Sedge	Sx		9.0	
SBSmc3	01	Sxw - Huckleberry	Bl		15.0	
SBSmc3	01	Sxw - Huckleberry	Pl		18.0	
SBSmc3	01	Sxw - Huckleberry	Sx		15.0	
SBSmc3	02	Pl - Juniper - Dwarf blueberry	Pl		15.0	
SBSmc3	02	Pl - Juniper - Dwarf blueberry	Sx		12.0	
SBSmc3	03	Pl - Feathermoss - Cladina	Pl		15.0	
SBSmc3	03	Pl - Feathermoss - Cladina	Sx		12.0	
SBSmc3	04	Sxw - Huckleberry - Soopolallie	Bl		12.0	
SBSmc3	04	Sxw - Huckleberry - Soopolallie	Pl		15.0	
SBSmc3	04	Sxw - Huckleberry - Soopolallie	Sx		12.0	
SBSmc3	05	Sb - Huckleberry - Spirea	Pl		15.0	
SBSmc3	05	Sb - Huckleberry - Spirea	Sb		12.0	
SBSmc3	05	Sb - Huckleberry - Spirea	Sx		12.0	
SBSmc3	06	SbPl - Feathermoss	Pl		15.0	
SBSmc3	06	SbPl - Feathermoss	Sb		12.0	
SBSmc3	06	SbPl - Feathermoss	Sx		12.0	
SBSmc3	07	Sxw - Twinberry	Bl		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSmc3	07	Sxw - Twinberry	Pl		18.0	
SBSmc3	07	Sxw - Twinberry	Sx		15.0	
SBSmc3	08	Sxw - Horsetail	Bl		15.0	
SBSmc3	08	Sxw - Horsetail	Pl		18.0	
SBSmc3	08	Sxw - Horsetail	Sx		15.0	
SBSmh	01	SxwFd - Hazelnut	Fd		21.0	
SBSmh	01	SxwFd - Hazelnut	Sx		18.0	
SBSmh	02	FdPl - Cladonia	Fd		18.0	
SBSmh	03	FdPl - Velvet-leaved blueberry - Cladonia	Fd		18.0	
SBSmh	03	FdPl - Velvet-leaved blueberry - Cladonia	Pl		21.0	
SBSmh	03	FdPl - Velvet-leaved blueberry - Cladonia	Sx		15.0	
SBSmh	04	Fd - Douglas maple - Step moss	Fd		21.0	
SBSmh	04	Fd - Douglas maple - Step moss	Sx		15.0	
SBSmh	05	SxwFd - Feathermoss	Fd		21.0	
SBSmh	05	SxwFd - Feathermoss	Sx		18.0	
SBSmh	06	SxwFd - Coltsfoot	Fd		21.0	
SBSmh	06	SxwFd - Coltsfoot	Sx		21.0	
SBSmh	07	SxwEp - Devil's club	Fd		24.0	
SBSmh	07	SxwEp - Devil's club	Sx		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSmh	08	Sxw - Ostrich fern	Fd		24.0	
SBSmh	08	Sxw - Ostrich fern	Sx		24.0	
SBSmh	09	Sxw - Horsetail - Glow moss	Sx		21.0	
SBSmk1	01	Sxw - Huckleberry - Highbush-cranberry	At	11	19.4	1.1
SBSmk1	01	Sxw - Huckleberry - Highbush-cranberry	Bl	12	15.7	1.2
SBSmk1	01	Sxw - Huckleberry - Highbush-cranberry	Fd		21.0	
SBSmk1	01	Sxw - Huckleberry - Highbush-cranberry	Pl	19	20.1	0.7
SBSmk1	01	Sxw - Huckleberry - Highbush-cranberry	Sx	20	19.1	0.8
SBSmk1	02	Pl - Cladina - Step moss	Pl		18.0	
SBSmk1	02	Pl - Cladina - Step moss	Sx		15.0	
SBSmk1	03	Pl - Feathermoss - Cladina	Pl	10	16.1	0.9
SBSmk1	03	Pl - Feathermoss - Cladina	Sx		15.0	
SBSmk1	04	SxwFd - Knight's plume	Bl		15.0	
SBSmk1	04	SxwFd - Knight's plume	Fd		18.0	
SBSmk1	04	SxwFd - Knight's plume	Pl		21.0	
SBSmk1	04	SxwFd - Knight's plume	Sx		18.0	
SBSmk1	05	SxwFd - Toad-flax	Bl		18.0	
SBSmk1	05	SxwFd - Toad-flax	Fd	7	21.2	1.2
SBSmk1	05	SxwFd - Toad-flax	Pl	14	20.9	1.2
SBSmk1	05	SxwFd - Toad-flax	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSmk2	03	Sxw - Huckleberry - Soopolallie	Bl		12.0	
SBSmk2	03	Sxw - Huckleberry - Soopolallie	Pl		18.0	
SBSmk2	03	Sxw - Huckleberry - Soopolallie	Sx		15.0	
SBSmk2	04	Sb - Huckleberry - Spirea	Pl		18.0	
SBSmk2	04	Sb - Huckleberry - Spirea	Sb		15.0	
SBSmk2	04	Sb - Huckleberry - Spirea	Sx		12.0	
SBSmk2	05	Sxw - Oak fern	Bl		18.0	
SBSmk2	05	Sxw - Oak fern	Pl		21.0	
SBSmk2	05	Sxw - Oak fern	Sx		21.0	
SBSmk2	06	Sxw - Horsetail	Bl		18.0	
SBSmk2	06	Sxw - Horsetail	Pl		21.0	
SBSmk2	06	Sxw - Horsetail	Sx		21.0	
SBSmm	01	Sxw - Falsebox - Knight's plume	Bl		18.0	
SBSmm	01	Sxw - Falsebox - Knight's plume	Fd		18.0	
SBSmm	01	Sxw - Falsebox - Knight's plume	Pl		21.0	
SBSmm	01	Sxw - Falsebox - Knight's plume	Sx		18.0	
SBSmm	02	Pl - Huckleberry - Cladonia	Bl		12.0	
SBSmm	02	Pl - Huckleberry - Cladonia	Fd		15.0	
SBSmm	02	Pl - Huckleberry - Cladonia	Pl		15.0	
SBSmm	02	Pl - Huckleberry - Cladonia	Sx		12.0	
SBSmm	03	Pl - Douglas-fir - Juniper	Bl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSmm	03	Pl - Douglas-fir - Juniper	Fd		15.0	
SBSmm	03	Pl - Douglas-fir - Juniper	Pl		15.0	
SBSmm	03	Pl - Douglas-fir - Juniper	Sx		12.0	
SBSmm	04	Pl - Soopolallie - Pinegrass	Bl		15.0	
SBSmm	04	Pl - Soopolallie - Pinegrass	Fd		18.0	
SBSmm	04	Pl - Soopolallie - Pinegrass	Pl		18.0	
SBSmm	04	Pl - Soopolallie - Pinegrass	Sx		15.0	
SBSmm	05	Sxw - Soopolallie - Falsebox	Bl		15.0	
SBSmm	05	Sxw - Soopolallie - Falsebox	Fd		18.0	
SBSmm	05	Sxw - Soopolallie - Falsebox	Pl		18.0	
SBSmm	05	Sxw - Soopolallie - Falsebox	Sx		15.0	
SBSmm	06	Sxw - Huckleberry - Falsebox	Bl		15.0	
SBSmm	06	Sxw - Huckleberry - Falsebox	Fd		18.0	
SBSmm	06	Sxw - Huckleberry - Falsebox	Pl		18.0	
SBSmm	06	Sxw - Huckleberry - Falsebox	Sx		15.0	
SBSmm	07	Sxw - Oak fern	Bl		18.0	
SBSmm	07	Sxw - Oak fern	Cw		12.0	
SBSmm	07	Sxw - Oak fern	Pl		21.0	
SBSmm	07	Sxw - Oak fern	Sx		21.0	
SBSmm	08	Sxw - Horsetail	Bl		18.0	
SBSmm	08	Sxw - Horsetail	Pl		18.0	
SBSmm	08	Sxw - Horsetail	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSmw	01	SxwFd - Falsebox	Bl		15.0	
SBSmw	01	SxwFd - Falsebox	Fd	8	22.6	0.6
SBSmw	01	SxwFd - Falsebox	Pl	15	22.4	0.6
SBSmw	01	SxwFd - Falsebox	Sx	22	20.0	0.4
SBSmw	02	FdBl - Huckleberry	Fd		15.0	
SBSmw	02	FdBl - Huckleberry	Pl		15.0	
SBSmw	02	FdBl - Huckleberry	Sx		15.0	
SBSmw	03	Pl - Huckleberry - Velvet-leaved blueberry	Fd		18.0	
SBSmw	03	Pl - Huckleberry - Velvet-leaved blueberry	Pl	8	17.1	1.2
SBSmw	03	Pl - Huckleberry - Velvet-leaved blueberry	Sx		9.0	
SBSmw	04	SxwFd - Knight's plume	Fd		18.0	
SBSmw	04	SxwFd - Knight's plume	Pl		21.0	
SBSmw	04	SxwFd - Knight's plume	Sx		15.0	
SBSmw	05	Sxw - Pink spirea	Pl	7	18.2	0.7
SBSmw	05	Sxw - Pink spirea	Sx		15.0	
SBSmw	06	Sxw - Oak fern	Bl		15.0	
SBSmw	06	Sxw - Oak fern	Fd		21.0	
SBSmw	06	Sxw - Oak fern	Pl		24.0	
SBSmw	06	Sxw - Oak fern	Sx		21.0	
SBSmw	07	Sxw - Twinberry - Oak fern	Bl		15.0	
SBSmw	07	Sxw - Twinberry - Oak fern	Pl		24.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSmw	07	Sxw - Twinberry - Oak fern	Sx		21.0	
SBSmw	08	Sxw - Devil's club	Bl		18.0	
SBSmw	08	Sxw - Devil's club	Fd		21.0	
SBSmw	08	Sxw - Devil's club	Pl		24.0	
SBSmw	08	Sxw - Devil's club	Sx		24.0	
SBSmw	09	Sxw - Horsetail	Bl		15.0	
SBSmw	09	Sxw - Horsetail	Pl		18.0	
SBSmw	09	Sxw - Horsetail	Sx		18.0	
SBSmw	10	SbSxw - Scrub birch - Sedge	Pl		9.0	
SBSmw	10	SbSxw - Scrub birch - Sedge	Sx		9.0	
SBSvk	01	Sxw - Devil's club	Bl		15.0	
SBSvk	01	Sxw - Devil's club	Fd		18.0	
SBSvk	01	Sxw - Devil's club	Pl		21.0	
SBSvk	01	Sxw - Devil's club	Sx	8	19.7	1.3
SBSvk	02	Pl - Huckleberry - Velvet-leaved blueberry	Bl		12.0	
SBSvk	02	Pl - Huckleberry - Velvet-leaved blueberry	Pl		18.0	
SBSvk	02	Pl - Huckleberry - Velvet-leaved blueberry	Sx		15.0	
SBSvk	03	SxwFd - Thimbleberry	Bl		12.0	
SBSvk	03	SxwFd - Thimbleberry	Fd		15.0	
SBSvk	03	SxwFd - Thimbleberry	Pl		18.0	
SBSvk	03	SxwFd - Thimbleberry	Sx		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSvk	04	Sxw - Oak fern	Bl		15.0	
SBSvk	04	Sxw - Oak fern	Fd		18.0	
SBSvk	04	Sxw - Oak fern	Pl		21.0	
SBSvk	04	Sxw - Oak fern	Sx		18.0	
SBSvk	05	Sxw - Devil's club - Spiny wood fern	Bl		18.0	
SBSvk	05	Sxw - Devil's club - Spiny wood fern	Pl		21.0	
SBSvk	05	Sxw - Devil's club - Spiny wood fern	Sx		18.0	
SBSvk	06	Sxw - Horsetail	Bl		18.0	
SBSvk	06	Sxw - Horsetail	Pl		18.0	
SBSvk	06	Sxw - Horsetail	Sx		18.0	
SBSvk	07	Sxw - Devil's club - Ostrich fern	Bl		15.0	
SBSvk	07	Sxw - Devil's club - Ostrich fern	Pl		18.0	
SBSvk	07	Sxw - Devil's club - Ostrich fern	Sx		18.0	
SBSvk	08	SbPl - Bog-laurel - Sphagnum	Pl		12.0	
SBSvk	08	SbPl - Bog-laurel - Sphagnum	Sb		9.0	
SBSvk	08	SbPl - Bog-laurel - Sphagnum	Sx		12.0	
SBSwk1	01	Sxw - Oak fern	Bl		15.0	
SBSwk1	01	Sxw - Oak fern	Fd		21.0	
SBSwk1	01	Sxw - Oak fern	Pl		21.0	
SBSwk1	01	Sxw - Oak fern	Sx	13	21.2	0.8
SBSwk1	02	Pl - Huckleberry - Cladina	Bl		12.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

BGC Unit	Site Series	Site Association	Site Series Summary			
			Species	Sample Size	Mean Site Index	Standard Error
SBSwk1	02	Pl - Huckleberry - Cladina	Fd		15.0	
SBSwk1	02	Pl - Huckleberry - Cladina	Pl		15.0	
SBSwk1	02	Pl - Huckleberry - Cladina	Sx		12.0	
SBSwk1	03	Pl - Huckleberry - Velvet-leaved blueberry	Bl		12.0	
SBSwk1	03	Pl - Huckleberry - Velvet-leaved blueberry	Fd		15.0	
SBSwk1	03	Pl - Huckleberry - Velvet-leaved blueberry	Pl		18.0	
SBSwk1	03	Pl - Huckleberry - Velvet-leaved blueberry	Sx		15.0	
SBSwk1	04	SxwFd - Knight's plume	Bl		15.0	
SBSwk1	04	SxwFd - Knight's plume	Fd		18.0	
SBSwk1	04	SxwFd - Knight's plume	Pl		18.0	
SBSwk1	04	SxwFd - Knight's plume	Sx		15.0	
SBSwk1	05	Sxw - Huckleberry - Highbush-cranberry	Bl		15.0	
SBSwk1	05	Sxw - Huckleberry - Highbush-cranberry	Fd		18.0	
SBSwk1	05	Sxw - Huckleberry - Highbush-cranberry	Pl		21.0	
SBSwk1	05	Sxw - Huckleberry - Highbush-cranberry	Sx		18.0	
SBSwk1	06	Sxw - Pink spirea - Oak fern	Bl		15.0	
SBSwk1	06	Sxw - Pink spirea - Oak fern	Pl		21.0	
SBSwk1	06	Sxw - Pink spirea - Oak fern	Sx		18.0	
SBSwk1	07	Sxw - Twinberry - Oak fern	Bl		18.0	
SBSwk1	07	Sxw - Twinberry - Oak fern	Pl		21.0	
SBSwk1	07	Sxw - Twinberry - Oak fern	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSwk2	04	SbPl - Feathermoss	Pl		18.0	
SBSwk2	04	SbPl - Feathermoss	Sb		15.0	
SBSwk2	04	SbPl - Feathermoss	Sx		15.0	
SBSwk2	05	Sxw - Devil's club	Bl		18.0	
SBSwk2	05	Sxw - Devil's club	Pl		21.0	
SBSwk2	05	Sxw - Devil's club	Sx		21.0	
SBSwk2	06	Sxw - Horsetail	Bl		18.0	
SBSwk2	06	Sxw - Horsetail	Pl		21.0	
SBSwk2	06	Sxw - Horsetail	Sx		24.0	
SBSwk3	01	Sxw - Oak fern	Bl	7	15.3	1.1
SBSwk3	01	Sxw - Oak fern	Pl	12	20.6	0.9
SBSwk3	01	Sxw - Oak fern	Sx	13	16.7	0.6
SBSwk3	02	Pl - Huckleberry - Cladina	Bl		12.0	
SBSwk3	02	Pl - Huckleberry - Cladina	Pl		15.0	
SBSwk3	02	Pl - Huckleberry - Cladina	Sx		12.0	
SBSwk3	03	SxwFd - Purple peavine	Fd		15.0	
SBSwk3	03	SxwFd - Purple peavine	Pl		15.0	
SBSwk3	03	SxwFd - Purple peavine	Sx		15.0	
SBSwk3	04	Sxw - Huckleberry - Highbush-cranberry	Bl		15.0	
SBSwk3	04	Sxw - Huckleberry - Highbush-cranberry	Pl		18.0	
SBSwk3	04	Sxw - Huckleberry - Highbush-cranberry	Sx		15.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.

			Site Series Summary			
BGC Unit	Site Series	Site Association	Species	Sample Size	Mean Site Index	Standard Error
SBSwk3	05	Sb - Labrador tea	Pl	7	15.7	1.1
SBSwk3	05	Sb - Labrador tea	Sb	7	11.2	1.2
SBSwk3	05	Sb - Labrador tea	Sx		15.0	
SBSwk3	06	Sxw - Twinberry - Coltsfoot	Bl		15.0	
SBSwk3	06	Sxw - Twinberry - Coltsfoot	Pl	7	20.7	0.8
SBSwk3	06	Sxw - Twinberry - Coltsfoot	Sx	7	19.2	1.4
SBSwk3	07	Sxw - Devil's club	Bl		18.0	
SBSwk3	07	Sxw - Devil's club	Pl		21.0	
SBSwk3	07	Sxw - Devil's club	Sx		21.0	
SBSwk3	08	Sxw - Horsetail	Bl		18.0	
SBSwk3	08	Sxw - Horsetail	Pl		21.0	
SBSwk3	08	Sxw - Horsetail	Sx		18.0	

** The SIBEC reports contain two types of site index estimates for each site series/tree species combination: a single class value where the first approximation site index class (BC MoF 1997) is reported, e.g., 18.0 or three values - sample size, mean site index, and standard error - where an updated post-1997 estimate is presented.